

THE SCIENCE OF BEEKEEPING

From Biology to Business

Editors

**Shahaji Phand
and
Sushrrekha Das**

The Science of Beekeeping: From Biology to Business



National Institute of Agricultural Extension Management (MANAGE)

(An Autonomous Organization of Ministry of Agriculture & Farmers Welfare, Govt. of India)

Rajendranagar, Hyderabad, Telangana, India 500030.

www.manage.gov.in

The Science of Beekeeping: From Biology to Business

Editors: Shahaji Phand, and Sushrirekha Das

Edition: 2025

ISBN: 978-81-19663-40-8

Copyright © 2025 National Institute of Agricultural Extension Management (MANAGE), Hyderabad, India


Citation: Shahaji Phand, and Sushrirekha Das [book] Hyderabad: National Institute of Agricultural Extension Management, Hyderabad, India.

Designed by: Archana Gogikar (Multimedia Designer, MANAGE)

This book is a compilation of resource text obtained from various subject experts, on “The Science of Beekeeping: From Biology to Business”. This book is designed to educate extension workers, students, research scholars, progressive farmers, and academicians academicians seeking knowledge in the field of scientific beekeeping about The Science of Beekeeping: From Biology to Business. Neither the publisher nor the contributors, authors, and editors assume any liability for any damage or injury to persons or property from any use of methods, instructions, or ideas contained in the book. No part of this publication may be reproduced or transmitted without prior permission of the publisher/editors/authors. Publisher and editors do not give a warranty for any error or omissions regarding the materials in this book.

Published for Dr. S. H Singh, IPoS, Director General, National Institute of Agricultural Extension Management (MANAGE), Hyderabad, India by Dr. G. Bhaskar, Assistant Director (IT) (Selection Grade) & Head (KM), MANAGE and printed at MANAGE, Hyderabad as publication.

Foreword



Beekeeping represents one of nature's most remarkable symbiotic relation between humans and insects, where patience is combined with precision. The hive serves as a vital driver of diversification and sustainability of nature. The beekeeping activity is taking a commercial shape due to increasing awareness about beekeeping products as a superfood. India's beekeeping sector is growing steadily, producing over 100,000 metric tons of honey annually and supporting livelihoods for more than 2 million people, including many youth and women entrepreneurs in rural areas. I am pleased to see "The Science of Beekeeping: From Biology to Business" book bring together knowledge, experience, and vision in one comprehensive resource.

At MANAGE, we believe empowering farmers, youth, and women with the right skills transforms opportunities into sustainable livelihoods. Apiculture perfectly exemplifies this. With proper training, quality inputs, and market linkages, even a small bee colony can generate income while safeguarding biodiversity.

Today's challenges climate change, biodiversity loss, and rural unemployment demand innovative, sustainable solutions for employment and livelihood. Climate impacts like shifting flowering seasons, temperature extremes, and erratic rainfall threaten bee health and productivity. Climate-smart practices such as diversified forage, adaptive hives, and community resource sharing can mitigate these risks. Beekeeping boosts crop yields through pollination, conserves ecosystems, and creates inclusive economic opportunities.

This book covers everything from bee biology and hive management to disease control, processing, and marketing by highlighting beekeeping as a viable and rewarding business.

I congratulate and compliment the editors and authors for their dedication in creating this book, which will inspire farmers, researchers, extension workers, and policymakers alike. With the collective efforts of institutions like MANAGE, NBB, committed individuals, and supportive policies, India can become a global leader in sustainable apiculture.



Dr. S.H. Singh, IPoS

राष्ट्रीय कृषि विस्तार प्रबंध संस्थान (मैनेज)

(कृषि एवं किसान कल्याण मंत्रालय, भारत सरकार का संगठन, राजेन्द्रनगर, हैदराबाद - 500 030. टी.एस., भारत)

NATIONAL INSTITUTE OF AGRICULTURAL EXTENSION MANAGEMENT (MANAGE)

(An Autonomous Organization of Ministry of Agriculture and Farmers Welfare, Govt. of India)

Rajendranagar, Hyderabad – 500030, Telangana, INDIA

Telephone: +91 040 – 24594505, 24015253

E-mail: dgmanage@manage.gov.in, Web: www.manage.gov.in



भारत सरकार/ Government of India

कृषि और किसान कल्याण मंत्रालय/ Ministry of Agriculture and Farmers Welfare
कृषि और किसान कल्याण विभाग/ Department of Agriculture and Farmers Welfare
राष्ट्रीय मधुमक्खी पालन एवं शहद मिशन/ National Beekeeping and Honey Mission
राष्ट्रीय मधुमक्खी बोर्ड (एन.बी.बी.)/ National Bee Board



"बी" विंग दूसरी मंजिल/"B" Wing 2nd Floor,
जनपथ भवन, नई दिल्ली / Janpath Bhawan, New Delhi--110001

MESSAGE

It gives me immense pleasure to note the publication of **The Science of Beekeeping: From Biology to Business**. Beekeeping is not merely a livelihood activity, it is a vital contributor to biodiversity conservation, agricultural productivity, and rural prosperity. In the context of climate change and the alarming decline in pollinator populations, the promotion of Good Apicultural Practices (GAP) is essential to ensure both environmental sustainability and economic resilience.

I extend my sincere appreciation to the National Institute of Agricultural Extension Management (MANAGE) for bringing out this valuable publication as an outcome of its "Scientific Beekeeping" Training Programme. Such initiatives play a crucial role in building capacities, spreading scientific knowledge, and fostering entrepreneurship in the apiculture sector.

The National Bee Board (NBB) remains committed to supporting endeavours that integrate apiculture development with community livelihoods. Beekeeping stands as a remarkable example of this synergy, offering sustainable income opportunities while enhancing pollination services that are critical for crop yields and food security.

I commend the authors and the MANAGE team for their dedication in preparing this comprehensive volume. I am confident that it will serve as a valuable resource and source of inspiration for beekeepers, researchers, entrepreneurs, and policymakers.

I extend my best wishes for the success of this endeavour and for continued growth and prosperity of India's beekeeping industry.

(Dr. K.K. Dash)
Assistant Commissioner, NBB

PREFACE

The Science of Beekeeping: From Biology to Business is designed to serve as a comprehensive guide for farmers, entrepreneurs, researchers, students, and policymakers. It brings together insights into bee biology and behaviour, modern colony management practices, seasonal and climate-smart beekeeping strategies, pest and disease management, value addition of hive products, and the business aspects of apiculture. By bridging scientific knowledge with practical applications, the book aims to empower readers to enhance productivity, quality, and profitability in beekeeping enterprises.

This publication is a direct outcome of the Scientific Beekeeping Training Programme organized by the National Institute of Agricultural Extension Management (MANAGE). The training brought together experts, practitioners, and community beekeepers to share knowledge, build skills, and demonstrate climate-smart and commercially viable beekeeping models. MANAGE's commitment to capacity building and knowledge dissemination has been instrumental in transforming this training content into a reference resource that will benefit stakeholders across India.

Drawing upon the latest research, field experiences, and case studies from across the country, the book also showcases indigenous knowledge alongside innovations such as IoT-based hive monitoring, cooperative marketing models, and value chain integration. It emphasizes sustainability recognizing that healthy bees mean healthy ecosystems.

We hope this book inspires its readers to see beekeeping not just as an economic activity, but as a contribution to biodiversity conservation, rural development, and food security. May it serve as both a reference and a source of inspiration for those committed to building a thriving, sustainable apiculture sector.

Editors

Chapter 1:	Introduction to Beekeeping : Beekeeping and its vital role in ecology, economy and agricultur- Ruchi Singh, Pragati Patel, Hari R
Chapter 2:	Bee Biology and Behaviour- Somnath Madhukar Ghadage, and Renuka Sunil Mahajan
Chapter 3:	Beekeeping Equipment and Apiary Setup- J.K. Sheoran, Vashim Ahamad and Tosif
Chapter 4:	Colony Management Practices- Mr. Pravin Raghuwanshi
Chapter 5:	Honey Production and Harvesting- Neelam Tyagi and CP Gupta
Chapter 6:	Value Addition and By-Products- Swati Sharma
Chapter 7:	Pest and Disease Management in Bees- Pyla Jyothi, Shaktivel P and Alice R P Sujeetha. C
Chapter 8:	Seasonal and Climate-Smart Beekeeping- Jyotsna Jayavantro Desai
Chapter 9:	Entrepreneurship and Marketing in Beekeeping- K Indira Reddy
Chapter 10:	Innovating Apiculture: Cooperatives and Communities Transforming Beekeeping- Avadhut Kadam, Mahesh Kadam and Deepak J. Waghmode
Chapter 11:	Vision for the Future-Beekeeping - Shahaji Phand and Sushrrekha Das

INTRODUCTION TO BEEKEEPING: BEEKEEPING AND ITS VITAL ROLE IN ECOLOGY, ECONOMY AND AGRICULTURE

Ruchi Singh¹, Pragati Patel², Hari R.³

¹Assistant Professor, In Charge Head, Dept of Vety & A.H Ext. Edn., C.V.Sc & A.H, NDVSU, Jabalpur M.P

²Assistant Professor, Dept of Vety Physiology, C.V.Sc & A.H, NDVSU, Jabalpur M.P

³Assistant Professor, Dept of Vety & A.H Ext. Edn., C.V.Sc & A.H, NDVSU, Jabalpur M.P

Abstract

Beekeeping, is the practice of managing honey bee colonies for honey, beeswax, propolis, royal jelly, and pollination services. It plays a vital role in ecology, economy, and agriculture by supporting biodiversity, food security, and rural livelihoods. Historically rooted in ancient Egypt and India, beekeeping has evolved with innovations like the movable-frame hive. Bees pollinate over 90 food crops, contributing about ₹500 billion annually to India's economy through enhanced yields and crop quality. India exported 74,413 metric tonnes of honey in 2022–23, earning ₹1,700 crore. Ecologically, bees sustain biodiversity, soil fertility, and carbon sequestration, making beekeeping a climate-resilient livelihood. India hosts diverse species such as *Apis dorsata* and *Apis mellifera*, with both modern and organic methods in practice. Challenges include pesticide use, habitat loss, and diseases, but initiatives like the National Beekeeping and Honey Mission and the Khadi and Village Industries Commission's Honey Mission are driving sustainable growth. Scaling production, empowering communities, and integrating apiculture with ecological restoration and sustainable agriculture are key to ensuring beekeeping's future in India.

Keywords: beekeeping, ecology, economy, agriculture

1. History and Importance of Beekeeping

1.1 Origins of Beekeeping

Beekeeping, or apiculture, is one of humanity's oldest agricultural practices, dating back over 8,000 years. Archaeological evidence, such as prehistoric cave paintings in Spain's Cuevas de la Araña, depicts early humans harvesting honey from wild bee colonies. In Ancient Egypt, around 2400 BCE, beekeeping was a structured activity, with clay hives used to house bees and honey

revered as a sacred offering in religious rituals, a preservative in embalming, and a medicinal ingredient. The Egyptians' advanced apiculture included transporting hives along the Nile to follow seasonal blooms, a practice that maximized honey production. Overall, People have been keeping bees for thousands of years. In ancient Egypt bees were kept in clay pots for honey, wax, and propolis. The honeybee was even a symbol of Lower Egypt.

Historical points:

- Old rock and cave paintings from different countries show bees and early beekeeping methods.
- In ancient Greece and Rome, beekeeping (also called apiculture) was common. Famous thinkers like Aristotle wrote about bee behavior and diseases. Hippocrates praised honey for health benefits, and athletes used it for energy.
- The Roman poet Virgil explained how to manage beehives. Another Roman, Varro, talked about beekeeping as a business.
- Early people hunted bees in nature. Later, they began keeping them in hollow logs, clay pots, and handmade hives.
- In 1851, L.L. Langstroth discovered "bee space"—a gap bees leave between combs. He designed a hive with removable frames, still used today. He is called the Father of Modern Beekeeping.
- Other important inventions:
 - Comb-making machines (Johannes Mehring, Germany)
 - Honey extractor (Franz von Hrushka, Austria)
 - Bee smoker and uncapping knife (Moses Quinby, USA)
 - Bee escape and roller comb machine (E.C. Porter and C.B. Weed, USA)

1.2 History of Beekeeping – India

Bees and honey have a long history in India. Ancient Indian books and art often mention them. A famous Buddhist story tells of monkeys offering honey to Lord Buddha at Vaishali. The Rig Veda also mentions bees. The *Atharvaveda* and *Charaka Samhita* document honey's therapeutic properties, classifying it as a *Yogavahi* in Ayurveda—a substance that enhances the efficacy of other medicinal compounds. Tribal communities in India, particularly in forested regions, have long harvested wild honey from species like the Indian Rock Bee (*Apis dorsata*), often at great personal risk due to the bees' aggressive nature and inaccessible cliffside hives. Beekeeping evolved alongside agriculture as humans transitioned from hunter-gatherer societies to settled

farming communities. Early civilizations, including the Greeks, Romans, and Chinese, developed sophisticated hive designs and extraction techniques. The Greeks, for instance, used terracotta hives, while the Romans documented apiculture in agricultural treatises, recognizing bees' role in pollination.

In India, traditional beekeeping was largely a forest-based activity, with tribal communities in states like Madhya Pradesh, Chhattisgarh, and Jharkhand collecting honey from wild colonies. These practices were sustainable but limited in scale due to the inability to manage colonies systematically. The 19th century marked a global turning point with Lorenzo Langstroth's invention of the movable frame hive in 1852. This innovation allowed beekeepers to inspect and manage colonies without destroying them, revolutionizing apiculture. In India, the adoption of modern hives, particularly for the Indian Hive Bee (*Apis cerana indica*), began in the 20th century, supported by government initiatives and agricultural research. As of the 2021-2022 financial year, India produced over 1,55,000 Metric Tonnes (MT) of honey (Vuppalapati et al., 2023).

Key points:

- Movable frame hives were first used in Bengal and Punjab in the 1880s.
- Commercial beekeeping began in South India in 1910. Rev. Newton created a hive for the native Indian bee (*Apis cerana*), called the Newton Hive.
- Newton also trained many beekeepers from 1911 to 1917.
- In 1928, the government encouraged beekeeping as a cottage industry.
- The All India Beekeepers' Association was established in 1938–39 and started publishing the Indian Bee Journal.
- European bees (*Apis mellifera*) were introduced between 1880 and 1951 in several Indian states, but they didn't adapt well initially.
- India has four types of bees:
 - Wild species: *Apis dorsata* and *Apis florea*
 - Hive bees: *Apis cerana* and *Apis mellifera*
- Until the 1970s, people mostly used *Apis cerana* in a few regions.
- Today, there are about 14 lakh bee colonies: 6.73 lakh of *Apis mellifera* and 7.3 lakh of *Apis cerana*.
- Compared to India's size and population, beekeeping still needs improvement.
- According to FAO, India ranks 5th in global honey production.

- China is the largest producer (40% of the world's supply), followed by the USA, Argentina, and Turkey.
- In India, Punjab leads in honey production. Though small in size, it produces over 25% of the country's honey.
- Ludhiana has become a beekeeping hub. Punjab's climate and flowers make it ideal for honey production.
- India has advanced technology for breeding queen bees and making products like royal jelly, pollen, bee venom, propolis, and beeswax.

1.3 Research and Growth of Beekeeping in India

- After independence, the Khadi and Village Industries Commission (KVIC) promoted beekeeping.
- Some states (like Jammu & Kashmir, Karnataka, UP, Himachal Pradesh) set up beekeeping departments.
- KVIC created the Central Bee Research and Training Institute (CBRTI) in Pune in 1962.
- The Indian Council of Agricultural Research (ICAR) began funding beekeeping projects.
- Research stations were opened in Himachal Pradesh (1945) and Tamil Nadu (1951).
- ICAR launched a project in 1976 to introduce Italian honeybees in Punjab. By 1980, *Apis mellifera* became popular.
- In 1980, ICAR started the All India Coordinated Project for honey bee research, now called AICRP on Honey Bees and Pollinators, with its main office in Hisar.
- There are now 16 research centers across India, supported by ICAR, NHB, and state governments.

1.4 Contemporary Significance

Nowadays, beekeeping is a multifaceted practice with profound ecological, economic, and agricultural impacts. Its contemporary significance includes:

- **Crop Pollination:** Bees pollinate over 90 food crops globally, supporting 75% of flowering plants and 35% of global crop production. In India, crops like mustard, sunflower, and cucurbits (e.g., pumpkin, cucumber) depend heavily on bee pollination, which boosts yields by 20–60%.

- **Rural Income Generation:** Beekeeping provides supplementary income for farmers, landless laborers, and tribal communities. Government programs like the National Beekeeping and Honey Mission (NBHM) promote scientific beekeeping, distributing bee boxes and training rural entrepreneurs.
- **Medicinal Products:** Honey, propolis, royal jelly, and bee venom are valued in traditional medicine systems like Ayurveda for their antibacterial, antioxidant, and anti-inflammatory properties. Honey-based products, such as cosmetics and health supplements, further enhance economic opportunities.
- **Sustainability:** Beekeeping is a low-input, high-output activity that aligns with sustainable agriculture, requiring minimal land and resources while delivering significant ecological and economic benefits.

The NBHM, launched in 2020, aims to integrate beekeeping into mainstream agriculture, targeting increased honey production, improved pollination services, and enhanced rural livelihoods. In 2022–23, India produced over 133,000 metric tonnes of honey, reflecting the sector’s growing importance.

Box 01- Keywords

Beehive - It is an enclosed structure in which a bee species of the genus *Apis* live and raise their young offspring.
Beekeeping (or apiculture) – It is the maintenance of honey bee colonies, commonly in hives, by human being for some product or service.
Exotic Bee- Bee species introduced or domesticated in areas other than their place of origin.

1.5 Beekeeping Practices Across India's Agro-Climatic Zones

Beekeeping in India exhibits considerable diversity, shaped by local climate, the availability of floral resources, and traditional techniques. Each agro-climatic zone supports distinct honeybee species, adapted to local environmental conditions and floral variations.

i. **Himalayan Region (Uttarakhand, Himachal Pradesh, J&K, Arunachal Pradesh)**

The Himalayan region primarily supports ***Apis cerana indica*** and ***Apis mellifera***, which thrive on diverse floral sources such as apple, pear, almond, cherry, and mustard. The main centres for honey production here include Kullu, Solan, Almora, Leh, and Tawang. Despite

its potential, beekeepers in this area face considerable challenges including harsh winters, habitat degradation, and exposure to pesticides, all of which can negatively affect bee populations and honey yield (Vercelli et al., 2021).

ii. **Indo-Gangetic Plains (Punjab, Haryana, Uttar Pradesh, Bihar)**

The Indo-Gangetic plains form a key region for commercial beekeeping, predominantly featuring *Apis mellifera*. This zone benefits from an abundance of flowering plants such as mustard, sunflower, eucalyptus, berseem, and coriander. Major honey-producing locations include Ludhiana, Hisar, Muzaffarpur, and Saharanpur. Nonetheless, beekeepers frequently contend with high pesticide usage and the threat of colony collapse disorder (CCD), which endangers both honeybee populations and production (Thomas et al., 2002).

iii. **Central India (Madhya Pradesh, Chhattisgarh)**

In central India, beekeeping largely revolves around wild honey collection, especially from *Apis dorsata*. This area is rich in floral resources such as sal, mahua, karanj, and teak. Key honey hubs include Jabalpur, Bastar, and Sagar. However, issues like deforestation and the prevalence of traditional honey-hunting among tribal communities pose significant threats to sustainable beekeeping and consistent honey harvests (Bhowate and Kumar, 2020).

iv. **Eastern & Northeastern India (Assam, West Bengal, Odisha)**

Here, *Apis cerana indica* and *Tetragonula iridipennis* are the main honeybee species. The varying floral resources include litchi, mango, coconut, banana, and an array of medicinal plants. Leading honey-producing areas are Darjeeling, Shillong, Bhubaneswar, and the Sundarbans. Despite the region's biodiversity, high humidity and problems with *Varroa* mite infestations pose major obstacles, often resulting in reduced colony health and honey yields (Hazarika, 2023).

v. **Southern India (Tamil Nadu, Karnataka, Kerala, Andhra Pradesh)**

Southern India is home to several honeybee species, such as *Apis cerana indica*, *Apis florea*, and *Tetragonula iridipennis*. Dominant floral sources include coconut, coffee, cashew, rubber, and teak. Major centres for honey here are Coorg, Kanyakumari, the Nilgiris, and Visakhapatnam. Challenges in this region include disruptions caused by monsoon rains and pesticide exposure, both of which can significantly affect bee activity and honey output (Thomas et al., 2002).

In summary, beekeeping across India is greatly influenced by regional environmental conditions, local floral diversity, and honeybee species composition. While this sector holds significant economic promise, addressing the unique challenges in each

region is essential for promoting sustainable honey production and supporting vital pollination services.

2. Role of Bees in Pollination and Agriculture

2.1 Biological Mechanism of Pollination

Pollination is the process by which pollen is transferred from a flower's anther (male part) to its stigma (female part), enabling fertilization and seed production. Bees are among nature's most efficient pollinators due to their unique adaptations:

- **Body Morphology:** Bees' hairy bodies trap pollen grains, facilitating their transfer between flowers.
- **Floral Constancy:** Bees tend to visit the same plant species during a foraging trip, ensuring effective cross-pollination.
- **Buzz Pollination:** Certain bees, like bumblebees, vibrate their wings to dislodge tightly packed pollen, a process critical for crops like tomatoes and eggplants.

As bees collect nectar and pollen for their nutritional needs, they inadvertently transfer pollen, enabling plant reproduction. This process is vital for the survival of both wild plants and cultivated crops.

2.2 Agricultural Benefits: Bee pollination significantly enhances agricultural productivity and food security:

- **Yield Improvement:** Crops like almonds, apples, mustard, and cucurbits experience yield increases of 20–60% with adequate bee pollination. For example, mustard crops in India can see a 30% yield boost when pollinated by bees.
- **Enhanced Quality:** Bee-pollinated fruits are often larger, more uniform, and have a longer shelf life, improving market value.
- **Genetic Diversity:** Cross-pollination by bees promotes genetic variation, resulting in healthier, more resilient crop varieties.
- **Synchronized Flowering:** Bee activity can lead to uniform flowering and ripening, streamlining harvest processes.



Figure 1: Field Snapshot: Empowering Through Apiculture

The economic value of bee pollination in India is estimated at ₹500 billion annually, according to studies by the Indian Council of Agricultural Research (ICAR) and the Food and Agriculture Organization (FAO). Pollinator-dependent crops, including oilseeds, pulses, and fruits, contribute significantly to India's agricultural economy.

2.3 Threats to Bee Populations

Despite their importance, bee populations face significant threats:

- **Pesticide Exposure:** Neonicotinoids and other chemical pesticides impair bee navigation, foraging, and immunity, leading to colony collapse.
- **Habitat Loss:** Monoculture farming and deforestation reduce floral diversity, limiting bees' foraging resources.
- **Climate Change:** Shifts in flowering seasons, extreme weather, and prolonged droughts disrupt bee foraging patterns and colony health.
- **Diseases and Parasites:** Varroa mites, nosema fungi, and viral infections threaten hive survival.

To mitigate these threats, farmers can adopt pollinator-friendly practices, such as planting hedgerows, reducing pesticide use, and transitioning to organic farming. Government initiatives, like the NBHM, also promote awareness and training to protect bee populations.

3. Economic and Ecological Value of Beekeeping

3.1 Economic Contributions

Beekeeping is a vital economic activity, particularly in rural India:

- **Product Revenue:** Honey, beeswax, pollen, propolis, and royal jelly generate significant income. In 2022–23, India produced 133,000 metric tonnes of honey, with a market value of billions of rupees.
- **Export Potential:** India exported 74,413 metric tonnes of honey in 2022–23, earning ₹1,700 crore. Key markets include the U.S., U.K., and UAE, with demand for organic and forest honey growing.
- **Employment Generation:** The Khadi and Village Industries Commission (KVIC) has distributed over 1.5 lakh bee boxes under its Honey Mission, creating livelihoods for thousands. A single beekeeper managing 20 boxes can earn ₹60,000–₹75,000 per season, according to NABARD estimates.
- **Entrepreneurship:** Beekeeping supports small-scale enterprises producing honey-based foods, cosmetics, and candles, fostering rural entrepreneurship.

3.2 Ecological Functions

Bees are keystone species, supporting ecosystems through pollination:

- **Biodiversity Conservation:** By pollinating diverse plant species, bees sustain forest and meadow ecosystems, promoting biodiversity.
- **Soil Fertility:** Pollinated plants develop robust root systems, reducing soil erosion and enhancing fertility.
- **Carbon Sequestration:** Bee-pollinated forests are more effective at storing carbon, aiding climate change mitigation.
- **Climate Resilience:** Diverse, bee-pollinated ecosystems are better equipped to adapt to changing climatic conditions.

Integrated crop-bee farming systems enhance biodiversity, soil health, and ecosystem resilience, as evidenced by studies in regions practicing such methods.

3.3 Beekeeping as a Climate-Resilient Practice

Beekeeping is a low-carbon practice. In the present scenario of severe and intense climate change, beekeeping can act as a climate-resilient practice with the following headings:

- **Diversified Income:** It provides farmers with alternative income sources, buffering against crop failures caused by climate variability.
- **Sustained Productivity:** Bee pollination supports resilient crop varieties, maintaining yields under adverse conditions.
- **Reduced Input Costs:** Natural pollination reduces reliance on synthetic fertilizers, lowering costs and environmental impact.

The World Bank's Green Agriculture Project in states like Odisha and Jharkhand incorporates beekeeping as a model for climate-resilient agriculture, highlighting its potential to enhance sustainability.

3.4 Agricultural Significance of Beekeeping

Bees are indispensable to modern agriculture, as many crops depend on insect pollination for fruit and seed production. Beekeeping supports agriculture in the following ways:

- **Crop Yield and Quality:** Pollinated crops produce higher yields and better-quality fruits, vegetables, and seeds. For example, almond production in California relies almost entirely on managed honey bee colonies, with over 1 million hives transported annually for pollination.
- **Food Security:** By enhancing crop productivity, beekeeping supports global food security. Crops like fruits, vegetables, nuts, and oilseeds, which account for a significant portion of human diets, benefit directly from bee pollination.
- **Sustainable Farming Practices:** Beekeeping promotes eco-friendly farming by decreasing dependence on chemical inputs and supporting biodiversity. Farmers who incorporate beekeeping into their farms often use organic or regenerative methods to protect bee health.

4. Types of Honey Bees in India and Their Characteristics

India's diverse climates and ecosystems support a variety of honey bee species, each with unique traits suited to different beekeeping practices.

4.1 Indian Rock Bee (*Apis dorsata*)

- **Characteristics:** Large, aggressive, wild bees that build massive combs on cliffs, tall trees, or buildings.
- **Honey Yield:** Produces up to 40 kg per colony per season, the highest among Indian bees.
- **Management:** Difficult to domesticate; primarily harvested from wild colonies by skilled tribal communities.
- **Geographic Spread:** Found in forest belts of central, southern, and northeastern India, including Madhya Pradesh, Chhattisgarh, and Assam.

4.2 Indian Hive Bee (*Apis cerana indica*)

- **Characteristics:** Medium-sized, docile bees suited for hive management.
- **Honey Yield:** Yields 10–15 kg per colony per season.
- **Advantages:** Highly adaptable to India's varied climates and resistant to common bee diseases.
- **Regions:** Widespread across India, including hill regions like Himachal Pradesh and Uttarakhand.

4.3 European Honey Bee (*Apis mellifera*)

- **Characteristics:** Larger, highly productive bees used in commercial beekeeping.
- **Honey Yield:** Produces 25–30 kg per colony, making it ideal for large-scale operations.
- **Management Needs:** Sensitive to environmental changes and pests, requiring skilled management.
- **Spread:** Introduced to India, now common in agricultural belts like Punjab, Haryana, and Jammu.

4.4 Little Bee (*Apis florea*)

- **Characteristics:** Small bees that build open combs on shrubs or low branches.
- **Honey Yield:** Low yield of 0.5–1 kg per colony, unsuitable for commercial harvesting.
- **Utility:** Valuable for pollination in arid ecosystems.
- **Spread:** Found in warmer regions like Rajasthan, Gujarat, and parts of southern India.

4.5 Dammer Bee (*Trigona spp.*)

- **Characteristics:** Stingless bees thriving in humid, tropical forests.
- **Products:** Produces medicinal honey and propolis, valued in traditional medicine.
- **Significance:** Supports ecological restoration through pollination in diverse ecosystems.
- **Spread:** Common in tropical regions like Kerala, Karnataka, and the Andaman Islands.

Table 1: Honey Bee Species in India

Species	Scientific Name	Characteristics	Honey Yield	Region Found
Indian Rock Bee	<i>Apis dorsata</i>	Wild, aggressive, large combs	Up to 40 kg/colony	Forests of central, southern, and northeastern India
Indian Hive Bee	<i>Apis cerana indica</i>	Docile, domesticated, adaptable	10–15 kg/colony	Across India, including hills
European Honey Bee	<i>Apis mellifera</i>	Productive, commercial, sensitive to pests	25–30 kg/colony	Plains and hills (e.g., Punjab)
Little Bee	<i>Apis florea</i>	Small, open combs, low yield	0.5–1 kg/colony	Warmer climates (e.g., Rajasthan)
Dammer Bee	<i>Trigona spp.</i>	Stingless, medicinal products	Low, but valuable	Tropical regions (e.g., Kerala)

5. Beekeeping Practices and Techniques

5.1 Traditional Beekeeping

Traditional beekeeping in India relies on indigenous knowledge, particularly among tribal communities. Methods include:

- **Wild Honey Collection:** Harvesting from *Apis dorsata* colonies on cliffs or trees, often using smoke to calm bees and bamboo ladders for access.
- **Clay or Wooden Hives:** Used for *Apis cerana indica* in rural areas, with simple designs that mimic natural cavities.

- **Seasonal Management:** Beekeepers track flowering seasons to relocate hives or collect honey at peak times.

While sustainable, traditional methods are labor-intensive and yield-limited, prompting a shift toward modern practices.

5.2 Modern Beekeeping

Modern beekeeping leverages scientific techniques to maximize productivity and sustainability:

- **Movable Frame Hives:** Langstroth hives allow for easy inspection, honey extraction, and colony management without harming bees.
- **Scientific Breeding:** Selective breeding enhances disease resistance and productivity, particularly for *Apis mellifera*.
- **Pest and Disease Management:** Integrated pest management (IPM) techniques, such as screened bottom boards and organic treatments, control threats like Varroa mites.
- **Migratory Beekeeping:** Beekeepers transport hives to follow crop blooms, optimizing pollination and honey production.

The NBHM and KVIC provide training and equipment, such as Langstroth hives and protective gear, to modernize beekeeping practices.

5.3 Organic Beekeeping

Organic beekeeping prioritizes sustainability and chemical-free practices:

- **Avoiding Pesticides:** Organic beekeepers use natural pest control methods, such as essential oils or biological controls.
- **Natural Feeding:** Bees are fed organic sugar syrup or honey during scarcity, avoiding synthetic supplements.
- **Certification:** Organic honey certification enhances market value, with standards set by bodies like APEDA.

Organic beekeeping aligns with global demand for natural products and supports pollinator health.

6. Challenges and Solutions in Beekeeping

6.1 Challenges

Beekeepers face several challenges:

- **Pesticide Impact:** Chemical sprays harm bee health and contaminate honey.
- **Lack of Awareness:** Many farmers are unaware of bees' pollination benefits or modern beekeeping techniques.
- **Market Access:** Small-scale beekeepers struggle to access lucrative markets, facing competition from adulterated honey.
- **Climate Variability:** Erratic weather disrupts bee foraging and colony survival.




Figure 2: Challenges for beekeepers

6.2 Solutions

- **Training Programs:** Government schemes like NBHM and KVIC offer training in modern beekeeping and pest management.

- **Pollinator-Friendly Farming:** Farmers can plant hedgerows, reduce pesticide use, and adopt organic methods to support bees.
- **Market Linkages:** Cooperatives and e-commerce platforms connect beekeepers to domestic and international markets.
- **Research and Innovation:** ICAR and agricultural universities develop pest-resistant bee strains and climate-adaptive practices.

7. Government and Institutional Support

7.1 National Beekeeping and Honey Mission (NBHM)

Launched in 2020, the NBHM aims to:

- Promote scientific beekeeping and pollination services.
- Provide training, equipment, and financial support to beekeepers.
- Develop honey testing labs and quality standards to boost exports.

7.2 Khadi and Village Industries Commission (KVIC)

KVIC's Honey Mission has:

- Distributed over 1.5 lakh bee boxes to rural entrepreneurs.
- Trained thousands in modern beekeeping techniques.
- Supported marketing of honey and bee products through Khadi outlets.

7.3 Other Initiatives

- **ICAR:** Researches on pollination ecology and bee health.
- **APEDA:** Facilitates honey exports and organic certification.
- **NABARD:** Provides loans and subsidies for beekeeping enterprises.

8. Future Prospects of Beekeeping in India

Beekeeping holds immense potential for India's farming communities:

- **Scaling Production:** With growing global demand for natural honey, India can increase production and exports.

- **Sustainable Agriculture:** Integrating beekeeping with crop farming enhances yields and resilience.
- **Women Empowerment:** Beekeeping offers accessible livelihoods for women in rural areas, with many self-help groups adopting apiculture.
- **Ecological Restoration:** Stingless bees like *Trigona spp.* can support reforestation and biodiversity projects.

Investments in research, training, and market infrastructure will further strengthen the sector, aligning with India's goals of sustainable development and rural prosperity.

References

1. APEDA (2023) Agricultural and Processed Food Products Export Development Authority – Export Statistics. <https://apeda.gov.in>
2. Bhowate S, Kumar P (2020) Ethnoentomological practices by tribes and rurals of Satpura plateau of Madhya Pradesh, India. *Journal of Entomology and Zoology Studies* 8(2): 833-837
3. FAO (2018) The Global Pollination Crisis. <http://www.fao.org>
4. Hazarika P (2023) An economic analysis on production and marketing of honey in Assam. Doctoral dissertation, Assam Agricultural University, Jorhat
5. ICAR (2020) Pollination Ecology and Agricultural Productivity in India.
6. Khadi and Village Industries Commission (2022) Honey Mission Progress Report.
7. Klein, A.M., et al. (2007) Importance of pollinators in changing landscapes for world crops. *Proceedings of the Royal Society B*.
8. Manjo MS, Sharma P, Ranjitha SM, Paschapur AM. 2023. Current scenario of beekeeping and honey production in India. *Hexapoda, Insecta Indica* 30(1&2): 43-55; DOI: 10.55446/hexa.2023.591
9. National Beekeeping & Honey Mission (NBHM) Reports. <https://nbhm.gov.in>
10. National Horticulture Board (2023). Honey Production Data. <http://nhb.gov.in>
11. Thomas D, Pal N, Rao K S (2002) Bee management and productivity of Indian honeybees. *Apiacta* 3: 1-5.
12. Vercelli M, Novelli S, Ferrazzi P, Lentini G, Ferracini C (2021) A qualitative analysis of beekeepers' perceptions and farm management adaptations to the impact of

climate change on honey bees. *Insects* 12(3): 228. <https://doi.org/10.3390/insects12030228>
PMid:33800740 PMCID:PMC7998300

13. Vuppalapati C (2023) Specialty Crops. *Specialty Crops for Climate Change Adaptation: Strategies for Enhanced Food Security by Using Machine Learning and Artificial Intelligence*. Springer Nature, Switzerland. pp.35-197. https://doi.org/10.1007/978-3-031-38399-1_2

BEE BIOLOGY AND BEHAVIOUR

¹Somnath Madhukar Ghadage, and ²Renuka Sunil Mahajan

¹Assistant Professor of Entomology, Dadasaheb Mokashi College of Agriculture, Rajmachi Tal-Karad Dist-Satara (MH), Email ID: somnathghadge@gmail.com

²Assistant Professor of Entomology, Govt. College of Agriculture, Karad,
Email ID: drrenukamahajan16@gmail.com

Abstract

Honey bees (*Apis* spp.) are vital pollinators with a complex anatomy and physiology that support their roles within a highly organized colony. This study explores their body structure, including specialized systems such as the digestive, respiratory, nervous, and reproductive systems. It also examines the distinct life cycles of the three castes: queen, worker, and drone. The division of labor is a dominant characteristic of honeybees. The highly evolved social organization of bees had been established before the existence of human race. Bees teach us the lesson of work and work with co-operation. Floral Calendar of a locality guides the beekeepers of *Apis cerena indica* for efficient bee management to derive maximum benefit from beekeeping. Total 21 plant species such as Mustard, Sunflower, Tomato, Brinjal, Mango, Cucumber, Chilli, Guava, Litchi, Pigeon pea, Tamarind, Citrus, Neem, Maize, Ber, Marigold, Sesame, Bitter gourd, Sponge Gourd, Okra and Karanj were recognized as major honey bee forage sources.

Keywords: honey bee, anatomy and Physiology, bee flora, floral calendar

Introduction

Bee biology and behaviour form the scientific foundation of beekeeping. Understanding the anatomy, physiology, and social organization of honey bees enables beekeepers to manage colonies effectively, enhance honey production, and ensure pollination efficiency. Honey bees (*Apis* spp.) are highly evolved social insects exhibiting complex cooperative behaviour, living in colonies composed of three castes—queen, workers, and drones—each with specialized roles. Their communication systems, such as the famous *waggle dance*, regulate foraging activities, while their innate instincts for brood care, nest construction, and defense ensure colony survival.

The behaviour of bees is closely linked to environmental cues, seasonal variations, and floral availability, making it essential for beekeepers to observe and adapt management practices accordingly. In India, with its diverse climatic zones and floral resources, studying bee biology and behaviour is critical for promoting climate-smart and region-specific apiculture practices.

1. Anatomy and Physiology of Honey Bee

Insects are tracheal arthropods whose bodies are divided into three main regions: head, thorax, and abdomen. The head bears a pair of antennae, a pair of compound eyes, 1 to 3 simple eyes (ocelli), and various mouthparts. The thorax has locomotory appendages, including three pairs of legs and one or two pairs of wings. The abdomen contains the reproductive organs, typically located on the 8th or 9th abdominal segments. The insect body is bilaterally symmetrical and is covered by a chitinous exoskeleton, which is shed periodically (molting). Insects have a tubular alimentary canal and an open circulatory system. Excretion is carried out through Malpighian tubules, and they possess a decentralized nervous system. Ex. Honey bee, grasshoppers, cockroaches, flies, wasps, beetles, weevils, butterflies, moths, bugs, dragonflies, damselflies, etc.




Figure 1 Anatomy and Physiology of Honey Bee

Honey bee


Honey bee play important role in the pollinators of many flowering plants, including field crops, oilseeds, legumes, fruits, vegetables, ornamental, medicinal and nuts. About 75% of global food crops depend at least in part on pollination. Which result in increases crop yields and quality (e.g., apples, almonds, berries, cucumbers). In this ways they support biodiversity by helping wild plants reproduction (Khalifa, *et al.* 2021). Every element of its anatomy, from its fuzzy, pollen-collecting

body to its translucent wings, reflects millions of years of evolutionary fine-tuning. Nearly every aspect of a honey bee’s physiology and behavior is optimized for its central ecological role: pollination.

Head

The honey bee possesses a hypognathous head position, meaning its face is oriented perpendicularly to the main axis of its body, facing downward. As a result, the mouthparts are directed ventrally (downward), well-suited for feeding while hovering or crawling on flowers. Honey bees have specialized mouthparts adapted for both chewing and lapping. The mandibles (jaws) are strong outer mouthparts used for biting, manipulating wax, grooming, handling solid materials, and protecting the proboscis. The proboscis (tongue) is a long, flexible, retractable tube, perfectly designed for lapping up nectar, honey, and water. The maxilla, located beneath the mandible, helps handle food items. The labial palp is used to feel and taste during feeding. The glossa is a hairy, tongue-like structure that sticks to nectar and draws it toward the mouth.


The compound eyes of a honey bee contain over 6,500 individual facets (ommatidia), giving it a wide field of vision that extends in front, to the sides, above, and below. (Charlotte Anderson, 2020) This complex visual system enables bees to detect motion and navigate with precision while flying. Honey bees can perceive all the colors visible to humans except for red, which appears black to them. In addition, bees can see ultraviolet (UV) light, which is invisible to the human eye, allowing them to detect patterns on flowers that guide them to nectar sources. Remarkably, bees can also detect the polarization of UV light, a skill that aids in navigation, especially on cloudy days when the sun is obscured. In addition to their compound eyes, honey bees have three simple eyes called ocelli, located near the top of the head. While these do not form images, they are sensitive to light intensity and likely help bees orient themselves to light and maintain stability during flight. (Justin Maness, 2019).



Hypognathous head



Compound Eyes



Simple Eyes (Ocelli)



Chewing and lapping

Antennae

Honeybee antennae are geniculate, meaning they have a distinct elbow-like bend. And it possess highly specialized sensory appendages, consisting of three main parts: the scapus (base), pedicel (middle segment) and the flagellum (long distal part). These antennae are covered with thousands of tiny sensory structures called sensilla, which detect touch, smell, taste, temperature, and humidity. Functionally, the antennae serve as movable segmented feelers, allowing bees to sense airborne odors and air currents, both of which are essential for foraging and communication. Most olfactory sensilla—especially the sensilla placodea (also called pore-plate sensilla)—are located on the flagellum. Each sensillum houses 5 to 35 olfactory sensory neurons (OSNs), enabling bees to detect floral scents, pheromones, and other chemical signals with remarkable sensitivity (Esslen & Kaissling, 1976; Kelber *et al.*, 2006). Beyond olfaction, honey bee antennae are multisensory organs that also support mechanoreception (detecting movement, vibration, and airflow) and flight orientation. For example, the Johnston's organ, located in the pedicel, allows bees to sense wind speed and direction, helping stabilize flight and interpret waggle dance vibrations during in-hive communication.

Thorax

In the thorax of the honey bee, the ventral nerve cord, heart, and esophagus all pass through, but the majority of the space is occupied by large, powerful flight muscles that control wing movement (Snodgrass, 1956; Goodman, 2003). Additionally, the salivary glands are located ventrally near the front of the thorax and are connected to the oral cavity in the head via a duct. These glands play a key role in producing saliva, enzymes, and pheromones used in feeding, digestion, and communication.

The ability to fly far and fast has greatly contributed to the ecological success of honey bees. A worker honey bee can forage up to three miles (4.8 km) from its hive and reach flight speeds of up to 15 miles per hour (24 km/h) (Seeley, 1995; Winston, 1987). Honey bees have four wings- a pair of forewings and hind wings both wings are membranous. A row of tiny hooks called hamuli on the leading edge of each hind wing latch into grooves on the trailing edge of the forewing, coupling the wings into a single flight surface during flight (Snodgrass, 1956). This wing-coupling mechanism allows for efficient and stable flight. When at rest, bees can uncouple the wings and fold them neatly over their backs.

The body of a honey bee is densely covered with branched setae, or feathery hairs, which play a key role in pollination. As bees forage, pollen grains stick to these hairs. Some of this pollen is transferred to other flowers, resulting in cross-pollination and fertilization. The remaining pollen is combed into the pollen baskets (corbiculae) on their hind legs and carried back to the hive.

While most insects have some setae that help with tactile sensing, the finely branched, plumose setae found on bees are a distinctive adaptation that enhances pollen collection. (Photo by Petr Kratochvil, www.publicdomainpictures.net).

Honey bees have six legs, all attached to the thorax, each made up of six flexible segments: coxa, trochanter, femur, tibia, basitarsus, and tarsus. The legs serve not only for walking and stability maintaining contact with at least three feet at any time but also for specialized tasks essential to bee survival. Each foot ends in a pair of claws for gripping rough surfaces and a sticky pad (arolium) for clinging to smooth ones. The front legs have a unique antenna cleaner a notched area with stiff hairs that bees use to groom their antennae. The middle legs assist in cleaning and transferring pollen. The hind legs of worker bees have a specialized structure called the pollen basket (*corbicula*), a concave area surrounded by stiff setae used to collect and carry pollen back to the hive. These adaptations allow bees to land securely, walk on various surfaces (like petals or honeycomb), and stay clean and efficient while foraging (Goodman, 2003).



Membranous with hamuli

Branched setae

Corbiculate Legs

Abdomen

The abdomen of a honey bee houses and protects many vital internal organs, including those of the digestive, circulatory, excretory, reproductive, and defensive systems. Key structures located here include the alimentary canal, dorsal vessel (heart), venom sac, wax glands (in workers), and several exocrine glands, such as the Nasonov gland (Snodgrass, 1956; Winston, 1987). In queen bees, the ovaries are highly developed, filling much of the abdominal cavity and contributing to the queen's larger, more elongated abdomen. In contrast, worker bees are sterile, and their ovaries remain undeveloped, although they may occasionally lay unfertilized eggs in the absence of a queen (Goodman, 2003).

Honey bees possess specialized wax glands located on the ventral side of abdominal segments 4 to 7 in worker bees. These wax glands secrete beeswax in the form of small, thin, translucent scales. The scales are exuded through pores and collected by the bee's legs, then chewed and molded using the mandibles to form hexagonal honeycomb cells (Snodgrass, 1956;

Winston, 1987). Wax production is energetically expensive bees must consume approximately 8 pounds of honey to produce just 1 pound of wax (Hepburn, 1986). Wax-producing bees are typically 12 to 18 days old, a period when the wax glands are most active. Bees work cooperatively to shape and construct the comb, which serves as the structural framework of the hive for brood rearing, food storage and communication.

Honey bees exhibit black and yellow stripes, a classic example of aposematic coloration warning signals used in nature to deter predators. These high-contrast markings indicate that the bee is capable of stinging, thus posing a potential threat to would-be predators (Ruxton *et al.*, 2004). Like many stinging insects, including wasps and hornets, honey bees use these visual cues to avoid confrontation and reduce the likelihood of attack.



Wax gland




Warning colors



Sting

The stinger of a honey bee is used solely for defense, not for offense. It is a modified ovipositor (an egg-laying structure), which means it is present only in female bees, specifically workers and queens (Snodgrass, 1956). The worker bee's stinger is barbed, like a fishhook, allowing it to penetrate skin but not be withdrawn easily. As a result, when a worker bee stings a mammal, the stinger and attached venom sac are torn from her abdomen, leading to her death soon afterward (Winston, 1987). Despite this sacrifice, honey bees are not naturally aggressive and sting only when threatened, particularly in defense of their colony. In contrast, the queen bee's stinger is smooth, as it functions primarily for fighting rival queens, though she may also sting if mishandled (Winston, 1987). A honey bee sting injects venom, which causes localized pain, swelling, and redness in most people. However, in a small percentage of individuals, stings can trigger severe allergic reactions including anaphylaxis, which may require emergency treatment (Schumacher *et al.*, 1989; Golden *et al.*, 2006).

Digestive System of Honey Bee



1. Foregut

- **Pharynx:** Powerful muscles create suction to draw in nectar; also serves as a taste reception site.
- **Crop (Honey Stomach):** An expandable storage organ for nectar, isolated from the midgut by the proventriculus valve, allowing bees to return to the hive without digesting the nectar. In-hive, nectar is regurgitated for honey storage or feeding other bees (*trophallaxis*)

2. Midgut (Ventriculus)

- Main site of digestion and nutrient absorption. It coils around the abdomen, essentially twice the bee's body length. Lined with epithelial and peritrophic membranes that protect it from pathogens such as *Nosema*.

3. Hindgut

- Composed of the ileum and rectum, tasked with water and salt reabsorption and temporary waste storage. Rectum distends and bees delay defecation until they can perform a "cleansing flight" (Snodgrass, 1956).

4. Salivary Glands

- Located in the thorax, connected via ducts to the mouth. They secrete enzymes including invertase, which breaks down sucrose into glucose and fructose, initiating honey processing.

5. Hypopharyngeal Glands

Worker honey bees possess a pair of hypopharyngeal glands located in their heads, which are highly developed in nurse bees (typically 5–15 days old). These glands secrete royal jelly, a protein-rich, milky substance sometimes referred to as bee milk (Winston, 1987). Royal jelly is fed to all larvae during the first three days of development. After this period, worker and drone larvae transition to a diet of honey and pollen, while future queens continue to receive pure royal

jelly throughout their larval development. This exclusive and continuous diet triggers the activation of genes responsible for queen differentiation, leading to full ovary development and the queen's lifelong fertility (Kamakura, 2011). Adult queens also consume royal jelly throughout their lives, supporting high levels of egg production, often exceeding 1,500 eggs per day during peak seasons (Winston, 1987).

Circulatory system:

Open circulatory system where hemolymph (blood) flows freely. A dorsal vessel (heart) pulses to circulate nutrients, hormones, and hemolymph through the body cavity (Winston, 1987).

Respiratory Systems

Respiration is via a **tracheal network**, air enters spiracles in the thorax and abdomen, travels through tracheae and tracheoles, delivering oxygen directly to tissues by diffusion. Spiracle muscles regulate gas exchange and water loss (Snodgrass, 1956).

Nervous System

1. Brain (Supraesophageal Ganglion)

The honey bee's "brain" is a fusion of three paired ganglia protocerebrum, deutocerebrum, and tritocerebrum that together form the supraesophageal ganglion. The protocerebrum integrates visual input from compound eyes and ocelli, especially via optic lobes. The deutocerebrum processes sensory input from antennae and controls antennal muscles, including antennal lobe circuits. The tritocerebrum functions as a global integrator, routing signals toward the subesophageal ganglion.

2. Ventral Nerve Cord & Ganglia

A chain of ganglia along the ventral nerve cord oversees local control of each body segment, enabling reflexive actions (eg. leg movements) independently of the brain such that decapitated bees can still move wings or legs.

Key Brain Centers

Mushroom bodies: Major regions for associative learning and memory, receiving multimodal inputs (olfactory, visual, mechanosensory). These are disproportionately large in honey bees compared to many insects.

Central complex: A midline brain structure involved in flight control, orientation and spatial integration; integrates visual signals to regulate flight direction and stability (Snodgrass, 1956).

Excretion System:

Malpighian Tubules are fine, kidney-like tubules that filter metabolic waste and excessive salts from hemolymph and deposit them into the gut for excretion

Sensory System

Vision

Bees possess compound eyes that detect polarized light and UV patterns vital for navigation. Additionally, three simple ocelli aid in light-level detection and flight stability.

Olfaction organ


The primary olfactory organs are the antennae, which bear diverse sensilla types.

Gustatory organs

Honey bees have gustatory receptors on their proboscis (tongue), legs, and body surface allowing detection of sugar concentration and evaluating food quality. Specialized sensilla respond to humidity, temperature, and possibly magnetic fields, aiding hive thermoregulation and orientation, though these modalities are less well understood in bees (Winston, 1987).

2. Life cycle of honey bees

A typical beehive contains 20,000 to 50,000 honey bees, but during peak seasons (usually spring or summer), the number can increase to 80,000 or more. This colony functions as a superorganism and is made up of three castes: Queen Bee, Worker Bees and Drone Bees. Every honey bee colony comprises of a single queen, a few hundred drones and several thousand worker castes of honey bees. Honey bees (*Apis* spp.) are holometabolous insects, meaning they undergo complete metamorphosis during their development. Their life cycle is composed of four distinct stages: Egg, Grub (Larva), Pupa and Adult (Snodgrass, 1956).



Egg: Pale yellowish white eggs are laid by the queen in individual wax cells. Fertilized eggs developed in to female bees (workers or queens) and unfertilized eggs developed in to male bees (drones). Incubation periods are about 3 days for all casts of honey bees.

Grub (Larva): White, legless and C-shaped grubs are hatched from the egg and feed on royal jelly initially, then pollen and nectar (except future queens). Active stage, grows rapidly and undergo 4 molts and the grub stages in 5 instars.

Pupa: Inactive stage, grub cells are sealed with wax by worker bees. A grub transformed in to exarate type of pupa develops legs, eyes, wings, etc.


Adults: Emerges from the cell by chewing through the wax cap. Begins role based on caste:
Workers: start hive duties, then forage. Drones: seek to mate. Queen: mates once, then lays eggs (Winston, 1987).

1. Queen Bee:

The only fertile female able to lay eggs in the colony, which lays 2,000–3,000 eggs per day during the breeding season. There is only one laying queen per hive and she can live several years under healthy conditions. She mates mostly with drones from other hives. Releases pheromones that regulate hive behavior and suppress ovary development in worker bees. When her health is declines or the hive is preparing to swarm, she will emit pheromones help to create new, virgin queens which can start new colonies.

2. Worker Bees:

Worker bees are female bees born from fertilized eggs. They do most of the work in the hive, such as caring for larvae, construction of comb, keeping the hive clean, guarding the hive, collecting pollen and making honey. Thus the lifespan of workers can be divided into two phases as first three weeks for house hold duty and rest of the life for outdoor duty (Snodgrass, 1956).



3. Drone Bees:

Drones are fertile male bees born from unfertilized eggs. Their only job is to reproduce with queens at surrounding hives. Drones are produced when the hive is growing, usually during

peak pollination season, and before a swarm or when the queen is running low on sperm. They die immediately after mating (Snodgrass, 1956).




Table. 1 Life cycle of honey bees

Life cycle of honey bees (Days)						
Sr. No.	Casts	Eggs	Grubs	Pupa	Adult	Adult longevity
1.	Queen	1-3	5.5	8	16	2–5 years
2.	Worker	1-3	6	12	21	up to 6 months
3.	Drone	1-3	6.5	14.5	24	8 weeks

3. Division of Labor and Communication among Bees

3.1 Division of Labor

Honey bees are social insects and live in colonies. A normal colony, during active season is composed of 3 kinds of individuals: one queen, thousands of workers (10000 to 30000 or even more) and few hundreds of drones, which vary in size. In addition, each colony has different developmental stages *viz* eggs, larvae and pupae which are collectively known as brood. Division of labour among the honey bees of a colony is based on different castes and the age of worker bees. Queen bee is the only functional female and mother of the colony. The inheritable duty of the queen bee is to only lay eggs besides keeping the colony intact. This also releases queen substances. Queen bee can lay 1,500-2,000 eggs per day at its peak. Drone bees are males and their only function is to mate with the virgin queen bee. During off season they are expelled out

of the colony to die. Worker bees are females with underdeveloped reproductive system. Except reproduction, worker bees perform all other functions for the wellbeing of the colony depending upon their age,

Queen:

Only one queen is found in a colony except under supersedure or swarming instinct. She is the mother of the whole colony producing workers and drones and is the only perfectly developed female member of the colony. Her function is to lay eggs. She does not have motherly instinct or ability to feed the brood. She is fed lavishly by a large number of nurse bees with highly nutritious food known as royal jelly. A good queen can lay 1500-2000 eggs per day. A laying queen is the longest bee in the colony. It has larger thorax than worker and her abdomen gets greatly distended during egg laying. The queen lays both fertilized and unfertilized eggs. Fertilized eggs produce workers (also queens) and unfertilized eggs produce drones. A good mated queen may work satisfactorily for 2 or more years, although queens can live eight years or longer. However, in commercial beekeeping, queen is replaced every year to keep high brood rearing in a colony. Queen releases queen substance (pheromone) which helps in the colony organization. It acts as worker attractant and inhibits ovary development in worker bees as well as raising new queen. Absence of queen pheromone is detected after about 30 minutes of queen loss and colony may start raising new queen. The pheromones in queen substance stimulate brood rearing, comb building, hoarding and foraging in a colony and thus play important role in normal working of a colony. The virgin queen mates with a number of drones (5-7) within 5-10 days of emergence in the air (not inside the hive) and spermatozoa are stored in spermatheca. Stored sperms are utilized to fertilize eggs throughout her life till exhausted.




Figure 1. Honey bee castes: a) drone (male), b) queen (reproductive female), and c) worker (non-reproductive female).

Worker bees: The backbone of the colony

Worker bees are the most numerous members of the colony, and their roles change as they age. These female bees are responsible for a wide range of tasks that ensure the smooth functioning of the hive. Worker bees are infertile female developed from fertilized eggs. A bee colony is called weak or strong according to number of workers it has. A bee colony of *Aphis cerana indica* has 15,000 workers and a strong one has 80,000. The workers (sterile females) are smaller than drones and queen. These have underdeveloped reproductive organs due to the influence of the pheromones produced by the queen. At any given time, a colony may have 2 or more batches of worker bees, having different male parentage. A worker bee has a life span of 6 weeks. For about three weeks following birth, they do the indoor duties, like feeding the drones (if they are still need), nursing the young, secreting royal jelly and bee wax, feeding and attending queen bee, cleaning the cells and hive, repairing the damaged combs, construction of new combs, ventilating, cooling, guarding and defence of the colony, evaporating nectar and stored honey. During the next 3 weeks, they take to outdoor field duties of foraging to collect water, nectar, pollen and propolis, and ripening honey in its proventriculus (honey stomach). Older forager bees turn also into scout bees that search for new sources of food and new nesting sites for the hive. A worker bee does not have an individual existence, as it lives for the good of entire colony. It dies in harness during flight to flowers. The average worker bee can make only one-twelfth of a teaspoon of honey during its lifetime. The worker bees must tap over two million flowers to make about one pound of honey, flying a distance equal to more than three times around the world.

The different roles worker bees play throughout their lives:

Young workers: The housekeepers

When worker bees first emerge from their cells, they spend their initial days performing tasks within the hive. These young workers, also known as nurse bees, are responsible for:

- **Brood care:** Nurse bees feed and care for the developing larvae, ensuring they receive the necessary nutrients to grow into healthy adult bees.
- **Hive maintenance:** They clean the hive, remove debris, and repair damaged cells using beeswax they produce themselves.
- **Feeding the queen:** Nurse bees attend to the queen's needs, feeding her and grooming her to ensure she remains healthy and productive.

Middle-aged workers: The builders and guards

As worker bees age, their roles shift to more demanding tasks. Middle-aged workers take on the following responsibilities:


Figure 2. Simplified representation of the order in which honey bee workers perform tasks in a hive.

Drones: The suitors of the hive

Drones are the male bees in the colony, and their primary role is to mate with the queen. The drones are male developed from unfertilized eggs parthenogenetically. The male bees are produced in the colony for the purpose of mating and fertilizing the queen bees. The larvae that develop from unfertilized eggs are fed royal jelly and give rise to drones. Worker bees feed and take care of the drone bees till the virgin queen in their colony is mated. After mating with the queen, the drone dies. When queen bee returns mated to hive, the worker bees neglect the drones. They do not have stingers, and their bodies are larger and bulkier compared to worker bees. Drones do not participate in foraging, hive maintenance, or brood care. Instead, they spend their days waiting for the opportunity to mate with a virgin queen from another colony. Once a drone successfully mates with a queen, his life comes to an end, as he dies shortly after the mating process. The remaining drones are often expelled from the hive as winter approaches, as they are no longer needed and are a drain on the colony's resources.

3.2 Communication among bees:

Honey bees have a unique and one of the best understood animal languages with which they inform each other the distance and direction of the source of food. The forager bee on return to the nest makes two kinds of dances on the surface of the comb, i.e. round dance and tail wagging or figure of eight dance (Fig. 3), which the insiders perceive by contacting the forager's body with their antennae. In the round dance, which is used to indicate a short distance (less than 50 m in case of *A. mellifera*), the bee runs in circles, first in one and then in opposite direction (clock and anticlockwise), while in the tail-wagging dance which is used to indicate a longer distance (beyond 50 m in case of *A. mellifera*), the bee makes two half-circles in opposite directions with a straight run in between. During the straight run, the bee shakes its abdomen from side to side and the number of wags per unit time is related to the distance the food was located, i.e. more the wags, nearer is the food. The direction of the food is conveyed by the angle that the dancing bee makes its straight run and top of the hive which is the same as between the direction of the food and direction of the sun. Prof. Karl von Frisch was awarded the Nobel Prize in Physiology and Medicine in 1973 for discovering and interpreting the language of the honey bees in early 1920s. Later on, it was found that honey bees employ both dance and sound in their language.



Round dance

WAGGLE DANCE




Figure 3: Communication dances in honey bees according to location of the food source and direction of the sun




Fig. 18.75 (Contd.): C. Diagrammatic illustrations of a worker honeybee's tail wagging dance in relation to food sources from the hive with the position of the sun.

Decoding the dance

The waggle dance takes place on the vertical surface of the honeycomb inside the dark hive. A returning forager who has found a valuable food source performs this figure-eight pattern dance, with the straight run in the middle being the key information-carrying segment. During this straight run, the bee waggles her abdomen from side to side while moving forward, creating vibrations that nearby bees can feel through the comb. The dance conveys two critical pieces of information with remarkable precision. The duration of the waggle run indicates the distance to the food source—roughly one second of dancing equals one kilometer of flight distance. The angle of the straight run relative to vertical communicates the direction of the food source relative to the sun's current position. If the bee dances straight up, the food is in the direction of the sun. If she dances at a 40-degree angle to the right of vertical, the food source is 40 degrees to the right of the sun's position.

The role of the sun as a compass

Using the sun as a reference point might seem problematic since the sun moves across the sky throughout the day. However, honey bees have solved this challenge through their internal biological clock. They can compensate for the sun's movement, updating their dance directions throughout the day to maintain accuracy. Even more remarkably, bees can dance accurately on cloudy days by detecting polarized light patterns invisible to human eyes. The intensity and enthusiasm of the dance also convey information about the quality of the food source. A bee that has discovered an exceptionally rich patch of flowers will dance more vigorously and for longer periods, recruiting more workers to help exploit this valuable resource. Less productive sites

receive correspondingly less enthusiastic dances, ensuring that the colony's foraging efforts are directed toward the most profitable opportunities.

4. Bee Foraging Behavior and Floral Calendar

4.1 Bee Foraging Behavior

Foraging Behaviour:

Foraging bees collect nectar and pollen from flowers as their food. Besides, bees also forage for propolis (plant resins) and water. While foraging, bees collect nectar by inserting their tongue (proboscis) in between the petals from the side without touching the reproductive parts of the flower. Top workers are thus better pollinators. Foraging intensity (number of bees visiting per unit area and per unit time) on the flowers is higher during the peak time of nectar/pollen availability. Honey bees also exhibit floral fidelity/floral constancy. Floral fidelity means that the foragers will keep on visiting the flowers of a particular crop foraging either for nectar or for pollen or for both till the particular kind of flowers remain available. This kind of behaviour makes them more dependable pollinator.

The Importance of Foraging Bees

Honey bee colonies consist of a queen, brood, drones, and worker bees. These worker bees make up the majority of the population and carry out most of the tasks essential to survival. One subgroup of worker bees works to forage for resources—primarily nectar and pollen. Worker bees will take on the task of foraging when they reach about three weeks old. They continue to forage for the hive for the last three weeks of their lives. Scientists categorize honey bee foragers into scout bees and reticent bees. The scout bees, also known as persistent foragers, search the land around the hive for safe and reliable food sources. After locating such a source, these bees will return to the hive and communicate the resource's location to the reticent bees. Once reticent bees receive this information, they will venture out to visit these locations and collect the vital resources there. This system of teamwork and organization streamlines the foraging process, allowing worker bees to gather resources more effectively for the hive.

Locating and Communicating Foraging Spots

This process is one of the most crucial foraging habits of honey bees. How do worker bees do it? Forager bees tend to stay relatively close to their hives. Foragers usually operate within a two-mile radius of their hive, although factors like the surrounding landscape, colony size, and season can influence this range. Despite its proximity to home, this area can be full of dangers. Forager bees contend with toxic pesticides, threats from predators, and other hazards as they work. However, once a honey bee locates a valuable food source, she navigates back to the hive and performs a unique sequence of movements known as the waggle dance. The waggle dance is a

complicated and precise series of movements that includes wing vibration, walking in a circular motion, and angling the body relative to the sun. This dance effectively communicates where a food source is and how far it is from the hive.

Foraging Pollen vs. Nectar

Nectar and pollen are the two main resources forager bees search for. Nectar is necessary to make honey, which feeds a majority of the honey bee colony. Meanwhile, protein-rich pollen is a staple in the honey bee diet, especially for the brood that will grow into the next generation of worker bees. However, forager bees approach each of these resources differently.

Pollen-Foraging Behavior

One of the primary reasons to collect pollen is to feed the brood. Larvae feast on bee bread (a pollen-based mixture) to obtain the proteins, vitamins, and other nutrients necessary for their growth. Without a steady supply of pollen, female larvae cannot become healthy, functioning worker bees.

Nectar-Foraging Behavior

Unlike pollen-foraging habits, nectar-foraging behaviors do not directly correlate with the current state of the colony, its honey stores, or its brood. However, the presence of a queen and the pheromones she emits can increase the productivity of nectar foraging. While the status of the colony only has limited influence over nectar-foraging behaviors, other factors still play a substantial role. The diversity of bee strains, the colony's size, and preferences in food sources or the flower's location can impact nectar foraging.

Foraging Tasks: The forager bees can be classified into two categories; scout bees which search for the best food resource and the reticent bees which wait in the beehive until the scout bees return and give them information about the food source by dancing. The reticent bees, in general, range from 40–90% of the total forager population. This organization is important in saving time and the efforts of the honey bee foragers.

Foraging Time: It is known that the foraging activity of honey bees is initiated in early morning and finishes in the evening. In some studies, honey bee workers started foraging activity at 6.17 am but this commencement time can be greatly impacted by the region. Under desert conditions, a higher number of foragers left the colonies at 8 am than at 10 am. In general, the foraging activity fluctuates during the day from the morning until the evening.

Foraging Distance: The energy hypothesis which suggests that foragers estimate the feeder distance (food resource) based on the spent energy during foraging flight is now considered to be incorrect and another hypothesis based on optical flow was suggested. The mean foraging distance

for honey bees was 1526.1 m while foraging distances of pollen-collecting bees had a mean of 1743 m in simple landscapes and 1543.4 m in complex landscapes.

Foraging Preference: Forager bees prefer the collection of water, nectar, pollen or resin from some resources over others. There are many examples of foraging preference; only a few examples are presented here. Water foragers were noticed to prefer continuous water sources than stable ones as well as large water containers than small ones (Abou-Shaara 2012). Also, forager bees have a preference to collect water from some unusual sources (e.g. cow dung) over clean water (Butler 1940). Nectar foragers sometimes prefer one food source over another as well as the specific position of one flower over another.

Table 2. Some Important Asian Bee Forage Plants

Species	Family	Common Name
<i>Aesculus turbinata</i>	Hippocastanaceae	Japanese horse-chestnut
<i>Astracalus sinicus</i>	Leguminosae	Chinese milk vetch
<i>Bombax ceira</i>	Bombaceae	silk-cotton tree
<i>Brassica campestris</i>	Cruciferae	rape
<i>Brassica spp.</i>	Cruciferae	mustard
<i>Calliandra calothyrsus</i>	Leguminosae	calliandra
<i>Castanea pubinervis</i>	Fagaceae	sweet chestnut
<i>Ceiba pentandra</i>	Bombaceae	kapok
<i>Cirsium spp.</i>	Compositae	thistle
<i>Citrus spp.</i>	Rutaceae	orange, pomelo
<i>Clethra barbinervis</i>	Clethraceae	
<i>Cocos nucifera</i>	Palmae	coconut
<i>Croton spp.</i>	Euphobiaceae	
<i>Cucumis spp.</i>	Cucurbitaceae	cucumber, melon
<i>Cucurbita moschata</i>	Cucurbitaceae	pumpkin
<i>Diospyros kaki</i>	Ebenaceae	persimmon
<i>Eriobotrya japonica</i>	Rosaceae	loquat
<i>Eucalyptus spp.</i>	Myrtaceae	eucalyptus
<i>Eupatorium odoratum</i>	Compositae	snakeroot
<i>Euphoria longan</i>	Sapindaceae	longan, lam yai
<i>Fagopyrum esculentum</i>	Polygonaceae	buckwheat
<i>Gossypium spp.</i>	Malvaceae	cotton

<i>Helianthus annulus</i>	Compositae	sunflower
<i>Hevea brasiliensis</i>	Euphobiaceae	rubber
<i>Ilex pedunculosa</i>	Aquifoliaceae	gallberry
<i>Ilex rotunda</i>	Aquifoliaceae	
<i>Lespedeza spp.</i>	Leguminosae	bush clover
<i>Ligustrum japonicum</i>	Oleaceae	privet
<i>Litchi chinensis</i>	Sapindaceae	litchi
<i>Malus pumice</i>	Rosaceae	apple
<i>Medicago sativa</i>	Leguminosae	lucerne, alfalfa
<i>Melilotus alba</i>	Leguminosae	sweet clover
<i>Prosopis cineraria</i>	Leguminosae	mesquite
<i>Prunus spp.</i>	Rosaceae	cherry, apricot, peach
<i>Pyrus pyrifolia</i>	Rosaceae	pear
<i>Rhus spp.</i>	Anacardiaceae	sumac
<i>Robinia pseudoacacia</i>	Leguminosae	black locust
<i>Salix spp.</i>	Salicaceae	willows
<i>Sesamum indicum</i>	Pedaliaceae	sesame
<i>Styrax japonica</i>	Styracaceae	snowball

External Influences on Foraging Behavior

Honey bee foraging behavior isn't only influenced by internal factors like the brood, queen, colony size, and foraging bees themselves. It's also significantly affected by external elements beyond the control of the colony. Availability of resources, daily temperatures, time of day, presence of pests or diseases, and the accessibility of preferred resources all bear heavily on a colony's foraging habits for pollen and nectar. For instance, an infestation of Varroa mites can debilitate the worker bee population and negatively impact productivity. Food availability plays a critical role, too. During times of food scarcity, worker bees are driven to fly further from their hive than they typically would when resources are plentiful.

How Bees Overcome Foraging Challenges

Honey bees demonstrate an amazing ability to adapt their foraging behaviors for survival. Understanding these adaptive strategies can shed light on the resilience of these buzzing creatures.

Weather Patterns

Honey bees are highly sensitive to shifts in weather conditions. During wet or colder seasons, they adjust their foraging schedules to brief periods of warmth or clear skies. Extended

cold or rainy periods might also push bees to venture further in their quest for resources, showing their resilience in ensuring a consistent food supply for the colony.

Human Disturbances

Urban development often disrupts natural habitats, posing a considerable challenge for foraging honey bees. However, honey bees showcase their remarkable ability to adapt by exploiting green spaces within cities, like parks and gardens. They've also been known to forage on human-made resources, like sweet residues around food waste bins when natural resources are scarce.

Navigating Competition

In a natural environment, foraging bees often compete with other bee species or pollinators. To mitigate this, honey bees exhibit a staggering ability to diversify their foraging locations or alter their foraging times, ensuring they can gather resources without clashing with other pollinators. These fascinating behavioral adaptations highlight the resilience of honey bees and underscore their crucial role in maintaining biodiversity and supporting ecosystems.

Beekeeper's Role in Supporting Foraging Bees

Beekeepers play a vital role in safeguarding and promoting the foraging efficiency of honey bees. By modeling the environments under their control to favor honey bee foraging, they can significantly contribute to the health and productivity of the colony.

Plant Bee-Friendly Flowering Plants

The simplest way for a beekeeper to support their hive's foraging needs is by cultivating bee-friendly plants around their apiary. A diverse selection of plants that bloom at different times of the year can ensure that the bees have a consistent source of nectar and pollen.

Providing Clean Water Sources

Honey bees also need access to clean water for cooling their hive, feeding their brood, and diluting honey. Beekeepers can facilitate this by having a shallow water source nearby. Adding small pebbles or corks can provide landing spots and prevent the bees from drowning.

Minimizing Pesticide Use

While sometimes necessary for plant health, some pesticides can be harmful and even lethal to honey bees. Beekeepers should minimize the usage or opt for bee-friendly alternatives. When chemically treating the plants, doing so in the late evening when bees are less active can also help protect the colony.

Importance of foraging activity

The foraging activity of honey bees is very important as a bioindicator for indirect studies of environmental contamination with pesticides. The foraging activity of honey bees has also been

used to help monitor flowering plant species in an area. Foraging bees can also be used in the identification of pest infestation (e.g. fruit flies; Chamberlain et al. 2012). Beekeepers can benefit from the foraging behaviour of their colonies by fixing pollen traps or venom collection boards in front of hives to collect pollen or bee venom, respectively.

Floral Calendars:

A floral calendar for beekeeping is a time-table that indicates to the beekeeper the approximate date and duration of the blossoming periods of the important honey and pollen plants in his area. The experienced beekeeper will have acquired much of this information over the years, but published charts are also available for many areas. The floral calendar is one of the most useful tools of the apicultural extension worker. It enables him to inform the beekeepers on what to expect in bee-forage availability and when so that they can manage their colonies in the most rational manner. Beekeeping in any specific area cannot develop without an understanding of the calendar and for migratory beekeeping, special calendars for the different foraging zones along the migration route are required.

The steps normally taken in building up a floral calendar are as follows:

1. The beekeeper makes a general survey of the area, drawing up a list of flowering plants found, special attention being paid to plants with a high floral population density per unit area or per tree.
2. He places several strong honeybee colonies in the area, inspecting the hives regularly and observing changes in the amount of food stored within the hive to determine whether it is depleted, stable or increasing. Any food gains or losses can be monitored accurately by weighing the hives.
3. At the same time that he monitors the hives' food stores he surveys areas in the vicinity of the apiary and within the flight range of the bees, to record the species of plants that the bees visit.
4. He determines whether the plants are visited for nectar or for pollen. Pollen-foragers will have pollen pellets attached to their hind legs. To determine whether the bees visit flowers for nectar the observer squeezes the abdomen of individual bees to obtain a drop of regurgitated nectar, testing it for sweetness or measuring the nectar concentration with a hand refractometer.
5. He studies the frequency with which the bees visit each flower species, in relation to changes in the level of the colonies' food stores. If there is a continuous increase in food stores, in direct response to the availability of the plants visited, the plants are good forage sources. When the food stores remain stable, the plants can be depended upon to meet the colonies' daily food requirements, but they cannot be classified as major honey sources.
6. He carefully records all the changes in the blossoming of the plants visited. When the colonies begin to lose weight, the flowering season is finished for all practical purposes.

Assessment of areas for beekeeping

Productive beekeeping depends on good colony management and good beekeeping areas, and in order to promote it as a profitable agricultural occupation, areas with a good potential for beekeeping must be located and evaluated. Asia is rich in places inhabited by feral swarms of native honeybees, and this fact often inspires premature judgments to the effect that beekeeping can be promoted almost anywhere in the continent where native bees are found. The truth, however, is that most feral colonies of Asian honeybees adopt a migratory strategy, moving with the seasons and the availability of forage. The following guidelines for the exploration and evaluation of potential beekeeping areas may be found useful:

1. Referring to lists of known major honey plants in other countries or regions with similar vegetation patterns, agro-ecosystems, climate and edaphic conditions, determine whether similar plants are to be found in the area under study.
2. The seasonal occurrence, in unusually high numbers, of feral nests of native honeybees can often indicate that there is ample forage in the area, at least during the period in question.
3. The mere presence of flowering trees and shrubs in limited numbers, or of a few hectares of land covered with good honey plants preferred by bees, does not necessarily indicate that the area has potential for commercial beekeeping.
4. Practical, large-scale beekeeping operations call for large areas, usually hundreds or thousands of hectares of nearby land bearing good forage with high population densities. Good honey plants are characterized by relatively long blossoming periods, generally in terms of several weeks or months; high density of nectar-secreting flowers per plant or unit area; good nectar quality with high sugar concentrations; and good accessibility of the nectaries to the bees. The foraging land should be well proportioned, in terms of length and width, so as to promote foraging efficiency.
5. The supporting capacity of an area for honey production is best determined by monitoring weight changes in the bee colonies. Among other factors that affect the economic value of an area for beekeeping are average hive yields, prevailing honey prices in the area, as well as costs of colony-management inputs.
6. The fact that a flower is brightly coloured or that it has a strong scent does not always indicate that it is good for bees, unless the fact is confirmed by the criteria set out above.
7. The large-scale planting of honeybee forages has never been proved to be a profitable approach in terms of net economic return, except in integration with other agricultural activities, such as reforestation, roadside plantings, animal pasture, etc.

References

1. Abou-Shaara H.F., Al-Ghamdi A.A., Mohamed A.A., (2012): Tolerance of two honey bee races to various temperature and relative humidity gradients. *Environmental and Experimental Biology* 10, 133–138.
2. Abrol, D.P. (1997). Bees and Beekeeping in India, Kalyani Publishers, Ludhiana,
3. Anderson C. (2020) Buzz into Beekeeping: A Step-by-Step Guide to Becoming a Successful Beekeeper. Skyhorse Publishing, New York.
4. Butler C.G. (2019): The choice of drinking water by the honeybee. *J. Exp. Biol.* 17, 253–261.
5. Chamberlain K, Briens M, Jacobs J.H., Clark S.J., Pickett J.A. (2012): Use of honey bees (*Apis mellifera* L.) to detect the presence of Mediterranean fruit fly (*Ceratitidis capitata* Wiedemann) larvae in Valencia oranges. *J. Sci. Food Agric.* 92, 2050–2054. DOI: 10.1002/jsfa.5742 Delhi, India, 168 pp.
6. Esslen J, Kaissling K (1976) Number and distribution of antennal sensilla in the honey bee *Apis mellifera* L. *Zoo morphology* 83:227–251.
7. Golden D.B.K., (2006) Insect sting allergy. *JACI*, 117(2):261–267.
8. Goodman L.J., (2003) Form and Function in the Honey Bee. *International Bee Research Association*, United Kingdom.
9. Hamilton, A.R.; Traniello, I.M.; Ray, A.M.; Caldwell, A.S.; Wickline, S.A.; Robinson, G.E. (2019) Division of labor in honey bees is associated with transcriptional regulatory plasticity in the brain. *J. Exp. Biol.* 222, jeb200196. Illinois, USA, 1324 pp. India.
10. Hepburn H.R. (1986) Honeybee Wax: An Experimental Natural History. Springer-Verlag.
11. Kelber C, Rössler W, Kleineidam C.J. (2006) Multiple olfactory receptor neurons and their axonal projections in the antennal lobe of the honeybee *Apis mellifera*. *J Comp Neurol* 496:395–405.
12. Maness Justin (2019) Buddha bee apiary, *Environmental Services company*, Durham, North Carolina.
13. Mishra, R.C. (1995). Honey Bees and Their Management in India, ICAR, New Delhi.
14. Ruxton G.D., Sherratt T.N., Speed M.P. (2004) Avoiding Attack: The Evolutionary Ecology of Crypsis, Warning Signals and Mimicry. Oxford University Press, Oxford, England.
15. Schumacher M.J., Egen N.B. (1989) Significance of the honeybee sting in the allergic individual. *Allergy Proc* 10(3):125–130.
16. Seeley T.D., (1995) The Wisdom of the Hive: The Social Physiology of Honey Bee Colonies. Harvard University Press, Cambridge, Massachusetts.

17. Singh, S. 1962. *Beekeeping in India*, ICAR, New Delhi, India, 214 pp.
18. Snodgrass R.E., (1956) *Anatomy of the Honey Bee*, Cornell University Press, Ithaca, New York.
19. Winston M.L., (1987) *The Biology of the Honey Bee*. Harvard University Press, Cambridge, Massachusetts.

BEEKEEPING EQUIPMENT AND APIARY SETUP

¹J.K. Sheoran, ²Vashim Ahamad and ³Tosif

¹Nodal Officer, AC&ABC-Scheme

²Training Coordinator, AC&ABC-Scheme

³Assistant, AC&ABC-Scheme

Abstract

Beekeeping equipment and proper apiary setup are essential for efficient, sustainable, and profitable apiculture. This section outlines the essential tools required for beekeeping such as protective clothing, smokers, hive tools, bee brushes, extractors, and feeders and their specific functions. It also covers hive types, including traditional fixed-comb hives and modern movable-frame hives, with emphasis on their suitability for different bee species and climatic conditions. The principles of apiary site selection, including location, water availability, forage resources, and protection from predators, are discussed. Proper equipment use and strategic apiary planning enhance colony health, honey production, and pollination efficiency while reducing management costs and risks.

Keywords

Beekeeping equipment, Apiary setup, Hive tools, Pollination efficiency

Introduction

The success of beekeeping depends not only on the skill of the beekeeper but also on the quality and suitability of the equipment and the strategic layout of the apiary. Modern beekeeping has evolved from simple log and clay hives to scientifically design wooden or plastic hives that facilitate colony inspection, honey extraction, and disease management. Essential beekeeping tools such as smokers to calm bees, hive tools for frame manipulation, and protective gear ensure safe and efficient management. Apiary setup involves choosing a site with abundant flowering plants, adequate sunlight, protection from strong winds, and clean water sources. Proper spacing between hives prevents drifting, while shade and ventilation help regulate temperature. A well-planned apiary improves productivity, minimizes colony stress, and supports sustainable honeybee management.

The hive is the central and most crucial component of beekeeping. It serves as the artificial home provided by the beekeeper for a colony of honeybees. Inside the hive, bees live, build combs, raise their brood (young), store food (honey and pollen), and carry out all other essential functions of their society. A well-designed hive mimics the natural habitat of bees while allowing the beekeeper to manage the colony efficiently. Understanding the structure, function, and types of hives is fundamental to successful beekeeping.

Purpose of the Hive

The primary purpose of a hive in beekeeping is to provide a safe, secure, and organized environment for the bees to carry out their biological activities. Unlike wild hives found in hollow trees or caves, managed hives are designed to make it easy for beekeepers to inspect, monitor, and harvest honey without disturbing the colony excessively. A good hive design ensures adequate ventilation, protection from weather and predators, and enough space for brood rearing and food storage.

1. TYPES OF BEEHIVES

Modern methods include artificial bee hives fitted with movable frames on which the bees are made to build their combs. Artificial hives were first introduced by L. L. Langstroth in 1851. Now there are various types of frame hives used all over the world i.e., Smith, British Commercial, Langstroth, BIS hive (Bureau of Indian Standards), Newton hive, Jeolikote hive, single walled and double walled Dadant hive, pot hive, book hive, Madhusagar hive, house hive, nucleous hive and basket hive. In India, BIS hive, Newton hive and Marthandam hive are usually used for Indian bees whereas, Langstroth hive is used for *A. mellifera*. They all are similar in design having several boxes one on top of the other with suspended hive frames, where lower one or two boxes are used for holding brood while upper one or two boxes are used for collection of honey pollen and propolis. Pic. 3.1 showing diagram different parts of bee hive (Langstroth1878) However, they differ in their dimensions and number of frames used. Langstroth hive model uses 10 frames with spacing of $1\frac{3}{8}$ inches for European bees whereas, 11 frames spaced with $1\frac{1}{4}$ inches for Indian and African bees. The parts of typical langstroth movable hive model are described here under.




Figure.1 The Langstroth design is having ten frame hive and following are the requirements.

There are many types of movable frame hives being used in different parts of the world. Dimensions of movable frames of some of the important ones are given in the table 3.2

Table.1 Beehives frame

Name	Dimensions of brood frame (mm)	Super frame (mm)
British standard	350 x 212	440 x 228
Langstroth	440 x 228	440 x 130
Dadant	462 x 281	462 x 156
Dadant	462 x 156	462 x 156
Villager	300 x 175	300 x 175
Newton	206 x 144	206 x 62
Travancore	300 x 150	300 x 100

Stand: Any four-legged stand of 25-30 cm height will be useful but its upper dimension should be as per requirement of different type of hives to support the bottom board adequately. The stand may be made of timber for temporary use and iron for longer durability.

Bottom board: The beehive board can be made either by taking a piece of wood 550 mm long, 406 mm broad and 22 mm thick, or by joining 2 wooden boards tighter, nailing in position with wooden rods. Along each of the longer side is nailed a wooden rod 550 mm long, 22 mm broad and 22 mm thick and another wooden rod 363 mm x 22 mm is nailed at the back. The front is provided with entrance rod which is 363 mm x 22 mm x 22 mm and this has an entrance 75 mm long and 22 mm deep in its middle two wooden blocks, to be used for shortening the entrance, when necessary, should also be prepared, each block being 75 mm x 38 mm × 22 mm.

Brood chamber: It is a rectangular box without top and bottom and is made of 22 mm thick wood. Its length on the outside is 500 mm and on the inside 456 mm, its breadth on the outside is 406 mm and on the inside 363 mm and its height is 238 mm. A rabbet 16 mm deep and 13 mm wide is cut along the entire length of its width planks.

Frame: Consists of top bar, two side bars and a bottom bar. Dimensions for self-spacing frame are given here.

Top bar: 475 mm long, 25 mm wide and 22 mm thick. It is cut to 9 mm thickness on both sides for a length of 25 mm. It has a groove in the middle of its lower side for fixing the comb foundation sheet.

Side bar: Each is made of 9 mm thick wood and is 226 mm long. The upper part of each is 34 mm wide and lower part 25 mm wide. Each is cut out from the middle portion at end to accommodate the top and the bottom bars, respectively. There are 4 holes in each side bar for wiring the frame.




Figure.2 Diagram showing different parts of bee hive

Bottom bar: 440 mm long, 19 mm wide and 9 mm thick. The outside measurements of the frame are 440 mm × 228 mm. Two 15 mm staples should be driven in (to leave only 9 mm outside) to top bar on its opposite side so that the frames stand 34 mm apart. One should make all frames either Hoffman or staple-spaced type. Tinned wire of 28 gauge should be used in wiring the frame.

Super: The dimensions of the super and the super frames should be the same as those of the brood chamber and the brood chamber frames respectively, super as the case may be. It is 500 mm long, 406 mm broad and 9 mm thick wood. It has 9 mm thick and 22 mm wide wooden bar nailed on to each of its four sides.

Inner cover: This is wooden board to cover the brood chamber or the super as the case may be.

It is 500 mm long, 406 mm broad and 9 mm thick wood. It has 9 mm thick and 22 mm wide wooden bar nailed on to each of its four sides.

Top cover: It is made up of 9 mm thick wooden board nailed to a rectangular frame 50 mm high, all covered over with a metallic sheet so as to make it impervious to rain water. Its inside measurements are 525 mm x 425 mm. It rests loosely over the hive.

ISI A and B type of hive: Reverend Newton standardized a hive for *A. cerana* during 1881-84 (Kapil 1971) which is named after him. The following are the parts of newton hive. Later on, two types of hives viz ISI-A (Pic. 3.2 Diagram) type having 8 frames and ISI-B Type (Fig. 10.3 b) with 10 frames have been designed for rearing different races of *A. cerana*. The ISI- A type is suitable to rear smaller races of *A. cerana* be. *A. c. himalaya*, *A. c. indica* but ISI-B type is convenient for rearing bigger races such as *A. c. cenama*. The detailed specifications of ISI-A and B type are given in Table 10.2.

Stand: A log of wood of about 10 cm in diameter and well soaked in solignum is buried deep in the ground. A length of about 20 to 30 cm is left above ground and a board 40 x 30 cm is fixed on its top with long nails and screws. The hive is placed on this platform on the log

Bottom board: It is a plank slightly wider and 25 mm longer than the brood chamber with beadings on three sides into which the hive-body fits in tightly. The extension of the front serves as the alighting board.

Brood chamber: It is a box without top and bottom and is made of 22 mm thick planks with outer dimensions 278 mm x 256 mm x 160 mm and inner 234 mm x 225 mm x 160 mm. Along the top of the front and rear planks a groove of 6 mm depth and 9 mm width is made for resting the frames and a clearance of about 6 mm is provided between the lower extremity of the frames and the bottom board. The front plank has an opening 88 mm x 9 mm at its lower side to serve as an entrance.

Brood frame: Self spacing (i) top bar breadth 22 mm, length 250 mm and thickness 3 mm, (ii) side bar height 144 mm, width at top 28 mm and width at bottom 122 mm, (iii) inner length of frame 206 mm, inner height of frame 144 mm.

An extension of 3 mm is given on either side of the side bar and a clearance of 6 mm is affected when two frames are kept side by side. There are 7 frames in a brood chamber

Super and super frame: It has the same length and breadth as the brood chamber, but its height is 78 mm. The dimensions of the super frame are those of the brood frame but the internal height is 62 mm.

Top cover: It has sloping planks on either side. An opening of 87 mm square, fitted with wire gauge is made on the lower ceiling plank to provide ventilation. Two holes in the front and rear

planks of the top provide the necessary draught. Care should be taken to provide a clearance of about 6 mm between the ceiling plank and the frames below.

For the fabrication of hives, light, well-seasoned, good quality timber should be used. The wood should not have a strong smell. Kail (*Pinus excelsa*), teak (*Tectona grandis*) and toon (*Toona ciliata*) are some of the woods suitable for the purpose. The hives should be preferably painted white or aluminum on the outside to protect the timber from weathering agencies.

2. Tools used in beekeeping – smoker, hive tool, queen excluder

❖ Smoker

A Smoker is one of the most essential tools in beekeeping, used to calm honey bees during hive inspections. It consists of a metal canister with a bellows attached, which produces cool smoke by burning materials like dried leaves, pine needles, or cardboard. The smoke masks alarm pheromones released by guard bees, reducing the likelihood of aggressive behavior. It also encourages bees to retreat into the hive and consume honey, making them less defensive. Using a smoker properly allows beekeepers to inspect and manage the hive more safely and efficiently, with minimal disturbance to the colony.




Figure. 3 Smoker

❖ Iron Spatula

The **Iron Spatula**, commonly referred to as the **Hive Tool**, is one of the most indispensable tools in beekeeping. It is a multi-purpose, hand-held instrument used for various essential tasks during hive inspections and maintenance. Its design resembles a small crowbar or flat pry bar, usually made of stainless steel or iron, giving it the strength and durability needed for prying, scraping, lifting, and cleaning in and around the beehive.

Though it might appear simple, the iron spatula plays a vital role in the smooth and safe operation of an apiary. Without it, managing hive components and interacting with the bees would become difficult, messy,



Pic. 4 Iron Spatula

Importance of the Iron Spatula in Beekeeping

Bees use a sticky, glue-like substance called propolis to seal gaps and bind hive parts together. Over time, this can cause hive components to become tightly stuck. The iron spatula is designed to separate these parts without damaging them or disturbing the bees excessively.

Its primary importance includes:

- **Ease of Hive Inspection:** Beekeepers need to open hives regularly to inspect for health, brood pattern, queen presence, disease, and honey stores. The iron spatula is essential for gently prying apart frames, supers, and hive bodies.
- **Safety:** It allows the beekeeper to work at a safe distance from the bees, minimizing the risk of stings.
- **Cleanliness and Hygiene:** Used to scrape off propolis, wax build-up, and debris from the hive walls and frames, it helps maintain cleanliness and reduces disease transmission.

Materials and Maintenance

The iron spatula is most commonly made from:

- **Carbon Steel:** Strong and durable, but can rust if not properly cared for.
- **Stainless Steel:** Resistant to rust and corrosion, especially suitable for humid environments.
- **Iron (Traditional):** Tough and heavy-duty, but requires regular cleaning to prevent rust.

Precautions While Using

- Always handle the iron spatula carefully to avoid damaging delicate comb structures.

- Avoid making loud or abrupt movements that may disturb the bees.
- Clean the tool when moving from one colony to another to prevent disease transmission.
- Ensure a firm grip to prevent slips that could lead to injuries or dropping frames.

Queen Excluder

Queen excluder is a beekeeping tool used to restrict the queen bee's movement within a hive. It is typically a flat sheet made of metal or plastic with slots or gaps just wide enough to allow worker bees to pass through but too narrow for the larger queen bee. Beekeepers place the queen excluder between the brood box (where the queen lays eggs) and the honey supers (where honey is stored).

The main purpose of the queen excluder is to prevent the queen from laying eggs in the honey supers, ensuring that the honey harvested is free from brood (developing bees). While it helps in honey management, some beekeepers avoid using it as it can sometimes hinder the free movement of worker bees and reduce honey production.



Figure.5 Queen Excluder

Bee Veil

A bee veil is an essential piece of protective equipment in beekeeping that is specifically designed to safeguard the face and neck of the beekeeper from bee stings. While honeybees are generally not aggressive unless provoked, they can become defensive when their hive is disturbed during inspections, harvesting, or maintenance activities. The face, especially the eyes and mouth, is particularly vulnerable to bee stings, which can be painful and, in some cases, cause allergic reactions. The bee veil provides a physical barrier while still allowing for visibility, comfort, and freedom of movement, making it one of the most important items in a beekeeper's toolkit.



Figure. 6 Bee Veil

Gloves

Bee gloves are an essential component of the personal protective equipment (PPE) used in beekeeping. They play a crucial role in ensuring the safety and comfort of beekeepers while managing hives. Beekeeping involves close interaction with bee colonies, often disturbing their natural environment during activities such as inspecting hives, harvesting honey, checking for pests and diseases, or performing routine maintenance. These activities can provoke bees, making them aggressive and prone to sting. Bee gloves help protect the hand



Figure. 7 Gloves

Importance of Bee Gloves

The primary function of bee gloves is to provide a barrier between the beekeeper and the bees. The hands are the most vulnerable parts of the body during hive inspections because they are in constant contact with hive components, bees, and tools. Without proper protection, a beekeeper can easily be stung multiple times, which can lead to allergic reactions or painful swelling. Bee gloves reduce this risk significantly.

Moreover, bee gloves also protect against scrapes, cuts, or burns from equipment such as smokers, hive tools, or sharp edges of beehive components. In cold weather, gloves provide warmth, allowing beekeepers to maintain dexterity and control during hive operations

Bee overall suit

A bee overall suit, commonly known as a bee suit, is a vital piece of personal protective equipment (PPE) used in beekeeping to protect the body from bee stings and allow the beekeeper to handle bees with safety and confidence. Working with honeybee colonies involves opening hives, inspecting frames, removing honey, and performing various other tasks that can disturb the bees. In such situations, bees can become defensive and aggressive, increasing the risk of stings. A bee suit acts as a protective barrier between the bees and the beekeeper, ensuring comfort and safety during hive management.



Figure. 8 Overall Suit

Importance of Bee Overall Suit

The primary purpose of the bee overall suit is to protect the beekeeper from bee stings. While some experienced beekeepers may choose to wear minimal protection when handling gentle colonies, wearing a bee suit is highly recommended, especially for beginners or when working with aggressive bees. Bee suits help reduce the fear of getting stung, which in turn allows the beekeeper to work more calmly and efficiently.

Bee Brush

The bee brush is a simple yet essential tool in beekeeping, used primarily for gently removing bees from the surfaces of frames, combs, and hive parts during hive inspections and honey harvesting. Its design and utility reflect the beekeeper's need to handle bees with care, minimizing harm to the insects while allowing efficient management of the hive.



Figure. 9 Bee Brush

❖ The Uncapping Knife

The uncapping knife is a vital tool in beekeeping, particularly during the honey harvesting process. It is specifically designed to remove the thin layer of wax cappings that honeybees build over the honey-filled cells of the comb. Uncapping is the first step in extracting honey from the comb, and the uncapping knife makes this process smooth, efficient, and hygienic.



Figure. 10 Uncapping Knife

Honey Extractor

A honey extractor is a mechanical device used in beekeeping to extract honey from honeycombs without destroying the wax comb. This tool plays a critical role in modern beekeeping, especially during the honey harvesting season. By allowing the comb to be reused by bees, it significantly increases the efficiency and productivity of the apiary. The honey extractor uses centrifugal force

to spin the honey out of the comb, offering a clean, efficient, and labor-saving method of honey extraction.



Figure. 11 Honey Extractor

A. Structure and Components of a Honey Extractor

A honey extractor typically consists of the following parts:

- **Drum or Barrel:** A large, cylindrical container made of stainless steel or food-grade plastic that holds the internal components and collects extracted honey.
- **Basket or Frame Rack:** A rotating structure inside the drum where the frames containing honeycombs are placed. It holds two or more frames depending on the model.
- **Crank Handle or Motor:** Used to spin the basket inside the drum. Manual extractors are operated with a hand crank, while electric extractors are powered by a motor.
- **Lid or Cover:** Transparent or metal covers placed on top of the extractor to prevent splashing during spinning and to keep debris out.
- **Honey Gate or Valve:** A tap or outlet near the bottom of the drum to drain the extracted honey into a container or filter.

B. Types of Honey Extractors

Honey extractors can be broadly classified based on their mechanism and frame orientation:

a) Based on Power Source:

- **Manual Extractor:** Operated using a hand crank. Suitable for hobbyists and small-scale beekeepers.
- **Electric Extractor:** Powered by an electric motor. Ideal for medium to large-scale operations due to faster and more consistent performance.

b) Based on Frame Orientation:

- **Radial Extractor:** Frames are placed radially (like spokes in a wheel). Honey is extracted from both sides of the comb simultaneously. Efficient and commonly used in larger operations.
- **Tangential Extractor:** Frames are placed tangentially to the drum wall. Only one side is extracted at a time, and frames must be flipped. More suitable for small-scale or hobbyist beekeepers.

❖ Queen's Cage

A **queen's cage** is a specialized tool in beekeeping used for the safe transportation, introduction, or temporary confinement of the **queen bee**. Since the queen plays a vital role in the health, productivity, and cohesion of a honey bee colony, her protection and proper management are of utmost importance. The queen's cage ensures her safety during critical operations such as queen introduction, colony division, or shipping.




Figure. 12 Queen's Cage

Purpose of a Queen's Cage

The queen's cage serves several key purposes in beekeeping:

- **Safe Transportation:** Used to ship a queen bee from one apiary to another, often with a few attendant worker bees.
- **Introduction to a New Colony:** Helps introduce a new queen to a colony in a gradual, non-threatening way, reducing the risk of rejection or aggression from worker bees.
- **Temporary Confinement:** Used during hive manipulations, requeening, or swarm management when the queen needs to be kept separate from the colony temporarily.

❖ Queen Cell Protector

A **Queen Cell Protector** is a small device used in beekeeping to safeguard developing queen cells from damage or destruction by worker bees or rival queens. Made from plastic or metal,

it is designed to encase and shield the queen cell while still allowing the queen to emerge safely.



Figure. 13 Queen Cell Protector

Queen cell protectors are particularly important during queen rearing, requeening, or introducing queen cells into a hive. They help prevent premature destruction of queen cells, increase the success rate of queen emergence, and ensure better control during colony management. There are various types, such as push-in, hanging, and clip-on protectors, each suitable for different hive conditions and purposes.

Dummy Board or Division Board

Dummy Board or Division Board is an essential management tool used in beekeeping to control space within a hive. It is a flat, frame-sized board, typically made of wood or plastic, and is placed inside the hive box just like a regular frame. However, unlike regular frames, it does not contain any foundation or comb.



Figure. 14 Dummy or Division Board

- Maintaining proper hive temperature and humidity.
- Reducing unnecessary space that bees would otherwise try to fill with burr comb.
- Making inspections easier by creating a buffer zone between frames and the hive wall.
- Managing colony size in weaker hives by reducing the brood area.

2. Selecting a suitable site for an apiary

Selecting a suitable site for an apiary is a critical decision in beekeeping that directly influences the health, productivity, and management of honeybee colonies. A well-chosen apiary site ensures optimal foraging conditions, good colony development, and efficient management practices. Several environmental, geographical, and logistical factors must be considered to create a favorable habitat for bees while ensuring ease of access and minimal disturbances for beekeepers and the surrounding community.

a. Availability of Forage Resources

One of the most important criteria in selecting an apiary site is the presence of abundant nectar and pollen sources. The site should be located near fields, forests, orchards, or gardens where flowering plants bloom in succession throughout the beekeeping season. Bees typically forage within a 2-3 km radius from the hive, so the availability of diverse flora ensures continuous food supply. Monocultures or areas with limited flowering periods may lead to nutritional stress and poor honey yields.

b. Availability of Clean Water

Bees require water for cooling the hive, diluting honey, and feeding larvae. Therefore, a clean and reliable water source such as a pond, stream, or artificial water container should be located near the apiary. If natural sources are not available, beekeepers must provide water in shallow containers with floating supports to prevent drowning.

c. Shelter from Wind and Direct Sunlight

Protection from strong winds and extreme weather conditions is essential for colony survival. Hives should be placed in a location that offers natural windbreaks such as trees, hedges, or constructed barriers. While sunlight is beneficial for keeping hives warm and reducing moisture buildup, too much direct sunlight in hot climates can cause overheating. Ideally, hives should receive morning sunlight to stimulate early activity and be shaded during the hottest part of the day.

d. Good Drainage and Dry Ground

The site should be well-drained and not prone to waterlogging. Excess moisture can lead to mold growth and diseases within the hive. Low-lying or marshy areas should be avoided. Slightly elevated ground is ideal, ensuring hives remain dry during rainfall and seasonal flooding.

e. Accessibility

The apiary site should be easily accessible to the beekeeper throughout the year for routine management, inspection, feeding, harvesting, and emergency interventions. It should allow vehicle access for transporting equipment and honey supers, especially during harvesting. Remote or difficult-to-reach sites increase labor and reduce management efficiency.

f. Distance from Human Activity

To minimize conflicts and ensure safety, the apiary should be located away from schools, roads, pathways, and residential areas. Bees can become defensive during certain times, such as dearth periods or when the colony is disturbed. Proper fencing, warning signs, and buffer zones are recommended in populated areas to avoid stinging incidents.

g. Legal and Environmental Considerations

Beekeepers must comply with local regulations, zoning laws, and land-use permissions before establishing an apiary. Some areas may have restrictions on the number of hives, distance from property boundaries, or require registration. Avoiding sites near areas treated with pesticides, herbicides, or industrial pollutants is essential to prevent bee poisoning and contamination of hive products.

h. Security and Protection from Pests

The apiary should be secure from theft, vandalism, and disturbances from animals. Fencing may be necessary in regions with bears, livestock, or other predators. Placement should also help in controlling pests such as ants, beetles, and wax moths by keeping the area clean and dry.

i. Possibility for Expansion

The chosen site should allow space for future expansion if the beekeeper plans to increase the number of colonies. Adequate spacing between hives helps reduce drifting, spreading of diseases, and allows ease of inspection.

j. Climate Suitability

The general climatic conditions of the area, such as average temperature, rainfall, and seasonal variations, should support healthy bee activity and foraging. Extremely cold or hot climates require special management and may not be ideal for beginners.

Apiary layout and seasonal management

The success of a beekeeping venture depends not only on choosing the right location for the apiary but also on planning a practical layout and adopting effective seasonal management practices. A well-designed apiary layout facilitates smooth operations, ensures colony health, and enhances honey production. At the same time, beekeepers must understand and respond to

the changing needs of bee colonies throughout the seasons, aligning their management practices with natural bee behavior and environmental conditions.

APIARY LAYOUT

A proper apiary layout helps beekeepers manage colonies more efficiently while reducing stress for the bees. Key elements of apiary layout include:

a. Spacing between Hives

Adequate spacing between beehives is essential to prevent overcrowding, minimize drifting of bees between colonies (which can spread disease), and allow room for inspection and manipulation. Typically, a spacing of 3 to 5 feet (1 to 1.5 meters) between hives is recommended. Hives should not be placed too close together unless space is limited.

b. Orientation of Hives

The hive entrance should ideally face east or southeast so that it catches the morning sun. Early sunlight stimulates bee activity and foraging. Avoid placing hive entrances directly facing strong winds or dusty areas. In hot climates, some afternoon shade is beneficial, while in colder regions, full sun exposure helps maintain hive warmth.

c. Ease of Access and Pathways

The layout should allow easy access to each hive with enough space for the beekeeper to move around with tools and equipment. Flat terrain or slightly sloped land with clear pathways helps in hive inspections, honey harvesting, and feeding operations.

d. Hive Stands

Hives should be placed on stands to prevent moisture ingress, reduce pest entry, and make handling easier. Stands should elevate the hives about 12 to 18 inches above the ground and must be stable.

e. Water Source

A clean water source should be located nearby or provided artificially within the apiary. Bees need water for hive cooling and feeding larvae.

f. Windbreaks and Shade

Natural or artificial windbreaks (like trees, fences, or walls) protect hives from strong winds. However, ensure they do not completely block sunlight. Shade from trees can be helpful during hot months, but excessive shade can lead to dampness and disease in hives.

g. Equipment Storage Area

An apiary layout should include a space for storing beekeeping equipment like smokers, hive tools, feeders, and honey extracting gear. A nearby shed or toolbox helps in efficient management.

h. Record Keeping Zone

Having a designated area or mobile station for record-keeping is useful. Beekeepers often track colony performance, queen status, and treatment schedules.

Seasonal management in beekeeping

Seasonal management is critical for the health, survival, and productivity of bee colonies. Bees respond to seasonal changes in temperature, floral availability, and daylight hours, and the beekeeper must adapt accordingly.

A. Spring Management

- **Colony Assessment:** Inspect colonies after winter to check for queen presence, brood pattern, food stores, and overall health.
- **Feeding:** If natural nectar is not yet available, feed sugar syrup to stimulate brood rearing and colony buildup.
- **Comb Rotation:** Replace old or damaged combs and clean the bottom boards.
- **Swarm Prevention:** As colonies grow rapidly, take measures to prevent swarming by providing space, splitting colonies, or adding supers.
- **Re-queening:** Replace failing or old queens for stronger productivity.

B. Summer Management

- **Supering:** Add honey supers as needed to accommodate the nectar flow.
- **Ventilation:** Ensure good airflow to prevent overheating. Slightly opening the hive entrance or using ventilated covers helps.
- **Water Supply:** Provide clean water continuously, especially during dry spells.
- **Monitor for Pests:** Check regularly for mites, wax moths, ants, and other pests. Apply control measures if necessary.
- **Honey Harvesting:** Harvest ripe honey when frames are capped, taking care to leave enough stores for the bees.

C. Autumn (fall) Management

- **Feeding:** Supplement with sugar syrup if natural forage is insufficient. Ensure each colony has adequate food (about 15-20 kg) for winter.
- **Disease Inspection:** Treat hives for varroa mites and other common diseases before winter sets in.
- **Reduce Hive Size:** Remove empty boxes and consolidate colonies to retain heat.
- **Re-queening (if needed):** Introduce new queens in weak colonies to strengthen them before winter.

D. Winter Management

- **Insulation:** Ensure hives are well insulated, especially in colder regions. Use wraps, covers, or insulating materials.
- **Entrance Clearance:** Keep hive entrances free from snow or blockages to allow ventilation.
- **Minimal Disturbance:** Avoid opening hives unnecessarily. Bees cluster tightly and survive on stored honey.
- **Rodent Protection:** Use screens or guards to keep mice and other animals out of the hive.

Conclusion

Efficient apiary layout and timely seasonal management are the backbones of successful beekeeping. A well-planned apiary ensures ease of management, safety for bees and humans, and optimal production of hive products. Seasonal management, aligned with natural bee behavior and environmental changes, helps in maintaining strong, disease-free colonies that can survive harsh conditions and capitalize on nectar flows. Together, these practices not only improve productivity but also contribute to the long-term sustainability of beekeeping operations. In conclusion, the success of an apiary depends significantly on the choice of its location. A well-situated apiary contributes to strong colony health, high honey production, and ease of management. Beekeepers should assess multiple site characteristics, including forage availability, water sources, shelter, drainage, and legal requirements.

References

1. B Hinder, J.S. Chhuneja, P.K. andnkumar, G.J. 2001Development and evaluation of an electrically heated knife for uncapping honey combs. /indian bee journal 63(12): 45-50
2. Langstroth, L.L. 1878. *The classic beekeeper's manual*. J.B. Lippincott & Co. Philadelpha.
Singh, R.Singh, J. and Chhuneja, P.K. 2004. Studies in beewax comb foundation sheet making. *Indian Bee Journal* 66 (3-4): 77-83

COLONY MANAGEMENT PRACTICES

Pravin Raghuvanshi

Bee's World India, Madhya Pradesh

Abstract

Colony management is a core aspect of successful beekeeping, ensuring optimal productivity, health, and sustainability of honey bee colonies. This chapter discusses best practices in hive inspection, use of essential beekeeping tools, and timing of operations to minimize stress on bees. It explains the role of bee smokers, queen management, swarming control, and prevention of absconding. Queen rearing techniques natural, grafting, and splitting are detailed for maintaining high-quality bee lineages. Artificial feeding strategies, including sugar syrup and pollen patties, are described to sustain colonies during periods of food scarcity. By applying these practices, beekeepers can enhance honey production, maintain strong populations, and promote long-term colony resilience.

Introduction

Effective colony management involves continuous monitoring and timely interventions to support bee health, productivity, and survival. Regular hive inspections—ideally conducted during warm, calm weather—allow beekeepers to assess queen performance, brood patterns, food stores, and signs of disease or pests. Proper use of tools such as hive tools, smokers, protective gear, and record books ensures safe and efficient management. Controlling swarming, preventing absconding, and maintaining strong queens are critical for stable colony populations. Queen rearing, whether through natural methods, grafting, or splitting, enables the replacement of underperforming queens and the expansion of apiaries. Supplementary feeding, especially during lean seasons, helps maintain bee strength for pollination and honey production. An integrated approach to colony management combines observation, disease prevention, nutritional support, and breeding strategies to achieve sustainable apiculture. Honey bees are fascinating creatures, and it is a wonderful activity to care for them. Regular hive inspections are crucial for a successful beekeeping operation. Beekeepers with more than one colony must know what's happening inside each hive to manage their productivity and catch problems early. The hive inspection technique focuses on several key areas, which we will explore below.

1. Hive Inspection

Best Time:

- Late morning to early afternoon (typically between 10:00 AM and 2:00 PM) is considered ideal for hive inspections.
- During this period, temperatures are warmer, and a significant portion of the foraging bees are out in the field, reducing the population inside the hive and making it easier for the beekeeper to work with minimal disturbance.
- The natural light at this time also improves visibility for identifying eggs, larvae, and brood patterns without the need for artificial lighting.

Avoid:

- **Cold weather (below 15°C):** Bees tend to cluster tightly to conserve heat, and opening the hive can chill brood and stress the colony.
- **Windy conditions:** Strong winds can blow bees off the comb and make them defensive.
- **Rainy or high-humidity weather:** Bees become restless when disturbed in damp conditions, increasing the likelihood of stings and reducing inspection efficiency.
- **Evening inspections:** Bees are all inside the hive at this time, making the colony denser and more defensive.

Practical Tip:

- Plan inspections for calm, sunny days when nectar flow is moderate, as bees are generally calmer and more focused on foraging than defending the hive.
- Use smoke sparingly to gently alert bees without causing unnecessary panic.

Table. 1 Essential Tools and Equipment

Tool	Function
Hive Tool	Opens hive parts, lifts frames, scrapes wax & propolis
Bee Smoker	Produces cool smoke to mask alarm pheromones & calm bees
Protective Gear	Bee suit, veil, gloves — prevents stings & ensures safety.
Hive Tool	Opens hive parts, lifts frames, scrapes wax & propolis.
Bee Smoker	Produces cool smoke to mask alarm pheromones & calm bees.
Protective Gear	Bee suit, veil, gloves — prevents stings & ensures safety.
Record Book	Tracks queen age, brood pattern, honey/pollen stores, disease signs.

Inspection Checklist:

- Check queen presence and laying pattern.
- Look for sealed and unsealed brood.
- Inspect for disease symptoms (AFB, EFB, chalkbrood).
- Evaluate honey & pollen stores.
- Record colony population and bee behavior.

2. The Role and Use of the Bee Smoker

The bee smoker is one of the most essential tools in beekeeping, serving as both a safety device for the beekeeper and a stress-reducing aid for the colony. Proper use of the smoker allows hive inspections and management activities to proceed with minimal disturbance.

Why Smoke Works

- When a hive is disturbed, guard bees release alarm pheromones (primarily isopentyl acetate) to alert others and trigger defensive behavior.
- Smoke masks these pheromones, interrupting the chain of communication among guard bees. This significantly reduces the colony's likelihood of aggressive responses.
- Additionally, smoke can cause bees to gorge on honey, a natural behavior before a possible relocation. This makes them less inclined to sting.

Steps to Use the Smoker

1. Prepare and Light the Fuel

- Use natural, non-toxic materials such as burlap, dried grass, untreated wood shavings, cotton waste, or wood pellets.
- Avoid synthetic or chemically treated materials that could release harmful fumes.

2. Ensure Smoke is Cool

- Pump the bellows a few times to check the smoke temperature.
- Hot smoke can injure or even kill bees, so aim for a cool, thick smoke.

3. Initial Application

- Puff two to three small bursts of smoke at the hive entrance before opening.
- This gives guard bees a signal without overwhelming the colony.

4. During Inspection

- Apply light puffs over the top bars of frames as you progress.

- Avoid excessive smoking, as too much can drive bees deep into the hive and disrupt their work.

5. After Use

- Extinguish the smoker safely and clean it periodically to prevent buildup of creosote or soot.

Swarming Control

Swarming is a natural reproductive process in which a colony divides, with a portion of the bees and the old queen leaving to establish a new hive. While essential in nature, uncontrolled swarming in managed colonies can reduce honey production and weaken the original colony.

- **Add Extra Hive Space**
- Provide supers or additional brood boxes during nectar flow periods to accommodate expanding populations and prevent overcrowding.
- **Split Strong Colonies**
- Create nucleus colonies by transferring brood frames, bees, and resources to a new hive, reducing congestion in the original colony.
- **Replace Old Queens**
- Requeening every one to two years maintains strong pheromone levels, suppresses swarm impulses, and ensures high productivity.

Abscending Prevention

Abscending occurs when the entire bee colony abandons the hive, often due to stress or poor environmental conditions. This is more common in tropical regions and can lead to significant losses.

- **Provide Adequate Shelter:** Position hives away from strong winds, heavy rains, and direct midday sun to ensure comfortable microclimatic conditions.
- **Ensure Food Availability:** Maintain sufficient nectar and pollen sources in the vicinity or supply sugar syrup and pollen substitutes during dearth periods.
- **Limit Disturbance:** Restrict hive inspections and manipulations to once every 5–7 days during sensitive periods to reduce stress and defensive behavior.

3. Queen Selection Criteria

The choice of a queen is one of the most critical decisions in beekeeping, as her genetic quality determines the overall productivity, temperament, and resilience of the colony. A good queen ensures a strong worker population, efficient resource use, and reduced susceptibility to diseases and pests. The main selection criteria include:

I. High Honey Yield

- Colonies headed by queens from high-yield genetic lines consistently produce more surplus honey.
- High honey yield is an indirect indicator of strong foraging behavior, effective nectar processing, and efficient colony organization (Rinderer, 1986).
- Selection should be based on performance records from previous seasons to avoid seasonal bias.

II. Gentle Temperament

- A calm colony is easier to manage, requires less protective gear, and reduces the risk of stings to beekeepers and nearby humans or livestock.
- Gentle bees also minimize the release of alarm pheromones, leading to smoother inspections and less stress on the colony (Guzmán-Novoa & Page, 1999).
- Behavioral assessment can be done by observing colony reactions during hive opening and manipulations.

III. Disease Resistance

- Queens from colonies that show natural resistance to major honey bee diseases (such as American foulbrood, chalkbrood, and Nosema) and pests (like Varroa destructor) should be prioritized.
- Hygienic behavior — the ability of bees to detect and remove diseased or dead brood — is a heritable trait that can be selected for (Spivak & Reuter, 2001).
- Disease resistance reduces dependence on chemical treatments and supports sustainable apiculture.

IV. Strong Brood Production

- A high-quality queen lays a uniform brood pattern with few empty cells, indicating good fertility and healthy sperm storage.

- Consistent brood production ensures a stable worker population for foraging, defense, and colony maintenance.
- Queens should be assessed during peak laying seasons (spring and early summer) to confirm performance.

Queen Rearing Methods:

Raising high-quality queens is essential for maintaining productive and disease-resistant colonies. While some queens are reared naturally by bees, controlled queen rearing allows the beekeeper to influence genetic traits and ensure consistent colony performance. The main queen rearing methods include Natural, Grafting, and splitting, each with its own advantages and limitations.

Queen Rearing and Replacement

When practicing beekeeping, it is crucial to have a high-quality bee lineage. “High-quality” means that the bees in your lineage have desirable traits such as good temperament, high productivity, strong egg-laying capacity, and low swarming behavior, which are essential for successful beekeeping. To address these issues, queen rearing is necessary. Queen rearing means producing a large number of queens to supply new queens to your bee lineage.

Selecting a Donor Colony

First, you need to survey your colonies to select a suitable donor colony for queen rearing. If you have an apiary record book, this is easy. Otherwise, you’ll need to physically inspect your colonies.

Observe Activity: Start by observing all your colonies to see which ones are the most active. “Active” means a high volume of bees are flying in and out of the hive entrance. Mark these busy colonies.

Check Production: Next, check these marked colonies for honey production. Select the colonies that show excellent honey production, have a gentle temperament, and are good at collecting pollen.

Health Check: Ensure that the selected colonies are also disease-free.

Methods for Rearing Queens

Once you’ve selected your donor colony, you can rear new queens using two primary methods:

1. Natural Method

In this method, you find pre-existing queen cells in a selected colony. You carefully cut these cells out with a knife and place them in colonies that are queenless. Position the queen cells near the center frames of the queenless colonies. A new queen will emerge from the cell within a few days.

2. Grafting Method

This method is used to produce multiple queens from a single colony at the same time.

Tools Needed:

- Grafting needle
- Frame with 24-hour-old larvae
- Thick cotton towel
- Queen cups

Process:

Prepare the Larvae: Carefully remove a brood frame with 24-hour-old larvae from the donor colony. Immediately wrap it in a cotton towel to prevent a sudden temperature drop, which could harm the larvae.

Grafting: Attach the queen cups to a grafting frame. Using a grafting needle, carefully transfer the tiny, healthy larvae into the queen cups.

Placement: Gently place the grafting frame with the newly grafted queen cups into the center of a queenless or starter hive. The nurse bees will then begin caring for the larvae.

Feeding: If the colony's food supply is low, provide artificial feeding, with pollen cake being the most suitable option.

Monitoring: After 5-6 days, you will notice that the queen cells have grown larger. After 7-8 days, the queen cells should be fully capped.

Protection: At this point, place a queen cage over each capped queen cell to prevent a new queen from damaging other developing queens.

Emergence: Approximately 16 days after grafting, the new queens will emerge from the cells.

Introducing a New Queen:

Once the queens have emerged, place each one in a mating nucleus hive. This provides a temporary home where the queen can mate. After she has successfully mated, you can introduce her to a new colony.

- **Preparation:** If the target colony has an existing queen, remove her 24 hours before introducing the new queen.
- **Introduction:** In the evening, place the new queen (still inside her cage) in the colony. This allows her scent to spread throughout the hive overnight.
- **Acceptance Check:** After 12 hours, check for acceptance.
- **Acceptance:** If the worker bees are feeding the queen royal jelly (a white, yogurt-like substance), the colony has accepted her.
- **Rejection:** If you see a cluster of bees forming a ball around the queen cage, they have rejected her.

Laying Worker Solution: To fix this, take the colony about 200 meters away from its original location in the morning (around 10-11 a.m. facing east). Shake all the bees from the frames onto the ground. The laying workers will get lost and not return, while the valuable foraging bees will fly back to the original location. Then, you can place the new queen in the hive.

Table. 2 Seasonal Colony Management Calendar

Season	Key Activities	Objectives
Spring	Swarm control, queen replacement, expand brood area	Prepare for nectar flow
Summer	Provide shade, ensure water supply, prevent absconding	Maintain colony health
Monsoon	Disease inspection, control pests, ensure hive ventilation	Reduce humidity stress
Autumn	Simulative feeding, combine weak colonies	Prepare for winter
Winter	Reduce hive entrances, feed syrup if needed	Prevent starvation and conserve heat

A well-planned calendar aligns colony management with seasonal floral availability and climatic conditions.

Table 3 Seasonal feeding Management Calendar

Season	Key Actions
Winter	Feed 1:1 sugar syrup, protect from cold, check stores
Spring	Swarm prevention, queen replacement, expand colonies
Summer	Provide shade, water, feed 2:1 syrup if needed
Monsoon	Protect from rain, prevent absconding, pest control
Autumn	Prepare for honey flow, build colony strength

3. Splitting Method

In this method, you take 4-5 frames from a strong colony and place them in a new hive in the evening. Place this new hive about 2.5 kilometers away from the original apiary. Without a queen, the worker bees will naturally start feeding royal jelly to a 24-hour-old larva. These cells are called emergency queen cells, which are essentially modified brood cells, typically built in the center of the frame. Another variation of this method involves taking a frame with 24-hour-old larvae (without bees) from a different hive and placing it in a queenless colony. In a few days, queen cells will form, and a new queen will emerge in about 16-17 days.

Important Notes for New Beekeepers

- **Handle Frames with Care:** When inspecting colonies, always remove and replace frames at a 90-degree angle. This prevents you from accidentally crushing the queen between the frames. Many new beekeepers, due to carelessness, accidentally kill the queen this way.

First, it is important to know when and why to feed a bee colony. Many people, due to lack of information, believe that beekeepers produce honey only by providing feed, but this is completely a misconception. Beekeepers feed bees primarily to help them survive. Bees produce honey so that when there is a shortage of flowers in nature, they can consume this honey as food. As you know, it is not possible for flowers to be available in every season. Therefore, when bees find plenty of flowers, they collect nectar from them, mix it with enzymes in their stomach, convert

glucose into fructose, and store it as honey. When there are no flowers available, they use this stored honey as food.

As we know, beekeeping is done to obtain honey and other products from bees. If bees consume all the honey themselves, then beekeepers will not get any honey. This is why, after the bees have collected honey, we extract it using an extractor machine. Whenever there is a shortage of flowers in nature, we provide artificial feeding to the bees to keep them healthy and maintain their population. If we do not feed them during this period, the bees may become weak and in the next honey season, due to low population, honey production will be delayed, as it takes about 1–2 months for them to rebuild the colony before producing honey. That is why we feed them. The feeding solutions generally used include sugar syrup and additional substances like pollen or flour from legume crops. Feeding is necessary not only for increasing the bee population, but sometimes also due to other reasons such as diseases, in which case sugar syrup is required. During the rainy season, bees are unable to go outside their colony, so sugar syrup is provided for water and food. Similarly, in summer, when flowers are not available and temperatures rise, feeding is done for water and food supply. Typically, in winter, a 1:1 ratio of sugar syrup is given, and in summer, a 2:1 ratio is used. In autumn (sharad ritu), 1 part sugar and 1 part water are mixed and boiled until sterilized, cooled, and then fed to the bee colony through a feeder. Feeding is also done to boost bee population growth, or when a new colony is being established, to help the new queen lay eggs and boost brood production. A popular feeding formula these days is known as “pollen cake,” which is a type of bee food. Bees do not only use honey—they mix it with pollen, ferment it, and then consume it.

Ingredients for Pollen Cake:

Dry ground pollen: 1 part

Sugar syrup (2:1 ratio): 2 parts

Soy flour: 1 part, Water as needed

Method to Make Pollen Patty:

First, mix the dry pollen and protein powder (soy flour) thoroughly, add the 2:1 ratio sugar syrup, and knead it like dough. Cut into small cakes of about 200–250g, place on food-grade plastic, and directly feed to the bee colony. After two days, you will notice bees start using it. In this way, artificial feeding strengthens the colony, and whenever you want to create new colonies, feeding enables easy multiplication of bee families. This approach helps keep your bee colonies strong and productive throughout various seasons.

Conclusion

Colony management forms the backbone of profitable, sustainable, and climate-resilient beekeeping. It encompasses a series of coordinated activities, including regular hive inspections, timely pest and disease control, strategic queen rearing and replacement, and supplemental feeding during periods of nectar or pollen scarcity. Effective colony management ensures that bee populations remain strong, productive, and capable of meeting both honey production and pollination demands. By maintaining optimal brood health, preventing swarming or absconding, and ensuring adequate food reserves, beekeepers can avoid seasonal colony losses and sustain year-round productivity. Strong colonies not only yield higher volumes of quality honey and other bee products such as beeswax, propolis, and royal jelly, but also deliver vital pollination services that enhance crop yields, biodiversity, and overall ecosystem stability. In agricultural landscapes, well-managed bee colonies can significantly improve the quality and quantity of over 90 major food crops, contributing directly to food security and rural livelihoods. Moreover, good management practices minimize the risk of colony collapse due to environmental stresses, making beekeeping both an economically rewarding enterprise and an ecologically responsible activity.

References

1. Rinderer, T. E. (1986). *Bee Genetics and Breeding*. Academic Press.
2. Guzmán-Novoa, E., & Page, R. E. (1999). Selective breeding of honey bees (*Apis mellifera* L.) in Africanized areas. *Apidologie*, 30(5), 521–536.
3. Spivak, M., & Reuter, G. S. (2001). Resistance to American foulbrood disease by honey bee colonies *Apis mellifera* bred for hygienic behavior. *Apidologie*, 32(6), 555–565.
4. Crane, E. (1990). *Bees and Beekeeping: Science, Practice and World Resources*. Cornell University Press.
5. Delaplane, K. S., van der Steen, J., & Guzman-Novoa, E. (2013). Standard methods for estimating strength parameters of *Apis mellifera* colonies. *Journal of Apicultural Research*, 52(1), 1–12.
6. Seeley, T. D. (2010). *Honeybee Democracy*. Princeton University Press.
7. Winston, M. L. (1987). *The Biology of the Honey Bee*. Harvard University Press.

HONEY PRODUCTION AND HARVESTING

Neelam Tyagi and CP Gupta

Laxmi Jan Kalyan Sewa Sansthan (LJKSS), Ghaziabad, UP

Abstract

Honey production and harvesting are integral aspects of modern apiculture, combining traditional knowledge with scientific precision to ensure high-quality yields. This chapter outlines the biological process of honey formation, the factors influencing nectar flow, and optimal colony management for maximizing production. It discusses key harvesting techniques, from identifying capped honey frames to using extractors, ensuring minimal disturbance to bees and preservation of honey's natural qualities. Post-harvest handling practices, including filtration, moisture control, and hygienic storage, are detailed to maintain purity, flavor, and market value. The chapter also highlights seasonal honey flows in India, regional variations in floral sources, and grading standards for domestic and export markets. Emphasis is placed on sustainable harvesting that preserves bee health, maintains colony strength, and supports ecosystem services, ensuring honey production remains both economically viable and ecologically responsible.

Keywords: production, harvesting, nectar, sustainable apiculture

Introduction

Honey production is one of the most valued outcomes of beekeeping, combining nature's ingenuity with human stewardship. Bees collect nectar from flowers, transform it through enzymatic activity, and store it as honey — a nutrient-rich, naturally preserved food. This process not only provides a marketable product but also plays a crucial role in sustaining biodiversity through pollination. In India, honey production is deeply linked to regional floral diversity, with distinct flavors and colors emerging from different agro-climatic zones. Successful honey harvesting depends on understanding nectar flows, managing colony strength, and timing the extraction to coincide with optimal honey maturity. Modern harvesting techniques, when combined with careful post-harvest handling, ensure high-quality honey that meets both domestic and international standards. Beyond economic benefits, sustainable honey production safeguards

bee health and supports ecological balance, making it an essential component of climate-resilient agriculture.

Beekeeping Industry in India

In 1994-95, the Ministry of Agriculture took the initiative to launch a centrally sponsored scheme for the development of beekeeping to improve crop productivity during the Seventh Plan. The various components of the scheme were research and development, production and distribution of bee colonies, organization of training and awareness programmes and honey processing plants, etc. A Beekeeping Development Board was also created under the chairmanship of Secretary (Agriculture & Cooperation) to coordinate the activities of beekeeping. The scheme was approved for continuation during the Ninth Plan. However, the scheme was merged under the Macro Management Plan with immediate effect in October 2000. Under such arrangement, beekeeping received less focus.

The Department of Agriculture and Cooperation got the National Bee Board registered as a registered society under the Societies Registration Act 1860 through Small Farmers Agribusiness Consortium (SFAC) in July 2000. From May 2005, beekeeping was included in the National Mission on Beekeeping (NHM) as a programme to promote cross pollination of horticultural crops. Currently, about 1,05,000 metric tons of honey is being produced in our country with about 34 lakh bee colonies (estimate year 2017-18). India is one of the countries exporting honey. Germany, USA, UK, Japan, France, Italy and Spain are the major markets for Indian honey. About 45500 metric tons of honey was exported from India to other countries in the year 2017-18.

Two types of honey are produced in India: apiary honey (by domesticated bees) and squeezed honey (by wild bees). Both the bees are *Apis cerana* and *Apis mellifera* which are domesticated and kept in beehives. Honey is not used as food in India. Its consumption as food per person per year is very less. But there are other countries where it is used as a food. For example, Germany consumes 1800 grams of honey per person per year. In the world, its average consumption per person is about 250 grams per year. The highest consumption of honey per person in Asia i.e. about 600 grams, per person per year, is in Japan.

1. Honey has great food value and provides cash income.
2. Bee-wax which is twice as expensive as honey is in great demand.
3. Other products viz., bee collected pollen, propolis, bee venom and royal jelly are many times more expensive than honey and bee-wax.
4. Honeybees provide a dual benefit service to farmers by increasing the production and quality of crops by providing pollination service and by increasing the productivity of honey.

5. Maintenance of biodiversity by pollination of flowering plants.

6. Apithea medicine using bee products.

How to Harvest Honey

Whether you plan to sell it, share it with friends and family, or just eat it with breakfast, there's no doubt that having fresh, sweet honey is one of the greatest pleasures of beekeeping. Most people love the taste, some will even tell you about its countless other benefits, but for beekeepers, there's also the simple joy of sharing what they make with others. Today, let's look at the basics of getting that golden flavor from hive to jar through the two-part process of honey harvesting and processing.



When to Harvest

We recommend that you do not harvest honey during your first season with a colony. Instead, you should let them build up reserves and become established. Hopefully they will produce a good amount of surplus the following year. For established colonies, depending on the local climate, many beekeepers harvest around July, shortly after the big sap flow, when the hive has a lot of honey stored. The calendar date is much less important than the beginning of the sap flow and the most stored honey available. It may also be possible to harvest in the fall as there is often a second sap flow at that time.

When deciding when to harvest, it's worth keeping in mind that bees can protect the hive better than you can, "If you're not ready, leave it with the bees. At the very least, you can collect it later, such as in the fall, or plan to use it to feed the bees next spring. In areas with small hive beetles and warm climates, where wax moths are constantly present, you need to be extra careful when collecting honey. This may mean collecting only what you can process right away."

How much to harvest

Whenever you harvest honey, it's important to remember that the colony's survival through the winter depends on having enough honey. Some beekeepers with strong, well-established colonies harvest honey in both summer and fall, but if your colony has had a difficult year, you may want to be cautious and consider collecting less or none at all for a season. If a colony collects honey through the winter, they may have extra reserves that you can harvest in the spring if you were careful the previous summer and fall.

Harvesting Methods

Now that you have decided when and how much honey to collect, it's time to gently convince the bees to leave the honey for a little while and move it to your processing area. We'll start with the Lang troth hive methods, which are the most commonly used. However, these tips may still be helpful if you use a top bar or war hive. First, we recommend watching this video on honey collection by Paul Kelly of the University of Guelph:

This video shows 3 ways to safely remove the bees from the honeycomb and move the honey to your processing area. If you don't have time or can't watch the video, we'll briefly explain the key points here:

1. Use a Bee Brush

If you don't have many supers, and want an easy, cost-effective solution, using a bee brush may be the best method for you. Place an empty super box near your hive, then begin taking frames filled with honey from the super box, and brush the bees downward, gently but firmly, with as few strokes as possible. When all the bees have come off the frame, place the entire frame in the empty super box and cover it to prevent theft. Once the box is full, you are ready to move it to your processing area.

2. Use a bee escape device

The "bee escape" is a flat board that you place under your entire super to separate the super from the brood area. It has a small mesh screen and a simple maze-like shape on the bottom. It works like a queen ejector, but for all the bees. Once they are down, they cannot come back up.

To set it up, first remove your entire super. Then, place an additional super on top of the brood box. The purpose of this is to give the bees a place to work while you are processing the removed super. Ideally, this additional super will contain frames that have had honey removed from the previous season or other finished honeycombs, giving the bees a place to work. If you only have bases or empty frames, you will have to use those.

Now place the beehive, screen side down, on top of this super, and place your entire super

on top of the beehive. Once you have placed the excluder, you will need to wait at least two nights until all the bees have left the super (bees go down at night to keep their babies warm). You will also need to seal any cracks or potential entrances to the super to prevent the bees from coming back in. Protip: use painters tape. When all the bees have left the bee exit, the supers will be empty, and you can take them to your processing area.

3. Use a Bee Blower

A bee blower is basically a leaf blower with an attachment on the end that makes the air flow very narrow. With this attachment, you can blow air between the frames of the super and blow the bees off the sides of each frame. First, place the super at about waist level, in a location with plenty of open space. Then turn on the blower and blow the bees off the super, going from frame to frame. You may need to tilt the frames slightly with your free hand so you can aim at both sides of each frame. Once the bees have been blown off each frame, the super is ready to go to your processing area.

Top Bar and Warre Hives

When harvesting from top bar hives, you will probably need to use the bee brush method. With a Warre hive, you can make the other Langstroth methods work in some way, but if not, you can always resort to the bee brush method.

Processing

Processing honey means removing it from the frames and putting it into jars (or whatever containers you have in mind). This is a completely different world than beekeeping on your farm, and some beekeepers even delegate this part of the process to others entirely. There are others who feel that they would prefer to process the honey completely and skip caring for the hives altogether. However, most beekeepers do both. If you think so, here are the basic processing options for you, from small to large scale:

1. Honey from a cut comb

The simplest and easiest way to process honey is to obtain what we call "cut comb honey". It is basically a square piece of raw honeycomb, separated from the frames with a honeycomb cutter. With the help of a comb cutter and small boxes of the same size, you can easily cut square pieces of honeycomb and store them for later use or sale. Cut comb honey contains both honeycomb and wax, but the wax is safe to eat, and is hardly noticeable when in small quantities or mixed with another food. The cut comb can also be chewed like gum. When the honey is finished, throw away the wax.

Crush and sieve

Perhaps the most common small-scale honey processing method is called "crush and sift." There are several variations of this, but the basic idea is to extract the honey by opening/puncturing each cell of the hive so that the honey can flow, then placing the hive in a sieve or cotton cloth so that the honey drips into a container and the wax remains. You can "crush" the hive by cutting it with a knife on a cutting board, cutting off the lids while still on the frames and then pouring the lidless hive into a bucket with a spatula, crushing it with your hands, or a variety of other methods. As long as every cell is broken open and the honey can drain out, you're good to go. Note, this can be very messy, so consider going into the garage instead of the kitchen if possible.

4. Centrifuge

If you have a lot of supers to process each season, you may want to consider investing in a centrifuge. This is a machine that spins very fast and throws the honey out of the frames. You open the frames and place them inside the machine, then turn it on and wait for the honey to flow into your bucket or other container. Centrifuges range from relatively small and hand-turned to huge, room-sized machines that can handle large numbers of frames with impressive automation.

In addition to automating much of the labor, centrifuges also allow you to leave wax inside the frames as pulled comb, which is an extremely valuable resource. The bees will be able to use this pulled comb in different situations in the future in ways that will make your (and their) life much easier. To understand how centrifuges work and what their benefits are, you can watch this video on honey extraction by the University of Guelph, which shows off one of their large-scale centrifuges:

How to harvest honey after honey harvest

- First nectar flow: mid-April to late May (e.g. oilseed rapeseed, fruit trees, shrubs, sycamores, hawthorns)
- Second nectar flow (main flow): mid-June to first week of August (e.g. lemon, clover, blackberry, willow herb)
- Heather honey nectar flow: August and September

The aim is to create a strong hive that can take advantage of these nectar flows and allow the bees to store the excess nectar which they can convert into honey. Harvesting is best done at the end of the flow and when the bees have covered the honeycomb, as shown in the picture below:



Covered honey frame

You may need to wait up to a week after the juice is extracted to cover the honey.

Step 1: Super Clear

Option A: Put a clearing board over the queen excluder and come back two days later to collect the super. There will still be some bees on the frames, but brush them off with a bee brush. This is my preferred method because it's not too scary.

Option B: Remove the frames individually and brush the bees back into the hive. Place the frames in a spare super, and cover this super with a cloth. I've only done this when my hive has been weak. I can't imagine doing this if my hive was busy.

Option C: Use a bee repellent. I haven't done this. Buy one and follow the instructions. The bees will move into the brood chamber.

Important: Leave room for the bees. Imagine you're cramming them into a brood box from three supers. Leave one super smeared with nectar or just foundation to give them some room.

Step 2: Bring the honey to the optimum temperature

The best temperature to open the lid and extract the honey is 21-27°C. Above 32°C the wax is too soft and below 18°C the honey hardens and is difficult to extract. To harvest before mid-August to avoid any problems with warming the honey. If it's a cool year or you've left it late, some beekeepers put the super in an empty super with a 60W bulb on the bottom and old blankets on top. Leave it for 48 hours and the honey will be ready to extract.

Step 3: Open the lid of the honey

Use a serrated knife to cut away the thin layer of wax



Cutting the lids off the honey frames

This can be an electrically heated knife or a simple bread knife. I use the latter. I have read that electrically heated knives can overheat the honey and make it taste bad.


Cut carefully and you will find the wax layer peeling off like the picture above.

Use the tip of the knife to make sure all the lids are removed.

Place these wax casings in a strainer with a jug underneath to collect more honey.

Step 4: Extract the honey

- Place the super in the extractor. Make sure the longest side of the frame is closest to the outside of the extractor, otherwise you will find that the frames are not balanced correctly.
- Start slowly and build up speed.
- The honey tends to stick to the sides and flow down the extractor. At first you will think you haven't extracted much honey, but you will soon find that after 4 frames you will have to empty the extractor.



Honey frames in the extractor

Step 5: Filters

Pour the honey from the extractor, through the filter, into the honey tank (or honey bucket or jar), see below:



Filtering honey using a 1.5 mm filter

Step 6: Let the Honey Sit for 24 Hours

Leave freshly extracted honey for 24 hours and you will notice bubbles and solids rising to the top. These will separate from the cream and you can keep it as honey. To poured the honey directly into the jars you will notice a waxy scum forming and it is difficult to remove from the jar. If you have poured the filtered honey directly into the honey buckets (as shown below), you can remove the scum the next day or later.



30lb honey bucket

Ideally, you have a honey tank. It has a filter on top and you can use another fine filter (such as nylon cloth) below it to further remove waxy solids.

Then let the honey sit for 24 hours and skim off any solids from the surface.

Step 7: Fill the Honey into a Jar (or Store it)

The best way to fill honey into jars is from a honey tank, which has a valve at the bottom. Even better, place a thin digital weighing scale under the jar and you can immediately make sure you have filled the right amount into the jar.



Honey tank with valve

If you have made a lot of honey you can keep it warm in honey buckets (at 35°C, for up to two days), and



Step 9: Give the wax capping and wet super back to the bees

Put the wax capping in the feeder and they came back dry in a few days, see picture below.



Hive Two - Clear Wax Capping

Put the nylon strainer in the feeding tray and they cleaned it out well.

The super will also be dry and ready for storage.

Extracting honey from sesame seeds

Rapeseed honey from oil-seeds hardens within a short time of removing the super from the honeycomb. If you leave it too long, it will solidify in the honeycomb. You must remove the super immediately. If you failed to do this and now you have grainy honeycomb, you have three options:

Option A - Melt the comb with a steamer or uncapping tray to separate the wax and honey

Option B - If there is little granulated honey: Spray water, place super under the brood box and place extra queen excluder between the two boxes. The bees will move the stores up into the brood chamber.

Option C - If there is a lot of granulated honey: Soak the frames in a basin of water and then follow the same steps as in option B above.

Extraction of heather honey

This is more complicated and I have never done it before. The Southampton and District Beekeepers Association has produced an excellent fact sheet: Honey is commonly thought of as a preservative. But often beekeepers forget or ignore the fact that honey, as well as being a delicate natural product, is also a perishable product. If mishandled, the quality of honey can easily deteriorate. Every conscious beekeeper, honey processor and packer should always bear in mind that honey, being a food and medicinal product, must be subjected to hygienic precautions right from extraction to packaging and delivery to the consumer.

Thus, the handling of this natural commodity in the honey market requires greater attention and care at all stages. This is not a matter of personal choice but has now become a legal obligation

due to strict enforcement of the Prevention of Food Adulteration Act worldwide and the heavy penalties prescribed under it. The moisture content in honey is the most important factor as it affects the quality of honey or promotes fermentation. The bees ripen and seal honey separately. Beekeepers must ensure that they collect only the sealed and ripened honey. The sap contains on an average about 40% sugar and the rest water.

After the honey gatherer returns to the hive, the sap is given to the hive bees and the process of conversion of sucrose continues. When the gatherer gives the honey to the hive bees, a part of the water from the sap also gets removed. Further, the honey ripens while it is in the cells. The ripening of honey depends on the depth to which the cells are filled. If the cells are more than half filled with raw honey, it takes more time. Hence it is desirable that the honey chamber should have all the super frames or at most one less than its capacity.

In arid regions, during the season of heavy honey flow, additional ventilation can be provided by shifting the super slightly forward to facilitate cross ventilation. This will ripen the honey faster. The relative humidity of the place also affects the rate of ripening. In many honey producing areas of India, especially in the southern and eastern states, the relative humidity is often more than 60% and the room temperature during the day is almost equal to the hive temperature (34°C). Under such conditions, the ripening of honey is very slow.

Granulation in honey:

Freshly extracted honey is in a liquid state, but most honeys become granulated sooner or later. Granulation depends mainly on the source of the juice and the way the honey is handled during processing, packaging, etc. Granulation takes many forms, ranging from very smooth to coarse crystals and from partial granulation to uniform granulation. Honey is a supersaturated solution as compared to dextrose sugar. In other words, this means that the water in honey contains more dextrose than is normally dissolved. Therefore, the solution is unstable and reaches a steady state by the formation of some glucose (dextrose) crystals. In supersaturated solutions, before any crystals can form, it needs a base or nucleus on which crystallization begins. Once the process of crystallization begins, it attracts more molecules and eventually a visible form appears. The more nuclei the honey has, the quicker and more uniform the granules are formed. Particles, air bubbles, excess pollen provide the nucleus to initiate the granulation process. To best appeal to consumers, honey should be either liquid or fully granulated. In India, liquid honey is in greater demand than granulated honey, so much so that granulated honey is sometimes labelled as adulterated honey. Granulation in honey with high glucose percentage can be delayed by heating

the honey to a slightly higher temperature (65 to 68°C) during processing and filtering thoroughly.

Fermentation:

All organic products, under certain conditions, undergo chemical changes by which substances break down into simpler compounds. This process is commonly called fermentation. Honey is also an organic product and if not taken proper care, it gets fermented or spoils. Fermentation in honey is due to the presence of fermenting yeast, which is found in almost all honey. High concentration of sugar or low moisture content in honey keeps the yeast in a dormant state. When honey is raw and the moisture content in it is more than 22%, the yeast starts multiplying and fermenting the honey. Even in ripened honey, due to partial granulation, the moisture content in the liquid portion often exceeds 25% and fermentation starts. High moisture content in honey or partial granulation are the main causes of fermentation of honey.

To stop fermentation and slow down granulation, honey is heated. Since the yeast cells that ferment honey are killed at 140°F, the recommended temperature and time for heating honey is 140 to 145°F for a few minutes, which does not lead to loss of taste, color and decomposition of its components. However, the presence of any foreign matter in honey, especially wax, during processing spoils the color and taste of honey. This is because the temperature to which honey is heated during processing coincides with the melting point of wax and the color and flavor from the melted wax diffuses into the honey and spoils its quality. Therefore, all extracted honey must be filtered before processing. However, the high viscosity of honey makes it difficult to filter it quickly. The viscosity of honey decreases very rapidly as the temperature increases. Therefore, for quick filtration, it is advisable to heat the honey to 100 to 110°F (38-45°C), which is a temperature lower than the melting point of wax. Coarse and fine mesh sieves should be used to filter honey at room temperature and 110°F, respectively. A 6 to 12 inch mesh sieve is suitable for filtering the honey during extraction.

Honey Processing

The honey should then be passed through a series of 30, 50 and 80°F mesh sieves at 110°F. Just before processing, honey should always be heated indirectly in a water bath, separating the honey from the heat source at both the sides and bottom. If direct heat is used, processing may result in severe color change, loss of flavor and decomposition of some components. Heating honey to 145°F for 20 minutes has been found to be sufficient to destroy all yeast cells fermenting the honey. Temperatures up to 160°F are also recommended for honey with a greater tendency to granulate. But with the increase in processing temperature, the heating period should also be

reduced proportionately to maintain the quality of the honey. Since prolonged heating destroys the aroma and color of honey, honey should be processed between 140 and 145 F whenever possible, especially dark honey; heating above 150 F will cause it to become even darker and give off an unpleasant molasses-like odor. Second, prolonged high temperature produces hydroxy-methyl-furfural (HMF) in honey, which is responsible for a positive FEHE test. A positive FEHE test is not acceptable under the Prevention of Food Adulteration Act. Honey loses its flavour quickly when heated in open containers as the flavour enhancers are volatile. Honey being a thick, viscous liquid does not heat uniformly easily and in large containers the centre of the honey may remain unheated. To preserve the natural flavour and colour of honey and to ensure even heating of every particle and thus killing all yeast cells, it is advisable to heat honey in a closed container and in a thin film.

After processing, honey should be transferred to settling tanks fitted with 80-110 mesh sieves and allowed to settle. Honey should be drawn from the bottom of the settling tank to avoid the formation of air bubbles while filling the container, and honey should not be allowed to fall from a height. This can be done by allowing the honey to flow down the sides of the container. As much as possible, processed honey should be stored at 60°F. Higher temperatures discolor honey and cause the formation of hydroxyl-methyl furfural (HMF), while lower temperatures cause granulation.

Processing of pollen –

The collected pollen should be kept in a refrigerator (freezer) after eight hours. If possible, it should be transported from one place to another in a cold container which is cold and dry. After this, it should be dried at a temperature of 45°C so that its moisture content is less than 10%. Pollen with 5 to 8% moisture is of good quality. At temperatures above 45°C, its enzymes and other elements are reduced. Drying at 40°C is best. After drying it can be kept in dark and at room temperature of 25 to 30°C for many months. It can be kept in refrigerator at 5°C for years. Frozen to 15°C Pollen can be preserved for many years without quality loss.

It can also be preserved by other methods

Mixing it in honey - in a bottle or any other container, after 2cm layer of sugar, put 2cm layer of pollen, then 2cm layer of sugar and then 2cm layer of pollen and put a layer of sugar on its surface as well, by air tight packing.

Cleaning of pollen - The granular dry pollen should be cleaned and other things like dust / bee stings, wings and legs etc. should be removed and kept clean.

Pollen Products - Pollen can be used with honey, by making pollen tablets, filling pollen capsules.

Storage of honey after processing

Proper storage of honey after extraction and processing is crucial to preserve its quality, flavor, aroma, and nutritional value. Since honey is hygroscopic (absorbs moisture from the air) and sensitive to temperature, careful handling is essential to prevent fermentation, crystallization, or spoilage.

Storage Containers

- **Material:** Use food-grade stainless steel, glass jars, or high-quality, BPA-free plastic containers.
- **Properties:** Containers must be airtight, non-reactive, and moisture-proof.
- **Cleaning:** Wash and dry thoroughly before filling to prevent contamination.

Storage Conditions

- **Temperature:** Store at a constant cool temperature (18–24 °C). Avoid direct sunlight or excessive heat, which can degrade enzymes and flavor.
- **Humidity:** Keep in a dry environment. High humidity can cause honey to absorb moisture, leading to fermentation.
- **Light:** Protect from light to preserve natural color and aroma. Use opaque containers or store in a dark room.

Prevention of Crystallization

Crystallization is a natural process caused by glucose molecules forming crystals.

- Store honey at temperatures above 25 °C or below 10 °C to slow crystallization.
- Gentle warming (not exceeding 40 °C) can re-liquefy crystallized honey without damaging quality.

Bulk Storage for Commercial Producers

- Use large, sealed stainless steel drums lined with food-grade lacquer.
- Label with harvest date, floral source, and batch number for traceability.
- Periodically inspect for moisture content (should be below 20%) to prevent fermentation.

Shelf Life

Properly stored honey can remain safe and edible for years due to its low water content and natural antimicrobial properties. However, quality is best maintained when consumed within 12–24 months of harvesting.

VALUE ADDITION AND BY-PRODUCTS

Swati Sharma

General Secretary, Centre for Advanced Research & Development,
H-2/ 195 Arvind Vihar, Baghmugaliya, Bhopal, M.P.

Abstract

Beekeeping is a multifaceted enterprise that extends far beyond honey production, offering a diverse array of valuable by-products such as beeswax, royal jelly, bee pollen, propolis, and bee venom. Each of these products possesses significant nutritional, medicinal, and industrial applications, contributing to the economic sustainability of apiculture. Value addition transforms these raw materials into high-quality, market-ready products—ranging from cosmetics and nutraceuticals to pharmaceuticals—thereby enhancing their shelf life, expanding market opportunities, and increasing profitability for beekeepers. The integration of value-added processing not only boosts rural livelihoods but also supports biodiversity conservation and agricultural productivity through enhanced pollination services.

Keywords: beekeeping, value addition, bee

Introduction

Honey, the primary product, can be processed into flavored honey (like ginger or tulsi infused), creamed honey, honey-based beverages, herbal syrups, and natural sweeteners. It is also used in ayurvedic medicines and wellness formulations. Beeswax, another key by-product, is widely used in the production of candles, cosmetics, lip balms, moisturizers, and eco-friendly products like beeswax food wraps. It is also a key ingredient in polishes and natural salves. Royal jelly, known for its rich nutritional profile, is used in the health supplement industry and in skin care products due to its regenerative properties. Bee pollen, a rich source of protein, vitamins, and minerals, is consumed as a superfood and added to smoothies, health bars, and capsules. Propolis, a resinous substance collected by bees, has strong antibacterial and antifungal properties. It is widely used in traditional medicine, mouthwashes, lozenges, and skin ointments. Bee venom, though less commonly harvested, is gaining popularity in apitherapy for treating arthritis, chronic pain, and even as an ingredient in high-end anti-aging skincare. Value addition not only improves the utility

and attractiveness of these products but also creates new market opportunities. It supports livelihood diversification, empowers rural communities—particularly women and youth—and aligns with the growing consumer demand for natural and health-based products. Therefore, promoting value addition in bee products can significantly enhance the profitability and sustainability of beekeeping enterprises while contributing to rural economic development.

Beeswax is one of the most valuable by-products of apiculture. Produced by worker honeybees of the genus *Apis*, it serves as the building material for combs that house honey, pollen, and brood. Unlike honey, which has been widely studied and commercialized, beeswax has historically received less attention despite its diverse applications and economic value. This chapter explores the natural production, methods of collection, purification processes, and multifaceted uses of beeswax, highlighting its significance in both traditional and modern contexts.

Biology of Beeswax Production

Beeswax is secreted by worker bees, specifically those aged between 12 and 20 days. The wax glands, located on the ventral side of the abdomen, produce small wax scales (approximately 0.8 mg each), which are manipulated with the mandibles and legs to build hexagonal cells in the hive (Crane, 1990). The process requires significant energy: estimates suggest that bees consume around 6 to 8 kg of honey to produce just 1 kg of wax (Bogdanov, 2004).

Beeswax comprises over 300 compounds, primarily esters of fatty acids and long-chain alcohols. Its natural color ranges from pale yellow to brown, depending on the type of pollen, propolis content, and age of the comb.



Figure.1 Wild honey collection

Sources of Beeswax

1. Beeswax is typically obtained from the following beekeeping sources:
2. Cappings Wax: Derived from the wax layer that seals honey cells. It is the cleanest and most valued type.
3. Comb Scrapings: Old or damaged combs are melted down to recover wax.
4. Brood Combs: These contain impurities from larval residues and are less desirable but still useful.
5. Slumgum: Residue left after wax extraction can still contain small amounts of wax.
6. Apiculturists often reserve wax collection for periods after the honey harvest, when cappings are available in abundance.

Methods of Collection

1. Manual Extraction- The traditional method involves crushing combs and placing them in boiling water. Wax floats to the top as it melts and is then skimmed off after cooling. While low-cost, this method often results in lower purity.
2. Solar Wax Melter- Ideal for small-scale beekeepers, solar wax melters use sunlight to melt wax from cappings and combs. They are environment friendly and cost-effective. However, they are climate-dependent and slower.
3. Steam Wax Extractor- This method uses indirect heat to melt the wax while preserving its quality. Steam is applied to combs placed in a container, and melted wax flows out through a sieve. It ensures minimal contamination and retains more aroma.
4. Hot Water Bath (Boiling)- In this method, combs are placed in boiling water along with a cloth bag or mesh to separate debris. As the wax melts, it rises to the surface and hardens on cooling. This is suitable for community-scale processing.
5. Mechanical Presses- Industrial wax recovery units use mechanical or hydraulic presses to extract wax under heat and pressure. These systems are efficient for commercial operations with large volumes of combs.

Wax Purification

After initial collection, beeswax must be cleaned and refined. Common purification steps include:

- Filtering: Using muslin cloth or fine sieves to remove solid particles.

- Settling: Allowing molten wax to rest so impurities can settle at the bottom.
- Acid Treatment: Mild citric or sulfuric acid (0.1–0.5%) can be used to bleach and deodorize the wax.
- Activated Charcoal: Used to remove coloration and odors without affecting the wax's chemical integrity.

Table1: Physical and Chemical Properties of Bees Wax

Property	Value/Range
Melting Point	62°C to 65°C
Specific Gravity	0.95 – 0.97
Solubility	Insoluble in water; soluble in oils and solvents like ether and chloroform
Composition	Esters (70–80%), Hydrocarbons (14%), Free acids (12–15%)
Color	uniform yellow or off-white colour
Odor	pleasant, mild honey scent

These properties make beeswax ideal for diverse industrial and artisanal uses.

Pollen, Royal Jelly, and Propolis Harvesting

Apiculture, or beekeeping, has long been associated with honey production. However, the modern approach to beekeeping emphasizes the holistic utilization of bee products—beyond honey—including pollen, royal jelly, and propolis. These products have gained significant attention due to their nutritional, medicinal, and cosmetic properties, providing immense potential for value addition and commercial by-products. This chapter delves into the harvesting methods, value-added processing, by-products, and their industrial applications.

Harvesting of Bee Pollen

Bee pollen is a mixture of flower pollen, nectar, enzymes, honey, and bee secretions. Foraged by worker bees, it serves as the primary protein source for the colony. To humans, it is a nutrient-dense superfood with high protein, amino acids, vitamins, and antioxidants. Bee pollen is a highly nutritious product collected by honeybees from flowering plants. It consists of microscopic pollen grains mixed with nectar and bee secretions, forming small granules that bees carry on their hind legs in specialized structures known as pollen baskets (corbiculae). Rich in proteins, vitamins, minerals, and antioxidants, bee pollen is considered a "superfood" and is widely used in dietary supplements, health foods, and natural medicine. Bee pollen is collected using pollen traps placed

at the hive entrance. These traps scrape pollen from the bees' legs as they return, collecting it in a tray. The pollen must be: Collected frequently to prevent spoilage, dried at low temperatures (below 42°C) to retain nutrients, and stored in airtight containers or deep-frozen to preserve freshness.

Sources and Composition:

The composition of bee pollen varies by plant species and region but generally includes:

Proteins (20–35%); Carbohydrates (30–55%); Lipids (1–13%); Vitamins (B-complex, C, D, E); Minerals (calcium, magnesium, potassium); Enzymes, flavonoids, and antioxidants. Pollen color, flavor, and nutritional profile can vary depending on the flowers visited by the bees.

Bee Pollen Harvesting Process:

1. **Installation of Pollen Traps:** The most common and efficient method to collect bee pollen is the use of pollen traps. These are special devices placed at the hive entrance. The trap has small mesh screens or perforated grids that the bees must squeeze through. As bees enter the hive, some of the pollen pellets are knocked off their hind legs and fall into a collection tray or drawer beneath the trap.
2. **Frequency of Collection:** Pollen should be collected daily or every 2–3 days during peak flowering seasons to prevent spoilage and ensure freshness. The best collection period is during spring and early summer when floral resources are abundant.
3. **Drying and Cleaning:** Fresh bee pollen has high moisture content and is highly perishable. It should be immediately dried at low temperatures (35–42°C) using a dehydrator or in a well-ventilated, shaded area. After drying, the pollen is sieved to remove dust, wax particles, or other impurities.
4. **Storage:** Dried pollen must be stored in airtight containers in a cool, dark, and dry place. Refrigeration or freezing can extend shelf life and preserve nutritional value.

Precautions in Harvesting:

- i. Avoid overharvesting as excessive pollen removal may weaken the colony by reducing food availability for larvae and nurse bees.
- ii. Install pollen traps only part-time, allowing bees to retain enough pollen for brood development.
- iii. Always harvest in clean, chemical-free environments to ensure safety for human consumption.

Value-Added Products from Pollen

- a) **Capsules and Tablets:** Bee pollen is milled into fine powder and encapsulated for dietary supplements. It is used to enhance energy, immunity, and recovery. As functional foods, added to granola bars, smoothies, yogurts, and health drinks. It is used as a natural protein boost in cereals and bakery items.
- b) **Cosmetics and Skincare:** Due to its anti-inflammatory and antioxidant properties, pollen is used in skin creams, anti-aging masks, hair care products.
- c) **Fermented Products:** Bee pollen is also used in the fermentation of probiotic beverages and kombucha.

By-products and Their Uses

- **Pollen Residue (Post Extraction)** can be used as animal feed for poultry and aquaculture due to its high protein content.
- **Pollen Oils (Extracted via CO₂ Extraction):** Rich in essential fatty acids and flavonoids and is used in pharmaceuticals and skincare formulations.

Royal Jelly

Royal jelly is a secretion from the hypopharyngeal glands of young worker bees. It is the exclusive diet of the queen bee and queen larvae, rich in proteins (Major Royal Jelly Proteins – MRJPs), lipids, vitamins, and 10-Hydroxy-2-decenoic acid (10-HDA), which is its main bioactive component. Harvested by grafting larvae into queen cells in a queenless hive. Royal jelly is extracted from queen cups using suction devices after 72 hours. It must be stored at 0–5°C, or lyophilized (freeze-dried) for long-term storage.

Propolis Harvesting

Propolis, also known as "bee glue," is a resinous substance collected by honeybees from tree buds, sap flows, or other botanical sources. Bees mix these plant resins with their own enzymes and wax to create propolis, which they use to seal cracks in the hive, maintain internal hygiene, and protect against pathogens. It possesses strong antimicrobial, antiviral, antifungal, and anti-inflammatory properties, making it highly valuable in natural medicine and cosmetic industries. The composition of propolis varies depending on the botanical sources available in a region. Common sources include poplar, pine, eucalyptus, and birch trees. It typically contains resins (50%), waxes (30%), essential oils (10%), and pollen and other organic compounds (10%).

Propolis Harvesting Process

Use of Propolis Traps: The most common and efficient method of harvesting propolis is the use of propolis traps or grids, made from food-grade plastic or flexible materials with narrow slits (mimicking cracks in the hive). These are placed on the top of the hive frames or under the cover.

Stimulation for Collection: Bees instinctively fill the narrow openings in the trap with propolis to seal what they perceive as intrusions. For increased yield, the trap may be removed, frozen, and then flexed to break the hardened propolis, which easily detaches.

Manual Scraping: In traditional methods, beekeepers manually scrape propolis from hive parts like frames, covers, and walls. However, this may also include impurities like wax, wood, or paint, requiring further purification.

Cleaning and Processing: The raw propolis is cleaned by removing debris and then either: Ground and dissolved in alcohol or water to make tinctures or extracts Filtered to produce purified propolis for pharmaceuticals, cosmetics, and oral care products

Storage: Propolis should be stored in a cool, dry place in airtight containers to preserve its bioactive properties.

Best Practices in Harvesting:

- Harvest in early autumn or late summer when bees actively use propolis to prepare for winter.
- Avoid overharvesting to prevent stress or exposure of the hive to diseases.
- Maintain hygienic harvesting tools to prevent contamination.
- Use organic or wild forage zones to ensure high-quality, chemical-free propolis.

Value-Added Products from Propolis

1. Tinctures and Extracts: Most common form; ethanol-based extracts are used as oral antiseptics, wound disinfectants, or throat sprays.
2. Medicinal Applications: Capsules and tablets for respiratory infections, oral ulcers, and immune modulation.
3. Cosmetics and Personal Care: Used in toothpaste and mouthwash, skin ointments for acne, burns, and eczema, shampoos and anti-dandruff products.
4. Food Preservatives: Natural preservative due to antimicrobial effects. It is used in meat products, cheese coatings, and fruit protection.

By-products and Their Uses

- Propolis Wax: After extraction, residual wax contains trace bioactives.
- Used in candle making, wood polish, and leather treatment.
- Aqueous Extracts (Post Alcohol Extraction): Used in veterinary applications or in low-cost soaps and disinfectants.

Table 2: Value Chain Opportunities of Bee Products

Product	Raw Material	Processing	Value-Added Form	Market
Bee Pollen	Raw pollen	Drying, sieving, encapsulating	Supplements, foods	Health, nutrition
Royal Jelly	Raw jelly	Freeze-drying, blending	Tonics, cosmetics	Wellness, skincare
Propolis	Resin	Alcohol extraction, filtration	Tinctures, sprays	Pharma, dental care

Value addition and packaging of Bee Products

Honey bees are nature's remarkable gift, contributing significantly to both biodiversity and agriculture. Beyond their pivotal role in pollination, bees produce a variety of substances—each possessing unique nutritional, medicinal, and industrial properties. With increasing demand for natural and organic products, the beekeeping sector is now embracing value addition and sophisticated packaging to enhance the utility and marketability of bee products.

Key bee products include:

- ❖ Beeswax
- ❖ Honey
- ❖ Royal Jelly
- ❖ Bee Venom
- ❖ Propolis
- ❖ Pollen

Beeswax

- a. **Candle Making:** Historically, beeswax candles were valued for their smokeless, clean burning and pleasant aroma. In modern markets, natural wax candles remain in high demand for religious, decorative, and wellness purposes.
- b. **Cosmetics and Skincare:** Beeswax is a key ingredient in lip balms, moisturizers, lotions, and makeup products due to its emollient, thickening, and water-repellent properties. It also acts as a stabilizer and preservative.
- c. **Pharmaceuticals:** In pharmaceutical formulations, beeswax is used as:
 1. A coating for pills and tablets
 2. A base in ointments and salves
 3. An ingredient in lozenges and suppositories
 4. It offers antibacterial properties and enhances the shelf life of products (Krell, 1996).
- d. In food processing, beeswax is used as a glazing agent for fruits and confectionery, in cheese coating to preserve freshness and in chewing gum formulations.
- e. **Industrial Applications** include Polishes for leather, wood, and floors, Lubricants for bullets, nails, and zippers, Electrical insulation, Textile sizing agents for weaving. Its non-toxicity and biodegradability make it a sustainable alternative in green industries.
- f. **In Agriculture, Beeswax is used in:**
 1. Grafting wax for horticultural tree repairs, coating seeds to improve germination and protection
 2. Hive management: Foundation sheets made of wax help bees construct combs faster and uniformly.
- g. **Art and Culture:** Beeswax is traditionally used in:
 1. **Encaustic painting:** An ancient Greek technique using colored wax.
 2. **Sculpture:** Wax models and mold in lost-wax casting.
 3. **Cultural rituals:** Many cultures use beeswax for religious offerings and ceremonial items.

Economic Significance

While honey remains the main revenue-generating product in apiculture, beeswax is a crucial supplementary income source, especially for smallholder farmers. According to FAO (2017), global beeswax production exceeds 60,000 metric tons annually. Major producers include

Ethiopia, India, China, and Tanzania. In rural India, for example, wax alone can yield ₹250–400 per kg in local markets, providing a valuable incentive for integrated beekeeping practices.

Challenges in Beeswax Collection and Marketing

Despite its potential, the beeswax industry faces several constraints:

- **Adulteration:** Addition of paraffin or other low-cost waxes reduces quality and hampers exports.
- **Lack of Awareness:** Many beekeepers discard old combs due to a lack of knowledge about wax value.
- **Processing Facilities:** Limited access to clean wax processing units at the grassroots level.
- **Certification and Standards:** Export markets demand compliance with organic and purity standards, requiring infrastructure support.
- **Capacity building, access to solar melters, and organized marketing channels can address many of these issues.**

Best Practices for Beekeepers

To optimize beeswax yield and quality, farmers replace old combs every 2–3 years, collect cappings wax during honey harvest, use clean, food-grade containers for storage, avoid plastic or chemically treated materials during processing, regularly monitor wax for impurities or adulterants. Farmer cooperatives can play a vital role in value addition and collective marketing of wax products.

Adulteration and Contaminants

Risks include heavy metal contamination, pesticide residues and microbial load. Hence, all products must undergo quality testing and certification (e.g., FSSAI, USDA Organic, EU Organic). Beekeeping is no longer just about honey. The apiculture industry has expanded to include several high-value products such as beeswax, royal jelly, bee venom, propolis, and pollen. Value addition and appropriate packaging strategies are essential to maximize the economic potential, market reach, and shelf life of these products. This chapter provides a detailed exploration of value-added products derived from honey bees, techniques involved in their production and preservation, and modern packaging technologies that cater to quality and consumer appeal.

Honey

Honey is a natural sweetener, antioxidant, and antibacterial agent. The following value-added products can be derived from raw honey:

- a. Flavored Honey: Infused with herbs, spices, or fruits (e.g., cinnamon, lemon, ginger), flavored honey appeals to gourmet and health-conscious markets.
- b. Creamed Honey: Controlled crystallization results in smooth, spreadable honey that retains nutritional value.
- c. Honey-Based Beverages: Used in health drinks, mead (honey wine), honey vinegar, honey water, and lemon-honey beverages.
- d. Honey-Based Cosmetics- Used in lip balms, skin creams, face masks, and shampoos due to its antimicrobial and moisturizing properties.
- e. Medicinal Formulations- Combines honey with herbs like turmeric and tulsi for cold, cough, or immunity boosters.

Packaging of Honey- Honey packaging must preserve aroma, color, and texture while preventing crystallization or fermentation.

Packaging Materials include

1. Glass Jars: Aesthetic and inert, used for premium honey.
2. Plastic Jars (PET): Lightweight and break-resistant.
3. Squeeze Bottles: Convenient for users.
4. Eco-friendly Packs: Gaining popularity (e.g., paper tubes, compostable jars).

Labelling Requirements include botanical and geographical origin, harvest date and expiry, nutritional information and certification (e.g., AGMARK, FSSAI, and Organic). Honey is stored in airtight containers at room temperature (below 25°C), away from direct sunlight.

Beeswax

Beeswax is secreted by worker bees and used in the hive for comb building. It has diverse applications:

- a) Cosmetics- Used in lip balms, creams, and lotions as a thickener and emulsifier.
- b) Candles- Beeswax candles burn longer, cleaner, and with a pleasant aroma.
- c) Polishes and Lubricants- Used for furniture, leather goods, and as a lubricant in industrial applications.

- d) Pharmaceuticals- Used as a base in ointments and balms.
- e) Food Industry- Used as coating for cheese or fruit preservation (classified as E901 additive).

Packaging of Beeswax- Beeswax is generally packaged in blocks or pellets for wholesale or industrial use and in moulded shapes for cosmetic or candle-making kits. Keeping in airtight containers prevents contamination. Biodegradable wrappers or wax paper is also used for eco-conscious consumers.

Royal Jelly

Royal jelly is a secretion from nurse bees, used exclusively to feed queen larvae. It's highly nutritious and bioactive.

Value-Added Products from Royal Jelly

- a) Dietary Supplements: Sold as capsules, soft gels, or powders. It is marketed for anti-aging, fertility, immune boosting, and menopausal support. As energy and wellness tonics, royal jelly is incorporated into honey blends, liquid tonics, and energy drinks. It is also mixed with ginseng or other herbal extracts.
- b) Cosmeceuticals: Royal jelly is a premium ingredient in anti-aging creams, serums, lip balms, eye creams. It promotes collagen synthesis, hydration, and skin repair.
- c) Functional Foods: Used in yogurts, nutritional bars, and confectionery. Royal jelly honey blends are common in traditional medicine markets.

By-products and Their Uses

- Residues Post Freeze-drying: Used in pet food formulations or low-grade supplements.
- Royal Jelly Extracts: MRJPs are isolated for pharmaceutical use (anti-tumor, cholesterol-lowering).
- 10-HDA extract sold as a separate active ingredient.

Packaging of Royal Jelly- Royal jelly is highly perishable and sensitive to heat and light. Cold chains are used, vacuum-sealed glass jars. As lyophilized powder, packaged in capsules or sachets. It is stored in amber bottles to protect from light degradation.

Bee Venom

Bee venom (apitoxin) is collected via electric stimulation and used for medical applications.

- a. Pharmaceutical Use: Used in arthritis, multiple sclerosis, and pain relief treatments.
- b. Cosmeceuticals: "Botox-like" creams for anti-aging and wrinkle treatment.
- c. Alternative Medicine: Apitherapy practitioners use venom in controlled doses.

Packaging of Bee Venom: Due to its bioactivity, it is freeze-dried in powder form in vials and this is the most stable form. In glass ampoules for injectable use, in cream tubes/jars for cosmetic applications. It requires proper labelling with allergen warnings and dosage instructions.

Propolis

Propolis is a resinous compound bees collect from tree buds to seal cracks in the hive. It is rich in flavonoids and phenolics.

- a) Tinctures and Extracts: Mixed with alcohol or glycerine for use as a mouthwash, throat spray, or internal supplement.
- b) Ointments: For burns, wounds, or skin infections.
- c) Toothpastes and Mouthwash: For oral hygiene and gum health.
- d) Dietary Supplements: Capsules or tablets for immune boosting.

Packaging of Propolis is done in amber dropper bottles for liquid extracts, in capsule bottles for powdered extracts, and in cream tubes or jars for ointments. For increasing shelf life, maintain low temperatures and avoid exposure to light and oxygen.

Pollen

Pollen is rich in protein, vitamins, and enzymes, collected by bees during foraging.

- a) Nutritional Supplements: Sold as granules, powder, or capsules.
- b) Smoothies and Bars: Used in health foods, protein bars, and breakfast cereals.
- c) Cosmetics: Added to face masks and scrubs.

Packaging of Pollen: Pollen is hygroscopic and perishable. It is vacuum-sealed in foil pouches, glass jars with desiccants, and capsule bottles. It should be stored in cool, dry conditions. freeze-drying extends shelf life.

Quality Standards and Certification of Bee Products

Maintaining quality standards in bee products is essential for consumer safety, export compliance, brand reputation, and sustainable growth of the beekeeping sector. Various national and international regulatory bodies have developed specific quality parameters and certification

protocols for honey and other bee products such as beeswax, royal jelly, propolis, pollen, and bee venom.



Figure. 2 Honey vinegar, a value-added product of honey

To enhance marketability, value-added bee products should comply with:

- ❖ Codex Alimentarius Standards
- ❖ FSSAI (India)
- ❖ US FDA and EU Regulations
- ❖ Organic Certification (e.g., NPOP, USDA Organic)
- ❖ Fair Trade and EcoCert Labels
- ❖ Regular testing for:
 - ❖ Moisture content
 - ❖ Pesticide residues
 - ❖ Heavy metals
 - ❖ Microbial contamination

1. AGMARK (Agricultural Marketing Standards)

AGMARK is a certification mark employed on agricultural products in India, including honey, under the Agricultural Produce (Grading and Marking) Act, 1937.

AGMARK for Honey:

Grading Standards:

- Special Grade
- Grade A

- Standard Grade

Parameters:

- Moisture content
- Reducing sugars
- Sucrose content

Fiehe's test (detects adulteration)

- Acidity
- Hydroxymethylfurfural (HMF) level

Labelling:

- Grade designation
- Packing and expiry dates
- Source and floral origin

Note: AGMARK laboratories test honey samples before certification.

2. FSSAI (Food Safety and Standards Authority of India)

FSSAI is the apex body for food safety in India. All bee products intended for human consumption must comply with Food Safety and Standards (Food Product Standards and Food Additives) Regulations, 2011.

FSSAI Standards for Honey:

- ✓ Moisture: $\leq 20\%$
- ✓ Sucrose: $\leq 5\%$ (unless specified for certain floral types)
- ✓ Reducing sugars: $\geq 65\%$
- ✓ Acidity: ≤ 40 meq/kg
- ✓ HMF: ≤ 80 mg/kg (fresh honey ≤ 40 mg/kg)
- ✓ Prohibited Additives: No artificial sweeteners, antibiotics, or added sugar

FSSAI Guidelines for Other Products:

- a) Royal jelly and bee pollen: Must be hygienically collected and meet microbial limits.
- b) Beeswax: Should be free of impurities and suitable for edible or cosmetic use.

- c) All products must include nutritional labeling, batch number, manufacturer license number, and best-before date.

3. BIS (Bureau of Indian Standards)

BIS has established IS 4941:2017 for honey as well as IS 868:1974 for beeswax. IS 4941:2017 Key Aspects: Tests for physical (moisture, viscosity), chemical (sugar profile, HMF), and microbiological quality. It provides limits for insoluble matter and electrical conductivity

4. NPOP (National Programme for Organic Production)

For organic certification, bee products must comply with NPOP standards under APEDA (Agricultural and Processed Food Products Export Development Authority). Key provisions: include: Bees should be kept away from intensive farming or pesticide-treated crops; Use of antibiotics and synthetic chemicals is banned; Certification agencies like ECOCERT, INDOCERT, or Lacon India issue organic certificates; Traceability and documentation are essential

5. International Standards

a. Codex Alimentarius (FAO/WHO): Codex Standard for Honey (CXS 12-1981) sets global benchmarks. It includes criteria for:

- ✓ Colour and aroma
- ✓ Composition (sugar profile, moisture, HMF)
- ✓ Origin labelling
- ✓ Widely accepted in international trade

b. EU Standards for Honey

- ✓ Strict limits on antibiotic residues and heavy metals
- ✓ Pollen origin and transparency in labelling
- ✓ Country of origin mandatory on the label

c. US FDA

- ✓ Recognizes honey as a natural sweetener
- ✓ Enforces accurate labeling and prohibits adulteration
- ✓ Requires GRAS (Generally Recognized As Safe) status for other bee products like propolis and royal jelly

6. Testing and Certification Agencies in India

- i. Central Bee Research and Training Institute (CBRTI), Pune
- ii. Export Inspection Council (EIC)
- iii. National Bee Board (NBB)
- iv. State Food Testing Labs
- v. Private NABL-accredited Labs (like Eurofins, Intertek)

Table 3: Common Adulteration Tests

Test	Purpose
Fiehe's Test	Detects presence of artificial sugar
TMR (Trace Marker Residue)	Checks for sugar syrup adulteration
NMR (Nuclear Magnetic Resonance)	Identifies floral and geographical origin
HMF Test	Indicates heating or old honey

7. Labelling Norms (Per FSSAI & AGMARK)

Each product package must include:

- I. Product name and net weight
- II. Manufacturer's name and address
- III. Batch number and date of packing
- IV. Expiry or "Best before" date
- V. Nutritional values per 100g
- VI. FSSAI license number
- VII. AGMARK grade (if applicable)
- VIII. "100% Pure" or "Organic" claims (if certified)

Conclusion

The untapped potential of bee pollen, royal jelly, and propolis lies not only in their harvesting but in strategic value addition, which enhances shelf life, functionality, and marketability. With increasing consumer demand for natural, sustainable, and functional products, beekeepers, entrepreneurs, and cooperatives can capitalize on this trend by integrating value chains, ensuring quality control, and exploring domestic and export markets. By focusing on training, standardization, branding, and innovation, the apiculture industry can evolve beyond honey, unlocking higher incomes, rural employment, and health-conscious markets globally. Beeswax is an underutilized resource with significant economic, ecological, and cultural importance. From

skincare and food to industrial and agricultural uses, its versatility is unmatched. Promoting beeswax collection, processing, and utilization can boost rural livelihoods and enhance the sustainability of apiculture practices. With proper training and infrastructure, even small-scale beekeepers can tap into this valuable commodity and diversify their income streams.

The potential of value-added bee products is immense, provided there is attention to quality, innovation, and packaging. Beekeepers and entrepreneurs must embrace scientific, sustainable, and market-driven approaches to capitalize on this opportunity. Strategic packaging not only protects but also enhances brand value and consumer trust.

Quality assurance and certification systems like AGMARK, FSSAI, NPOP, Codex, and BIS play a vital role in ensuring the purity, authenticity, and safety of bee products. Beekeepers and processors must be trained to follow Good Beekeeping Practices (GBP) and hygienic handling techniques to meet these regulatory benchmarks. Proper certification not only enhances consumer trust but also unlocks access to premium domestic and export markets.

References

1. Bogdanov, S. (2004). Beeswax: Quality issues today. *Bee Product Science*.
2. Crane, E. (1990). *Bees and Beekeeping: Science, Practice and World Resources*. Heinemann Newnes.
3. FAO. (2017). Value-added products from beekeeping (FAO Agricultural Services Bulletin No. 124). Food and Agriculture Organization.
4. Krell, R. (1996). Value-added products from beekeeping. *FAO Agricultural Services Bulletin*.
5. White, J. W. (1975). Composition of honey and other bee products. In E. Crane (Ed.), *Honey: A Comprehensive Survey*. Heinemann.
6. Campos, M.G.R., et al. (2008). "Bioactive compounds of bee pollen: health benefits and pharmaceutical applications." *Current Nutrition & Food Science*, 4(4), 218-226.
7. Ahmad, S., et al. (2020). "Royal jelly: a comprehensive review on its composition, health benefits, applications, and safety." *Frontiers in Pharmacology*, 11, 1360.
8. Bankova, V., et al. (2016). "Chemical diversity of propolis and the problem of standardization." *Journal of Ethnopharmacology*, 100(1-2), 114-117.
9. Indian Council of Agricultural Research (ICAR). (2020). *Beekeeping Guidelines*.
10. ISO Standards. (2021). *ISO 22000 for food safety management in bee products*.

11. Bogdanov, S. (2009). Bee Product Science. Detailed analytical and quality parameters for honey and bee products.
12. Codex Alimentarius (2020). Standard for Honey – CXS 12-1981.
13. Indian Standard IS 4941:2017. Specifications for Honey, BIS.
14. Kapoor, V. P. (2005). Honey - A Source of Nutraceuticals. *Natural Product Radiance*, 4(5), 358–364.
15. White, J. W., & Doner, L. W. (1980). Honey composition and properties: Beekeeping in the United States.
16. AGMARK (Directorate of Marketing & Inspection, Government of India), Ministry of Agriculture & Farmers Welfare. Website: <https://dmi.gov.in>; Document: Manual for Honey Grading under AGMARK Standards
17. FSSAI (Food Safety and Standards Authority of India); Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011 – Schedule 4; Latest standards for honey (FSS Notification, Gazette No. Stds/SP-05/T(IFR-01), 2020) Website: <https://www.fssai.gov.in>
18. Bureau of Indian Standards (BIS); IS 4941:2017 – Specification for Honey; IS 868:1974 – Specification for Beeswax. Website: <https://www.services.bis.gov.in>
19. Codex Alimentarius Commission (FAO/WHO); Codex Standard for Honey – CXS 12-1981 (Revised 2001). Website: <https://www.fao.org/fao-who-codexalimentarius>
20. National Programme for Organic Production (NPOP); Guidelines under APEDA (Ministry of Commerce and Industry, Govt. of India); Organic Certification Standards (2021 Edition). Website: <https://apeda.gov.in>
21. United States Food and Drug Administration (US FDA); Honey Labelling Guide (FDA Guidance Document, 2018). Website: <https://www.fda.gov>
22. European Commission (EU Regulation on Honey); Council Directive 2001/110/EC relating to honey. Website: <https://eur-lex.europa.eu>
23. CBRTI (Central Bee Research and Training Institute, Pune); Publications and Guidelines on Honey Quality & Testing. Website: <https://nbb.gov.in/CBRTI.html>
24. National Bee Board (NBB), India; Guidelines for Good Beekeeping Practices (GBP) and Export of Bee Products. Website: <https://nbb.gov.in>
25. Export Inspection Council (EIC), India; Certification process for honey export. Website: <https://eicindia.gov.in>
26. White, J. W., & Doner, L. W. (1980). “Honey Composition and Properties.” Beekeeping in the United States. USDA Agriculture Handbook No. 335

PEST AND DISEASE MANAGEMENT IN BEES

¹Pyla Jyothi, ²Shaktivel P and ³Alice R P Sujeetha. C

¹Assistant Director (Pest Surveillance), NIPHM, Hyderabad

²Assistant Scientific Officer (VPM), NIPHM, Hyderabad

³Director, Plant Biosecurity, NIPHM, Hyderabad

Abstract

Honey bees (*Apis* spp.) are essential pollinators in natural and agricultural ecosystems, supporting food security by enhancing crop yields. Beyond their ecological importance, beekeeping also provides rural livelihoods through the production and export of honey and other hive products. However, colonies face serious biotic threats from pests, pathogens, and predators that jeopardize their health and productivity. Despite their value, honey bee colonies face a range of biotic threats, including microbial pathogens, insect pests, parasitic mites, birds, and mammals, which compromise colony health, productivity, and survival. The current chapter outlines the major pests and diseases affecting honey bees, such as American foulbrood, European foulbrood, chalkbrood, stonebrood, sacbrood and nose mites, alongside damaging pests like wax moths, small hive beetles, ants, wasps, and mites. To mitigate these threats, an Integrated Pest Management (IPM) approach is emphasized. IPM in apiculture incorporates hygienic and preventive measures, cultural practices, mechanical and biological control methods, selective use of chemicals and breeding approaches. Chemical treatments, though effective, must be used judiciously to prevent contamination of hive products, as overuse can result in honey export rejections due to residue violations. Overall, a well-implemented IPM program ensures sustainable beekeeping by maintaining colony strength, reducing pest impact and enhancing pollination efficiency.

Introduction

Honey bees (*Apis* spp.) are crucial pollinators that support both natural habitats and agricultural ecosystems. They contribute significantly to food security through pollination of fruits, vegetables and oilseeds, enhancing both yield and quality. According to the Food and Agriculture Organization (FAO, 2020), over 75% of the world's crops benefit from pollination, with bees playing the most prominent role. Their ecological and economic significance is immense where

honey bees are essential contributors to food security, biodiversity conservation and ecosystem resilience. A single healthy honey bee colony is capable of pollinating thousands of hectares of agricultural land each year. In India and many other countries, apiculture is also an important source of rural income through the production of honey, beeswax, and other hive products. As per the National Bee Board (2022), India produced over 1.25 lakh metric tonnes of honey, with major exports to the USA, UAE and Saudi Arabia.

Despite their importance, honey bee populations have been increasingly threatened by a combination of stressors, including habitat loss, pesticide exposure, climate change and particularly biotic pressures *viz.*, pests, parasites and diseases that directly or indirectly harm honey bee health, productivity and longevity. Pests of honey bees include a diverse group of insects, mites, birds and protozoans that attack various components of the hive including adult bees, brood, stored pollen, wax combs and even the hive structure. These pests cause both direct damage, such as destruction of combs or mortality of bees and indirect damage by acting as vectors for pathogens or by creating stressful conditions that predispose colonies to diseases.

Pests of honey bee

The Pests of honeybees include:

1. Microbial diseases:

a) Bacterial diseases:

- American foulbrood disease (AFB): *Paenibacillus larvae*,
- European Foulbrood disease (EFB): *Mellissococcus pluton*

b) Fungal diseases:

- Chalkbrood disease: *Ascosphaera apis*
- Stonebrood disease: *Aspergillus spp*

c) Viral disease:

- Sacbrood disease : *Morator aetotulas*

d) Protozoan disease:

- Nosema disease: *Nosema apis*

2. Parasitic bee mites

- Varroa mite (Varroasis): *Varroa destructor*
- Tracheal mite: *Acarapis woodi*
- *Tropilaelaps spp.*

3. Insect pests:

- Greater wax moth: *Galleria mellonella*

- Lesser wax moth: *Achroia grisella*
- Small hive beetle: *Aethina tumida*
- Ants, Wasps and Horne

4. Honey Bee Eater Birds

5. Mammals: Bears, Rodents

1. Microbial diseases of honey bees

Honey bee populations are increasingly threatened by numerous pathogens including bacteria, fungi, viruses, and microsporidia. These diseases weaken colonies, reduce productivity, and in severe cases, result in colony collapse. Early detection and understanding of the etiology and symptoms of these diseases is vital for effective management.

i) American Foulbrood (AFB) disease

American foulbrood disease is a bacterial disease. Beekeepers in temperate and sub-tropical regions around the world generally regard American foulbrood (AFB) as possibly the most destructive microbial disease affecting bee brood

Cause

American Foulbrood is a disease caused by *Paenibacillus larvae*, a bacterium that produces resilient spores.. This pathogen affects honey bee larvae when they ingest spores that are present in contaminated brood food. After entering the larval gut, the spores germinate, multiply, and ultimately cause the decomposition of the larval tissues.. The disease is highly contagious and persistent, with spores capable of surviving for over 30 years on beekeeping equipment, hive materials and in honey. It is most commonly spread through contaminated combs, tools and robbing behaviour from infected colonies (Genersch, 2010).

Symptoms

Symptoms of AFB include brood cells with sunken, greasy and perforated capping's. The infected larvae change from pearly white to brown and emit a characteristic foul odour. They decompose into a viscous, ropy mass that adheres to the cell walls. As the disease progresses, affected cells dry down into hard black scales that stick to the lower cell wall and are difficult to remove.




Figure1. Ropy mass like appearance, Source: agrability.org

ii) European Foulbrood (EFB) disease

American foulbrood disease is a bacterial disease. EFB is generally considered less virulent than American Foulbrood (AFB).

Cause

European Foulbrood is caused by *Melissococcus plutonius*, a gram-positive bacterium that mainly targets larvae before their cells are sealed. Unlike AFB, this bacterium does not form spores, but it can survive for short periods in dried larval remains or hive debris. EFB is often associated with colony stress, such as poor nutrition, high population density, or cold weather. It is transmitted through contaminated food provided by nurse bees and exacerbated by poor hygienic behaviour within the colony (Forsgren, 2010).

Symptoms

Symptoms of European Foulbrood include larvae that are discolored and abnormally twisted or curled within their cells. Initially, the larvae turn yellowish, then brown and may appear melted or granular. They often die before the cell is capped, unlike in AFB. The brood pattern becomes spotty, and the comb may emit a sour or fermented odour. In some cases, secondary bacterial infections may complicate the visual diagnosis. Dead larvae are not ropy as in AFB but may be removed by hygienic bees, which can partially control the spread.



Figure 2. Twisted or curled larvae inside cells, Source: agrability.org

iii) Chalkbrood disease

Chalkbrood is a fungal disease and is rarely considered to be a serious honey bee disease

Cause

Chalkbrood is a fungal disease caused by *Ascosphaera apis*. It affects larvae when they consume spores present in food. The spores germinate in the gut, and fungal hyphae invade and destroy larval tissues. The disease thrives under cool, damp conditions, often in early spring when ventilation is poor and hive humidity is high. It is not usually lethal to the colony but can weaken it significantly (Bailey & Ball, 1991).

Symptoms

Infected larvae die after being capped and become covered in white mycelium. The larval body eventually dries into a hard, chalky mummy which may turn grey or black. These mummified remains are often found at the hive entrance or in the brood comb. Affected colonies may show reduced brood viability and poor build-up. The disease often resolves with improvement in weather and colony strength.



Figure 3. Pic credit: Robert synder Grey mummy larval bodies, Source: beekept.org

iv) Stonebrood disease

Stonebrood is a fungal infection in honey bees, mainly caused by species of *Aspergillus* spp. This disease is usually confused with chalkbrood disease.

Cause

Stonebrood is caused by fungal species belonging to the genus *Aspergillus*, especially *Aspergillus flavus* and *A. fumigatus*, and *A. niger*. These fungi are saprophytic but can become pathogenic when bees are stressed or immune compromised. The spores are ubiquitous in the environment and may contaminate food stores. Ingestion or inhalation allows fungal proliferation in the respiratory system or the gut of bees, leading to fatal infections (Ellis & Munn, 2005).

Symptoms

Symptoms of stonebrood include the death of larvae or adult bees that become covered with greenish or blackish fungal spores. The remains turn hard and mummified, hence the name 'stonebrood'. The disease may be confused with chalkbrood, but stonebrood mummies are harder and usually darker in color. Although it rarely affects large numbers, it poses a threat through respiratory issues and mycotoxin contamination.



Figure 4. Dark and hard larval body mummies, Source: beekept.org

v) Sacbrood disease

Sac brood disease is a common viral infection that primarily affects the larvae of honey bee. It is caused by the Sacbrood virus (SBV) and typically appears during spring and early summer, especially in stressed or weakened colonies.

Cause

Sacbrood disease is caused by the Sacbrood virus (SBV), a single-stranded RNA virus from the family Iflaviridae. It spreads through infected food, nurse bees, and contaminated hive tools. It infects young bee larvae, usually after they are fed contaminated royal jelly or pollen. Poor

environmental conditions, nutritional stress, and weak colony immunity can facilitate the outbreak of the disease.

Symptoms

Infected larvae die inside the capped cells and form a sac-like appearance filled with fluid. These larvae do not progress to the pupal stage and stay lying on their backs in a stretched-out position. The skin of the larva hardens, and the head turns black. Over time, the larva dries out and becomes a dark, brittle scale that sticks to the lower cell wall, making it hard for bees to remove. Unlike bacterial infections like AFB, this condition does not produce a foul odour.



Figure 5. Sac like appearance of larvae, Source: agrability.org

vi) Nosema Disease (Nosemosis):

Nosemosis is a serious disease of adult honey bees caused by protozoan-like microsporidian parasites of the genus *Nosema*. These obligate intracellular parasites infect the midgut epithelial cells of adult bees, impairing digestion and nutrient absorption. The disease weakens individual bees and can lead to reduced colony strength, poor foraging and even colony collapse under stress conditions.

Cause

Nosemosis is caused by two species of microsporidia: *Nosema apis* and *Nosema ceranae*. These obligate intracellular parasites invade the epithelial cells of the midgut in adult honey bees. Transmission of *Nosema* spores occurs via faecal contamination of food, hive combs, or water. *Nosema ceranae* has become the predominant species in warmer regions and is linked to more persistent and often symptomless infections (Higes *et al.*, 2010).

Symptoms

Typical symptoms of Nosemosis include dysentery around the hive entrance, sluggish or crawling bees with swollen abdomens and poor colony build-up. Infected queens may reduce egg-laying

and workers exhibit decreased foraging and longevity. In the case of *N. ceranae*, external symptoms may be minimal, but colonies decline due to reduced vitality and workforce attrition (Chen *et al.*, 2009).



Figure 6. Dysentery symptoms- Source: nationalbeeunit.com

2. Insect pests of honeybees

Insect pests of honey bees pose significant challenges to beekeeping by damaging combs, consuming brood or stored food, and creating stress within colonies. These pests infiltrate hives, disrupt normal activities, and can weaken or even destroy entire colonies if infestations are severe. Their presence often leads to secondary infections or encourages the spread of diseases, ultimately affecting honey production and pollination efficiency.

i) Greater Wax Moth (*Galleria mellonella*)

Identification of Insect

The greater wax moth is a greyish-brown moth measuring about 13–20 mm in length with a wingspan of 30–40 mm. Adult females lay their eggs in cracks and crevices of weak or unguarded hives. The larvae are creamy white with brown heads and grow up to 28 mm long. These larvae are highly destructive and are active mostly in dark, warm conditions.

Symptoms of Damage

The larvae tunnel through combs, feeding on wax, pollen, and leftover brood cocoons, leaving behind silken galleries and webbing. This activity results in the destruction of comb structures, especially in stored frames or weak colonies. Heavily infested combs appear with silk tunnels and black faecal pellets, often emitting a foul odour. Severe infestations can cause hive abandonment.



Figure 7. Wax moth adult, larva tunnel through comb, Pic credit: Hannas backmo

ii) Lesser Wax Moth (*Achroia grisella*)

Identification of Insect

The lesser wax moth is more slender and smaller in size compared to the greater wax moth, typically measuring around 8–10 mm in length. Its body is pale grey with narrow wings, and larvae are also smaller, reaching up to 15 mm. It is more common in tropical and subtropical regions and tends to infest stored combs or weak colonies.

Symptoms of Damage

While less aggressive than the greater wax moth, the larvae of the lesser wax moth also bore into wax combs, leaving fine silk threads. They primarily target old combs and pollen stores. They decap the sealed cells exposing pupae inside and this diseased condition is referred to as “bald brood”. The damage often weakens combs, reducing their usability for brood rearing or honey storage.




Figure 8. Pic Credit:Ken Childs Bald brood symptom with galleries, Source:beeprofessor.com

iii) Bee Louse (*Braula coeca*)

Bee louse has been reported in India, though its presence is **sporadic and relatively rare** compared to other major pests. It has been **occasionally found in** few places and currently its appearance is less.

Identification of Insect

The bee louse is a wingless small fly which resembles a tick, it measures around 1.5 mm in size. It is reddish-brown, has strong claws for clinging to bees.

Symptoms of Damage

Although not highly damaging, heavy infestations of the bee louse can stress bees by irritating them and competing for food. The pest feeds on nectar or royal jelly from the bee's mouthparts, occasionally interfering with grooming and feeding behaviour. In queen bees, large populations may reduce feeding efficiency and egg-laying.

iv) Small Hive Beetle (*Aethina tumida*)

It is a destructive pest of honey bee colonies that poses a serious threat to apiculture across the globe. Its ability to multiply rapidly and cause severe structural and nutritional damage to colonies has made it a pest of international quarantine concern. Unlike wax moths, which typically target weak colonies, SHB can invade even strong and healthy hives. Its recent detection in India has raised alarms regarding the potential consequences for the domestic beekeeping industry and honey export market (Sharma *et al.*, 2021).

Identification of Insect:

The small hive beetle is a dark brown colour to black beetle and oval in shape. Adults have clubbed antennae and hard elytra (wing covers) that do not reach the end of the abdomen. The young ones (larvae) are creamy white in colour with small spine like structures all over the body.

Symptoms of Damage

Beetles lay eggs in cracks and crevices in the hive or in brood combs. The emerging larvae feed voraciously on pollen, honey and brood. Their movement and feeding cause comb destruction, fermentation of honey resulting in a foul-smelling, frothy mess often referred to as “slimed honey” and causes brood mortality. Affected combs collapse and become unfit for reuse.



Figure 9. Adults and larvae of hive beetle, Source: agrability.org

V) Predatory Wasps (*Vespa* spp.)

Identification of Insect

These wasps are large, yellow and black-striped insects that can range in size from 2 to 5 cm depending on the species. They are strong fliers and are frequently seen hovering near hive entrances or catching foragers in flight.



Figure 10. Wasp Source:Yalepest.com

Symptoms of Damage:

Wasps attack bees by capturing them mid-air or entering hives to steal honey and brood. They may kill worker bees by decapitation and carry body parts back to their nests to feed their larvae. During mass attacks, they can destroy entire colonies, especially in late summer and early fall. Affected colonies show signs of aggressive defensive behaviour, scattered bee carcasses and declining of bee populations.

vi) Ants (Various species)

Many species, such as *Camponotus* or *Monomorium*, are attracted to sugary substances and protein-rich materials, making beehives a prime target. Ants invade hives to steal honey, pollen, and sometimes brood. Infestations are often visible around the base or cover of the hive. They disturbs the colony and sometimes may lead the bees to escape or abandon the hive. Honey

contamination and structural weakening of wooden components may also occur due to persistent ant traffic.

vii) Termites

Termites do not attack bees directly but cause structural damage by hollowing out wooden hive parts such as stands, frames, and boxes. Over time, weakened components may collapse, exposing bees to external threats. Infested wood may appear papery, brittle or show mud tunnels which is a typical sign of subterranean termite activity.

3. Parasitic bee Mites

i) Varroa Mite infestation

Mites are visible as reddish-brown dots on adult bees or drone brood. Infected bees may show deformed wings, weak movement or be seen crawling near the hive. Colonies may weaken and eventually collapse without control measures



Figure 11. Varroa mite infesting adult and pupa, Source: agrability.org

ii) *Tropilaelaps* Mite

Fast-moving mites are seen on the surfaces of comb and brood. Patchy brood like symptoms can be seen, dead or deformed brood and weak bee colonies can be observed. *Tropilaelaps* mites reproduce faster than Varroa mites and can damage colonies rapidly



Figure 12. Adult mites, mite infestation, Source: National bee unit, APHA

4. Bird predators

Some bird species, such as bee-eaters (Meropidae family), prey directly on flying bees. In India, the green bee-eater (*Merops orientalis*) is a common predator near apiaries. These birds catch bees in flight, particularly during foraging. While not a major threat to strong colonies, they can cause significant stress and reduce foraging efficiency (Abrol, 2012).



Figure13. Bee-eater Pic credit: Craig Brelford

5. Mammals

i) Bear

Bears during night time it attacks the colonies and disturb whole colony and eat honey. As its skin is very thick, there is any adverse effect of bee stings on it. As per wild life conservation act bear cannot be killed.

ii) Rodents

Rodents, such as rats and mice, may invade bee hives, especially during colder months, seeking warmth, shelter, and food. They chew through wooden hive parts, damage combs, and consume stored honey and pollen. Their presence disturbs the bees, often leading to colony stress or absconding

Integrated pest management in apiculture (IPMA)

Integrated Pest Management of Apiculture combines multiple compatible pest management approaches in a coordinated manner to keep pest populations below economically damaging levels while minimizing risks to bees, humans, and the environment. The objectives of Integrated Honeybee Pest Management are centered around promoting the long-term health and productivity of honeybee colonies. It aims to prevent and minimize colony losses caused by pests and diseases by employing a combination of environmentally friendly and sustainable practices. IPMA encourages minimal and judicious use of chemical inputs, thereby ensuring the production of clean, residue-free hive products such as honey, wax and royal jelly. By strengthening colony health and resilience, supports bees in coping with environmental stresses, ultimately enhancing their ability to provide efficient pollination services. This not only benefits crop yields and food security but also contributes to biodiversity and ecological balance

I. Hygienic and Preventive Measures – The First Line of Defence

i) Maintain Strong and Healthy Colonies

- Ensure colonies have adequate food (nectar and pollen).
- Avoid stress from overcrowding, starvation, or exposure to chemicals.
- Requeen regularly to maintain strong brood patterns.

ii) Practice Good Apiary Hygiene

- Clean hive tools and equipment between inspections.
- Remove dead bees and debris from hive floors regularly.
- Disinfect beekeeping tools with mild bleach or flame.

iii) Quarantine New Colonies and Equipment

- Isolate newly acquired bees or hives for observation before introducing them to the main apiary.
- Avoid using second-hand equipment unless thoroughly sterilized.

iv) Replace Old and Dark Combs

- Change brood combs every 2-3 years to prevent disease and pathogen buildup.
- Melt or destroy old, infected, or contaminated wax.

v) Regular Hive Inspection

- Monitor colonies every 7-10 days during active seasons.
- Look for signs of pests like mites, beetles, moths, and brood diseases.
- Act promptly when abnormalities are observed.

vi) Preventive Site Selection

- Place hives in well-drained, sunny locations with natural windbreaks.
- Avoid areas near pesticide-treated fields or industrial pollution.

vii) Control Robbing Behavior

- Reduce hive entrance size during nectar dearth.
- Avoid spilling sugar syrup near hives.
- Prevent open feeding that may attract pests or provoke robbing.

viii) Proper Storage of Hive Materials

- Store unused frames and combs in sealed, ventilated boxes or freezers.
- Use sulfur fumigation or freezing to prevent wax moth infestation in stored materials.

ix) Sanitary Harvesting and Processing

- Harvest honey only from healthy colonies.
- Avoid contaminating hive products with chemicals or unclean containers.

x) Educate and Train Beekeepers

- Regularly update knowledge on pest symptoms, seasonal threats, and good practices.
- Encourage participation in training sessions, workshops, and bee health surveys.

II. Components of integrated pest management in apiculture

i) Monitoring and Surveillance

- Regular and systematic inspection of hives is essential to detect early signs of pest and disease presence.
- Monitoring tools include sticky traps for beetles, sugar rolls and alcohol washes for Varroa mite counts and visual inspection for brood diseases.
- Keeping records of pest population dynamics, colony health, and treatment interventions helps in making informed decisions.

ii) Cultural Practices

- Maintenance of colony strength through good nutrition and seasonal management.
- Avoidance of contaminated tools and re-use of infected hive materials.
- Periodic replacement of old combs to reduce spore build-up and pathogen load.
- Strategic apiary placement in pesticide-free zones with access to diverse floral resources.

iii) Breeding Approaches

- Breeding and propagation of bee strains that show hygienic behaviour, grooming ability and resistance to pests and diseases.
- Use of locally adapted and resilient bee races that are better suited to regional environmental conditions.

iv) Mechanical and Physical Control

- Drone brood removal is an effective method to control Varroa mites as they preferentially reproduce in drone cells.
- Screened bottom boards facilitate natural mite fall and reduce infestation.
- Solar melting of infected frames to eliminate wax moth larvae and pathogens.
- Freeze or store unused combs in airtight containers.
- Remove and destroy infested frames.
- Use light traps or bait traps in storage rooms to eliminate wax moths
- Physical destruction (e.g., burning) of colonies infected with American Foulbrood (AFB).

v) Biological Control

- Introduction of beneficial organisms such as predatory mites (*Hypoaspis miles*) against Varroa and hive beetles.
- Use of microbial agents like *Bacillus thuringiensis* to control wax moth infestations.
- Application of probiotics to support beneficial microbial communities inside the hive.

vi) Chemical Control (Pest-wise Measures)

Chemical control is applied only when necessary and should be pest-specific, targeted and safe.

Below are the key pests and the recommended chemical control options:

•Varroa mite (*Varroa destructor*)

- ✓ *Formic acid*: Penetrates capped brood and kills mites inside cells.
- ✓ *Oxalic acid*: Used during broodless periods via vaporization or trickling.

- ✓ *Thymol*: Plant-based miticide effective in warmer climates.
- ✓ *Amitraz* : Synthetic miticide; rotate to avoid resistance.
- ***Tropilaelaps mite***
 - ✓ *Formic acid*: Effective due to short mite life cycle.
 - ✓ *Oxalic acid* and *Thymol*: Supportive role; less effective alone.
- **Wax moth (*Galleria mellonella*)**
 - ✓ *Paradichlorobenzene (PDB)*: Used only in stored combs (not in live hives).
 - ✓ *Bacillus thuringiensis*: Biological alternative for larvae control.
- **Small Hive Beetle (*Aethina tumida*)**
 - ✓ *Permethrin*: Soil drench around hives to kill pupating larvae.
 - ✓ *In-hive traps*: Sometimes baited with oil or insecticides (approved only).
- ***Nosema* spp. (*Nosema apis*, *Nosema ceranae*)**
 - ✓ *Fumagillin*: Mixed with sugar syrup- controls spore germination.
- **American Foulbrood (AFB) – *Paenibacillus larvae***
 - ✓ *Oxytetracycline* and *Tylosin tartrate*: Applied preventively as dust; not curative.
 - ✓ Feed *oxytetracycline* (200 mg in 1 liter sugar syrup) to mildly affected colonies.
- **European Foulbrood (EFB) – *Melissococcus plutonius***
 - ✓ *Oxytetracycline* and *Tylosin tartrate*: Used similarly to AFB control.
- Under ground ant nests can be eliminated by pouring 0.1% cypermethrin emulsion

Precautions for Chemical Use:

- Apply during non-foraging times (early morning/evening).
- Always follow recommended dosages and application methods to avoid harming bees or brood.
- Use chemicals only when absolutely necessary and preferably during broodless or non-honey flow periods.
- Wear protective equipment during application.
- Rotate chemical groups to avoid resistance.
- Maintain records of treatments for each colony.
- Overuse or improper use of chemical treatments can leave residues in honey and wax. This may lead to the rejection of honey exports due to non-compliance with international Maximum Residue Limits (MRLs).

- Avoid using unapproved or off-label products unless under expert guidance or approved trials.

References:

1. Abrol, D.P. 2012. Honeybee and Crop Pollination. In: Pollination Biology: Biodiversity Conservation and Agricultural Production, Springer Science & Business Media, Berlin, Heidelberg, 85-110
2. Bailey L., Ball B. V. (1991). Honey Bee Pathology. Second edition, Academic Press.
3. Chen Y, Evans J D, Smith I B and Pettis J S. 2009. *Nosema ceranae* is a long-present and widespread microsporidian infection of the European honey bee (*Apis mellifera*) in the United States. *Journal of Invertebrate Pathology*. 97(2):186-888.
4. Ellis J D and Munn P A. 2005. The worldwide health status of honey bees. *Bee World*. 86(4), 88–101.
5. FAO (2020). *Why bees matter: The importance of bees and other pollinators for food and agriculture*. Rome: Food and Agriculture Organization of the United Nations, available at: <https://www.fao.org/3/i9527en/I9527EN.pdf>.
6. Forsgren E. (2010). European foulbrood in honey bees. *Journal of Invertebrate Pathology*. 103: 85–89.
7. Genersch E (2010). Honey bee pathology: Current threats to honey bees and beekeeping. *Applied Microbiology and Biotechnology*. 87(1): 87–97.
8. Higes M., Martín-Hernández R and Meana A. (2010). *Nosema ceranae* in Europe: an emergent type *C nosemosis*. *Apidologie*, 41(3): 375–392.
9. National Bee Board (2022). Annual Report. Ministry of Agriculture & Farmers Welfare, Govt. of India.
10. Sharma P L, Kumari R and Singh A. (2021). *First report of small hive beetle (Aethina tumida) in India and its implications on apiculture*. *Journal of Apicultural Research*. 60(3): 1–4.

SEASONAL AND CLIMATE-SMART BEEKEEPING

Jyotsna Jayavantrao Desai

Krushikanya Bahudheshiy Sevabhavi Sanstha Kanadewadi, Kolhapur

Abstract

Seasonal and Climate-Smart Beekeeping offers a comprehensive guide to sustainable and adaptive apiculture in the face of evolving environmental challenges. This concise volume equips beekeepers with the knowledge and tools necessary for effective seasonal colony management, ensuring optimal hive health and productivity throughout the year. It delves into migratory beekeeping techniques, exploring how strategic hive relocation can enhance forage access and pollination services while mitigating local resource limitations. The book also examines the impact of climate change on apiculture, highlighting how shifting weather patterns, rising temperatures, and ecological disruptions threaten bee populations and honey production. To address these issues, it presents practical adaptive strategies for resilient beekeeping, including diversified forage planning, climate-resilient bee strains, and hive insulation methods. Whether for novice beekeepers or seasoned professionals, this guide emphasizes a proactive, informed approach to ensure the long-term sustainability and success of beekeeping in a changing world.

Keywords:

1. Introduction

Beekeeping, or apiculture, is one of the most vital agricultural practices, not just for honey production but for its indispensable role in crop pollination. With increasing climate variability and environmental challenges, traditional methods are proving inadequate. Beekeepers must now integrate seasonal management strategies with climate-smart approaches to ensure the survival and productivity of their colonies. This chapter provides practical guidance and insights into managing bee colonies across different seasons, adopting migratory practices, and adapting to the realities of climate change to build a more resilient beekeeping system.

In India, climatic conditions vary significantly across regions, from the Himalayan temperate zones to tropical coastal plains, and these variations dictate the beekeeping calendar. For example:

- In northern India, mustard blooms in winter, providing an early nectar flow.

- In southern India, coconut, rubber, and eucalyptus provide year-round forage with multiple honey flows.

Climate change is adding complexity to this cycle—altering blooming periods, increasing pest prevalence, and causing extreme events like droughts or heavy rains. Climate-smart beekeeping addresses these challenges by combining seasonal best practices with interventions such as providing shade in summer, supplemental feeding during droughts, and ensuring adequate insulation in winter.

Seasonal Beekeeping in India

India has four major beekeeping seasons, but their timing varies by region.

2.1 Seasonal Calendar for Beekeeping Operations (Generalized)

Season	Months (General)	Colony Status	Major Nectar Sources	Key Management Practices
Spring	Feb–Apr	Peak brood rearing, strong colonies	Mustard, eucalyptus, ber, guava	Supering, swarm prevention, queen rearing
Summer	May–June	Nectar dearth, heat stress	Sunflower, drumstick, sesame	Provide shade & water, supplemental feeding
Monsoon	July–Sept	Reduced foraging, risk of disease	Guava, banana, sesbania	Hive ventilation, disease monitoring, pest control
Winter	Oct–Jan	Build-up or dormancy (region-specific)	Litchi, mustard, niger, coriander	Brood stimulation feeding, colony merging

2.2 Regional Variations in India

A. North India (Punjab, Haryana, Uttar Pradesh, Uttarakhand)

- **Spring (Feb–Apr):** Peak honey flow from mustard, eucalyptus.
- **Summer (May–June):** Heat stress; feed sugar syrup.
- **Monsoon (July–Sept):** Hive ventilation and pest checks.
- **Winter (Oct–Jan):** Feeding & colony buildup for spring flow.

B. South India (Tamil Nadu, Karnataka, Kerala)

- Multiple small nectar flows from coconut, rubber, sunflower, jamun, and moringa.
- No severe cold; focus on rain protection during monsoon.

C. East India (Odisha, West Bengal, Assam)

- Mustard, litchi, and mango are major spring flows.
- Heavy monsoon rainfall → elevate hives and ensure drainage.

D. West India (Maharashtra, Gujarat, Rajasthan)

- Sunflower, ber, and drumstick important.
- In arid zones, water provision is crucial year-round.

2. Seasonal Colony Management

Bees are highly sensitive to seasonal changes. Managing colonies according to the seasonal cycle is essential for ensuring their health, productivity, and sustainability. Each season presents unique challenges and opportunities.

2.1 Summer Management

- High temperatures (35°C and above)
- Scarcity of nectar and pollen in some regions
- Increased risk of dehydration and heat stress
- Shade colonies and regulate heat by wet gunny bags over hives, sprinkling water, widening entrances or providing additional ventilation gaps and frames,
- Ensure nearby fresh water sources.
- Monitor for overheating by hive sensors or manual checks



Summer / Hot Season Colony Management (Gunny Bag)

Key Challenges:

- Overheating of hives
- Increased foraging distance for nectar
- Risk of robbing due to dearth
- Wax moth infestation

- Management Practices:

1. Shade and Ventilation:

- Shift hives to shaded areas or use artificial shading.
- Increase ventilation using screens or by slightly raising the top cover.

2. Water Availability:

- Place clean, shallow water sources near the hives.
- Add pebbles or floating surfaces to prevent bee drowning.

3. Comb Management:

- Remove old and damaged combs.
- Ensure the brood area is healthy and not overcrowded.

4. Supplemental Feeding:

Provide sugar syrup (1:1) during dearth periods.

Pollen substitutes can be added if natural sources are unavailable.

5. Robbing Prevention:

Avoid spilling syrup near hives.

Reduce hive entrances during dearth.

2.2 Monsoon Management

- High humidity and rainfall
- Limited foraging opportunities
- Increased pest and disease pressure

Key Challenges:

- Fungal diseases due to excess moisture
- Hive flooding and colony absconding
- Reduced brood rearing

Management Practices:

1. Hive Placement:

Elevate hives on stands or platforms to avoid waterlogging.

Ensure the apiary site has proper drainage.

2. Rain Protection:

Use waterproof covers or install simple shelters.

Tilt hive slightly to prevent water accumulation on the lid.

3. Ventilation:

Improve airflow inside the hive to prevent mold.

Avoid over-sealing the hive in an attempt to keep water out.

4. Pest and Disease Control:

Regularly inspect for chalkbrood, foulbrood, and wax moths.

Remove infected frames promptly.

5. Feeding:

Provide thick sugar syrup (2:1) if foraging is not possible.

Continue pollen substitute if needed.

2.3 Winter Management

- Characteristics of Winter:
- Low temperatures (especially in temperate zones)
- Reduced brood activity
- Natural dearth of floral resources

Key Challenges:

- Colony starvation
- Cold stress and dampness
- Queen health deterioration
- Management Practices:

Queen health deterioration

1. Insulation: Wrap hives with insulating materials (straw, cloth, foam). Ensure top ventilation to prevent condensation.

2. Feeding: Provide candy boards or fondant as emergency feed.

Avoid liquid feed during freezing temperatures.

3. Population Management:

Unite weak colonies before winter.

Ensure enough bees to form a winter cluster.

4. Pest Control:

Monitor for Varroa mites before winter.

Treat if infestation is above threshold.

5. Minimal Disturbance:

Avoid opening hives during extreme cold.

Periodically check weight to monitor stores.

3. Migratory Beekeeping Techniques

Definition: Migratory beekeeping involves moving colonies from one location to another following the flowering seasons of different crops or forest species to optimize honey production and pollination.

Also known as translocation or migratory beekeeping, this involves moving colonies seasonally to track bloom cycles, avoid adverse weather, or maximize pollination contracts.

3.1 Objectives & Benefits

- Higher honey yields
- Access to diverse nectar sources
- Pollination service revenue

Disease and pest escape from old locations

Match hives to nectar/pollen flows in different regions: for example, moving hives to flowering zones (e.g. almond bloom, monsoon flora areas) can improve honey yields by up to ~30 %

Escape extreme heat or drought by relocating to areas with better rainfall or cooler elevation.

Pollination services: migratory beekeeping supports crop sectors, creating revenue streams.

3.2 Planning Migratory Beekeeping:

Identify seasonal bloom calendars in target regions (e.g. mustard, acacia, wildflower belts).

Align hive moves carefully: too early or late reduces forage access or exposes bees to heat storms.

Consider biosecurity—the risk of transferring pests or pathogens.

1. Floral Calendar Preparation:

Map local flowering periods and locations.

Schedule movements before bloom periods.

01: Bee flora



Fig.(a)- *Brassica campestris*



Fig.(b)- *Cajanus cajan*



Fig.(c)- Wasps



Fig.(d)- *Sorghum bicolor*



Fig.(e)- *Sesamum indicum*



Fig.(f)- *Helianthus annuus*



Fig.(g)- *Litchi chinensis*



Fig.(h)- *Coriandrum sativum*



Fig.(i)- *Tagetes erecta*



Fig.(j)- *Zea mays*



Fig.(k)- *Lagenaria siceraria*



Fig.(l)- *Tamarindus indica*

GUJARAT FOREST FLORA CHART FOR BEEKEEPERS _ 01																						
SR. NO.	FOREST TREE DETAILS	NECTAR	POLLEN	LOCATION	MONTH OF (HONEY/POLLEN) PRODUCTION																	
					1	2	3	4	5	6	7	8	9	10	11	12						
	Forest Tree																					
1	Jamun	+++	+	chhottaudepur, Anand, junagadh																		
2	Sheeshum (Rosewood)	+++	+	*****																		
3	Eucalyptus	+++	+	Panchmahal, chhottaudepur, Dahod																		
4	Acacia	++	++	Gujarat																		
5	karanj	++	+	Panchmahal, chhottaudepur, Dahod																		
6	Berry	+++	+	Vadodara, Panchmahal																		
7	Neem	++	+	Gujarat																		
8	Keruso	+++	+	Panchmahal, chhottaudepur, Dahod, narmada																		
9	Golmahor	--	+++	gujarat																		
10	Tulsi (forest tulsi)	++	+	Panchmahal, chhottaudepur																		
11	kher	++	+	chhottaudepur, Dahod, junagadh																		
12	Dense Forest district in gujarat			junagadh, Narmada, Navsari, Dangs, Tapi, Sabarkantha,																		
13	woodapple	+	+	Vadodara, Panchmahal																		

2. Logistics:

Use ventilated bee transport vehicles.

Move colonies during the evening or early morning.

Shield hives from heat using blankets or shade during transport and arrival.

Avoid moving during peak foraging day (evening or night moves best).

3. Colony Preparation:

Ensure queen-right colonies.

Strap hives securely to avoid shifting during transport.

4. Acclimatization:

Allow bees to orient to new location before opening all entrances.

Avoid moving hives more than once every few weeks.

5. Permissions and Biosecurity:

Obtain local permits for migratory beekeeping.

Avoid spreading diseases or pests across regions.

3.3 Ideal Crops for Migration in India (Example):

- Mustard (Nov-Jan)

- Litchi (Feb-Mar)
- Sunflower (Apr-May)
- Eucalyptus and forest flora (Monsoon)
- Cotton/Sesame (Late Summer)

4. Impact of Climate Change on Apiculture

Climate change brings multidimensional impact on bee biology and beekeeping operations

4.1 Rising Temperatures:

- Disruption in nectar secretion cycles.
- Overheating of brood and comb structures.
- Change in foraging patterns and reduced lifespan of workers.

4.2 Shifts in Nectar & Pollen Availability

Altered precipitation and temperature disrupt flowering times: some plants bloom earlier, others produce less nectar, reducing honey yield and changing honey flavor profiles.

4.3 Increased Pest and Disease Pressure:

Warmer winters and longer damp seasons boost mites (Varroa), nosema, small hive beetles, and others. Beekeepers face heightened risks and losses when thresholds are exceeded.

4.4 Heat Stress & Hive Thermoregulation

Bees must regulate internal hive temperature (~35 °C). In extreme heat, they struggle—leading to constrained foraging, lower brood viability, and colony collapse.

4.5 Habitat Loss and Pesticide Exposure:

Deforestation and monoculture expansion.

Insecticides and herbicides affect bee navigation and immunity.

4.6 Geographic Spread of Invasive Species

Species such as Asian hornet, Tropilaelaps mites, or new pests move pole ward or into new zones, posing risks for naïve colonies.

4.7 Unpredictable Weather Events:

Sudden rainfall, droughts, hail can destroy nectar sources.

Disorientation of foragers during extreme weather.

5. Adaptive Strategies for Resilient Beekeeping

When traditional summer zones become excessively hot or arid, move to higher altitude or irrigated zones.

Use monitoring systems to compare hive health in different locations and optimize choices

5.1 Climate-Smart Apiary Design:

Use of movable hives with better insulation and ventilation.

Create windbreaks and shaded areas to buffer temperature extremes.

5.2 Floral Diversity and Bee Pasture Development:

Plant multipurpose trees and flowering shrubs near apiaries.

Encourage local biodiversity and avoid monocultures.

5.3 Breeding and Selection:

Select climate-resilient bee strains

Promote hygienic behavior and disease resistance traits.

5.4 Integrated Pest and Disease Management (IPDM):

Monitor colonies regularly.

Use organic controls (oxalic acid, thymol) judiciously.

Rotate apiary locations to break pest cycles.

5.5 Data-Driven Beekeeping:

Use mobile apps to track floral calendars and hive health.

Adopt sensors to monitor temperature, humidity, and brood status.

5.6 Community and Policy Support:

Form beekeeper cooperatives for resource sharing.

Advocate for pollinator-friendly policies, pesticide regulation, and compensation schemes during colony loss due to climate events.

6. Implementation Guide for Beekeepers

6.1 Start with Seasonal Practices

Follow region-specific seasonal schedules with hive inspections, brood management, feeding, cleaning, re-queening, and pest controls as described.

6.2 Introduce Climate-Smart Upgrades Gradually

Begin small with hive insulation and improved ventilation.

Use shade or windbreaks first; upgrade to insulated or double-walled hives as resources permit.

Invest in at least one sensor or hive-scale for weight or temperature; monitor trends.

6.3 Participate in Breeding or Stock Exchanges

Source queens or colonies with traits adapted to your climate—heat-tolerant lines, hygienic stock, locally adapted bees. Avoid importing untested exotic strains.

6.4 Manage Forage & Landscape

Plant native wildflowers, establish forage corridors, and work with local farmers to minimize pesticide use. Rotate hive placements to avoid forage depletion and allow floral regeneration.

6.5 Monitor Pest & Disease Levels

Use IPM principles: measure mite loads, treat when thresholds indicate risk, favor non-chemical measures, especially before winter brood production. Requeen with hygienic stock.

6.6 Create Contingency Plans

Have alternate locations ready for summer relocation if heat stress or forage breakdown occurs. Coordinate transport logistics in advance.

6.7 Join or Form Local/Government Groups

Participate in beekeeping associations, climate adaptation workshops, and policy actions like pesticide regulation support. Community learning amplifies impact.

Conclusion

Beekeeping is undergoing a transformation driven by climate dynamics and seasonal unpredictability. Adapting to these changes is not optional but essential. By integrating seasonal management, migratory strategies, and climate-resilient practices, beekeepers can secure their livelihoods and continue supporting the agricultural ecosystem. Beekeeping is both an art and a science—and now, it must also be climate-smart. Climate-smart beekeeping is no longer optional—it's essential. By combining seasonal management, migratory planning, genetic resilience, smart hive design, ecosystem diversity, and precision monitoring, beekeepers can build robust operations that thrive despite climate instability. Thoughtful adoption of these strategies helps sustain honey production, pollination services, and the vital ecosystem functions bees provide

References

1. FAO (2018). *Beekeeping and Sustainable Livelihoods*. Food and Agriculture Organization of the United Nations.
2. Ministry of Agriculture, India (2022). *National Beekeeping & Honey Mission Guidelines*.
3. IPCC (2022). *Climate Change and Land: An IPCC Special Report*.
4. Crane, E. (1990). *Bees and Beekeeping: Science, Practice and World Resources*. Heinemann.
5. Winston, M.L. (1991). *The Biology of the Honey Bee*. Harvard University Press.
6. Ellis, J.D., Evans, J.D

ENTREPRENEURSHIP AND MARKETING IN BEEKEEPING

K. Indira Reddy

Rutika Innovations Private Limited, Hyderabad Telangana

Abstract

Beekeeping represents a unique convergence of ecological sustainability, rural entrepreneurship, and economic opportunity in India's evolving agricultural landscape. This comprehensive analysis examines the strategic development of beekeeping enterprises, exploring business planning methodologies, government support mechanisms, marketing strategies, and value chain optimization. Through detailed case studies and practical insights from successful ventures like Rutika Innovations Private Limited, this article provides a roadmap for entrepreneurs seeking to establish profitable, environmentally conscious beekeeping businesses while contributing to biodiversity conservation and rural empowerment.

Introduction

In the contemporary agricultural ecosystem, beekeeping—or apiculture—has emerged as more than a traditional livelihood practice. It represents a sophisticated intersection of ecological stewardship, scientific innovation, and entrepreneurial opportunity that addresses multiple contemporary challenges: food security through pollination services, sustainable income generation for rural communities, and biodiversity conservation through habitat restoration.

The global honey market, valued at approximately \$8.5 billion and growing at a compound annual growth rate of 7.2%, presents substantial opportunities for Indian entrepreneurs. India's diverse agro-climatic zones, spanning from tropical coastal regions to temperate highlands, provide ideal conditions for year-round beekeeping operations. The country's rich floral diversity—encompassing over 500 nectar-producing plant species—offers unique advantages for producing premium monofloral and multifloral honey varieties that command premium prices in domestic and international markets.

This transformation from traditional honey hunting to scientific beekeeping represents a paradigm shift that requires comprehensive understanding of business principles, market dynamics, and ecological relationships. The success of enterprises like Rutika Innovations Private Limited in

Telangana demonstrates how strategic planning, scientific methods, and community engagement can create sustainable, scalable beekeeping ventures that generate significant economic returns while contributing to environmental restoration and social empowerment.

The Scientific Foundation of Commercial Beekeeping

Understanding Bee Species and Their Commercial Applications

Successful beekeeping enterprises begin with thorough understanding of different bee species and their specific characteristics. India hosts five primary honey bee species, each offering distinct advantages for commercial operations:

Apis cerana (Asian honeybee) demonstrates exceptional adaptation to local climatic conditions and requires minimal management intervention, making it ideal for small-scale operations and natural farming integration. These bees produce approximately 8-12 kg of honey per colony annually and show remarkable resistance to common diseases and pests.

Apis mellifera (European honeybee) represents the backbone of commercial operations, capable of producing 25-40 kg of honey per colony under optimal management conditions. Their gentle temperament and high productivity make them suitable for intensive management systems and migratory beekeeping operations.

Apis dorsata (Giant honeybee) offers opportunities for forest honey collection, producing unique multifloral varieties that command premium prices due to their perceived medicinal properties and limited availability.

Apis florea (Little honeybee) and **Trigona species** (Stingless bees) provide specialized opportunities for producing rare honey varieties and other hive products like propolis and bee pollen.

Comprehensive Training and Skill Development

Establishing a successful beekeeping enterprise requires structured, hands-on training that encompasses multiple dimensions of apicultural science. A comprehensive seven-day training program should include:

Species identification and management techniques covering the behavioral patterns, seasonal cycles, and specific requirements of different bee species. Understanding these characteristics enables entrepreneurs to select appropriate species for their local conditions and market objectives.

Honey production optimization involving advanced hive management techniques, seasonal migration strategies, and quality control protocols that ensure consistent production volumes and premium quality products.

Diversified product development encompassing the collection and processing of valuable bee by-products including beeswax, propolis, bee pollen, royal jelly, and bee venom, each offering distinct market opportunities and price premiums.

Integrated farming approaches demonstrating how beekeeping operations can enhance agricultural productivity through pollination services while creating additional revenue streams through farmer partnerships and crop yield enhancement contracts.

Business Planning and Financial Modeling

Initial Investment and Infrastructure Requirements

Establishing a commercially viable beekeeping operation requires strategic financial planning and phased investment approaches. For a standard 50-hive operation, entrepreneurs can expect initial capital requirements of approximately ₹2,30,000, distributed across essential infrastructure and equipment:

Colony acquisition costs typically represent 40-50% of initial investment, with quality bee colonies ranging from ₹3,500-₹5,500 per hive depending on species, season, and colony strength. Purchasing from certified breeders ensures genetic quality and disease-free stock essential for long-term success.

Equipment and infrastructure investments include standardized wooden hives, frames, honey extractors, protective clothing, and basic processing equipment. Quality equipment, while requiring higher initial investment, significantly reduces long-term operational costs and ensures product quality consistency.

Processing and packaging infrastructure becomes crucial for value addition and market access. Basic honey processing equipment including dehydrators, filtration systems, and bottling machinery enables entrepreneurs to capture higher margins through direct marketing rather than selling raw honey to intermediaries.

Revenue Generation and Profitability Analysis

Well-managed beekeeping operations demonstrate attractive financial returns with relatively short payback periods. A 50-hive operation can generate multiple revenue streams:

Primary honey production yields approximately 200 kg annually (4 kg average per hive), generating ₹60,000-₹1,00,000 in gross revenue depending on quality grades and marketing channels. Premium monofloral varieties can command prices of ₹500-₹800 per kg in specialty markets.

High-value by-products including bee pollen (₹1,000+ per kg), beeswax (₹400-₹600 per kg), and propolis (₹2,000+ per kg) can contribute an additional ₹25,000-₹50,000 annually with proper collection and processing techniques.

Pollination services represent an emerging revenue opportunity, with progressive farmers willing to pay ₹1,500-₹3,000 per hive for seasonal placement in crop fields to enhance yields of fruits, vegetables, and oilseeds.

Training and consultation services enable experienced beekeepers to generate additional income through knowledge transfer, with training programs commanding ₹2,000-₹5,000 per participant for comprehensive courses.

Government Support Mechanisms and Policy Framework

National Beekeeping and Honey Mission (NBHM)

The Indian government's commitment to beekeeping development is exemplified through the National Beekeeping and Honey Mission, implemented under the "Sweet Revolution" initiative with an allocation of ₹500 crores for the period 2020-2025. This comprehensive program addresses multiple aspects of sector development through three focused mini-missions:

MM-I: Scientific Beekeeping Promotion provides substantial financial support for enterprise establishment, offering 50% subsidies for individual entrepreneurs and up to 75% support for Farmer Producer Organizations (FPOs) and Self-Help Groups (SHGs). This support covers equipment purchases, colony acquisition, and basic infrastructure development.

MM-II: Post-Harvest Management and Value Addition focuses on establishing processing infrastructure, quality testing laboratories, and market linkage facilities. The program supports honey testing labs, processing units, and packaging facilities that enable entrepreneurs to capture higher value along the supply chain.

MM-III: Research and Innovation promotes technological advancement through partnerships with research institutions, development of new products and processes, and dissemination of best practices across the sector.

State-Level Implementation and Support Systems

Telangana's approach to beekeeping development demonstrates effective state-level policy implementation. The Department of Horticulture serves as the nodal agency, coordinating with multiple stakeholders to create comprehensive support ecosystems:

Integrated Beekeeping Development Centres (IBDCs) provide technical support, training facilities, and equipment supply chains accessible to entrepreneurs across different districts. These centers serve as focal points for extension services and technology transfer.

Quality assurance infrastructure includes honey testing laboratories that ensure product quality and enable market access, particularly for export opportunities. These facilities provide essential certification services that build consumer confidence and enable premium pricing.

Institutional partnerships with NGOs, FPOs, and private enterprises create collaborative frameworks that leverage diverse expertise and resources for sector development.

Marketing Strategies and Channel Development

Domestic Market Opportunities

India's domestic honey market, valued at over ₹2,000 crores and growing at 15-20% annually, offers diverse opportunities for entrepreneurs with appropriate market positioning strategies:

Local and regional markets through farmers' markets, organic stores, and direct sales provide immediate revenue opportunities with higher margins but limited scalability. These channels are particularly suitable for specialty products and building initial brand recognition.

Institutional sales to government organizations, corporate canteens, hospitals, and educational institutions offer volume opportunities with stable demand patterns. Organizations like CRPF and CISF represent significant institutional buyers seeking quality products with reliable supply chains.

Retail partnerships with supermarket chains, organic food stores, and specialized health food retailers enable broader market reach while maintaining reasonable margins. Premium positioning with appropriate branding and packaging is essential for success in these channels.

Export Market Development

India's honey exports, totaling 74,413 metric tons valued at ₹1,221 crores in 2021-22, demonstrate substantial international market opportunities. Key export destinations including the United States, United Kingdom, Japan, and UAE seek premium quality Indian honey varieties:

Quality compliance requirements for export markets demand rigorous adherence to international standards regarding purity, moisture content, and contaminant levels. Investment in quality infrastructure and certification processes is essential for export market access.

Traceability systems supported by government initiatives like the Madhu Kranti portal enable entrepreneurs to document honey origins and processing methods, essential for export certification and premium pricing.

Value-added products including organic certified honey, monofloral varieties, and specialty products command higher prices in international markets compared to bulk commodity honey.

Digital Marketing and E-commerce Integration

Contemporary marketing strategies increasingly rely on digital platforms and direct-to-consumer sales channels:

E-commerce platforms including Amazon, Flipkart, BigBasket, and specialized organic product websites provide access to urban consumers willing to pay premium prices for quality products. Success requires investment in professional packaging, brand development, and customer service capabilities.

Direct-to-consumer websites enable entrepreneurs to capture full retail margins while building direct customer relationships. Effective digital marketing through social media, content marketing, and search engine optimization drives customer acquisition and brand building.

Social media marketing platforms including Facebook, Instagram, and YouTube provide cost-effective channels for product promotion, customer education, and community building around brand values and sustainability messages.

Value Chain Development and Product Innovation

Processing and Quality Enhancement

Value addition through processing and quality enhancement enables entrepreneurs to capture significantly higher margins while building sustainable competitive advantages:

Primary processing including moisture reduction, filtration, and standardization ensures consistent quality and extends product shelf life. Investment in basic processing equipment typically pays for itself within 2-3 seasons through premium pricing opportunities.

Secondary processing for specialty products including creamed honey, honey-based confectionery, and flavored varieties creates distinct market segments with higher margins and customer loyalty.

Quality certification through organic certification, geographical indication protection, or specialty certifications enables premium positioning and access to high-value market segments.

By-Product Development and Diversification

Successful beekeeping enterprises leverage multiple-hive products to optimize revenue generation:

Beeswax applications in cosmetics, pharmaceuticals, and specialty products offer attractive margins with growing market demand. Products including lip balms, moisturizers, candles, and food wraps utilize beeswax as a primary ingredient.

Bee pollen and propolis represent high-value health products with substantial market premiums. Proper collection, processing, and marketing of these products can generate revenue equivalent to honey sales from smaller production volumes.

Royal jelly and bee venom offer opportunities for pharmaceutical and cosmetic applications, though they require specialized knowledge and processing capabilities.

Branding and Market Positioning

Effective branding strategies differentiate products in competitive markets while building customer loyalty and premium pricing power:

Origin-based branding highlighting local floral sources, traditional production methods, or geographic uniqueness creates emotional connections with consumers and justifies premium pricing.

Quality and purity messaging supported by transparent production practices and quality certifications builds trust and customer loyalty in markets increasingly concerned with food safety and authenticity.

Sustainability positioning emphasizing environmental benefits, biodiversity conservation, and rural community empowerment appeals to conscious consumers willing to pay premiums for products aligned with their values.

Case Study: Rutika Innovations Private Limited

Enterprise Development and Growth Strategy

The journey of Rutika Innovations Private Limited under K. Indira Reddy's leadership exemplifies strategic enterprise development in the beekeeping sector. Beginning with 60 hives in Yadadri Bhuvanagiri District, the enterprise has expanded to nearly 500 hives through systematic planning and reinvestment strategies.

Migration calendar development based on detailed mapping of nectar-yielding plants across districts enables optimal hive placement and maximizes honey production throughout the year. This scientific approach to migratory beekeeping ensures consistent production and higher yields compared to stationary operations.

Capacity building initiatives through establishment of training centers create additional revenue streams while building sector expertise and market demand. Training programs generate direct revenue while expanding the market for equipment and services.

Product diversification beyond honey to include beeswax soaps, lip balms, food wraps, and honey-based confectionery creates multiple revenue streams with different seasonal patterns and market dynamics.

Technology Investment and Infrastructure Development

Strategic technology investments totaling over ₹22 lakhs in dehydration, filtration, and bottling machinery demonstrate the importance of processing capabilities for value capture:

Processing infrastructure enables quality control, product standardization, and premium positioning essential for market differentiation and customer trust building.

Rural employment generation through establishment of packaging units employing over 100 women demonstrates the sector's potential for inclusive growth and community development. Training in hygiene protocols and quality control ensures product consistency while providing valuable skills development.

Market Access and Distribution Strategy

Rutika's multi-channel distribution approach demonstrates effective market access strategies:

Institutional partnerships with organizations like CRPF and CISF provide stable, volume-based revenue streams with predictable demand patterns and reliable payment terms.

Retail development through local exhibitions, student-run stores, and planned retail outlets in Hyderabad creates direct consumer connections and higher margin opportunities.

Brand development through the "Sacred Honey" product line with tamper-proof packaging and eco-friendly labeling builds consumer confidence and enables premium pricing.

Community Development and Institutional Building

Telangana Bee Hub Society formation under Indira's leadership institutionalizes sector development efforts and creates collective bargaining power for individual beekeepers. This cooperative approach enables resource sharing, knowledge transfer, and market access for smaller entrepreneurs.

Partnership development with organizations like MITHRA Foundation and Rythu Sampada Producer Company leverages complementary expertise and resources for scaled impact and market development.

Training institution development in collaboration with the Telangana Horticulture Department creates permanent infrastructure for sector development while generating sustainable revenue streams through educational services.

Strategic Recommendations for Aspiring Entrepreneurs

Market Entry Strategies

Phased growth approach beginning with 20-30 hives enables entrepreneurs to develop essential skills and market relationships while managing financial risk. Gradual expansion based on cash flow generation ensures sustainable growth without excessive debt burden.

Local market focus initially provides learning opportunities and immediate revenue while building reputation and customer relationships essential for long-term success. Understanding local preferences and quality requirements enables effective product development.

Mentorship and networking through participation in industry associations, training programs, and cooperative organizations accelerates learning and provides access to markets, technology, and financing opportunities.

Technology Adoption and Innovation

Digital integration through modern hive monitoring systems, mobile applications for record keeping, and e-commerce platforms enhances operational efficiency and market access capabilities.

Quality systems implementation including traceability, quality control protocols, and certification processes builds market credibility and enables premium pricing opportunities.

Product innovation through development of specialty products, packaging innovations, and value-added offerings creates competitive differentiation and higher margin opportunities.

Sustainability and Environmental Considerations

Integrated farming approaches that combine beekeeping with organic farming, permaculture, and biodiversity conservation create synergistic benefits and additional revenue opportunities through ecosystem services.

Climate adaptation strategies including drought-resistant plant cultivation, water conservation systems, and seasonal migration planning ensure operational resilience in changing environmental conditions.

Community engagement through training programs, employment generation, and cooperative formation builds social capital and market support essential for long-term sustainability.

Future Opportunities and Sector Development

Emerging Market Segments

Health and wellness products including functional foods, nutraceuticals, and therapeutic products represent growing market opportunities as consumers increasingly seek natural health solutions.

Cosmetic and personal care applications utilizing bee products offer high-margin opportunities in rapidly growing beauty and wellness markets.

Industrial applications for beeswax, propolis, and other hive products in pharmaceuticals, food processing, and specialty manufacturing create B2B market opportunities.

Technology and Innovation Trends

Precision beekeeping utilizing IoT sensors, data analytics, and artificial intelligence enables optimized hive management and predictive maintenance capabilities.

Blockchain integration for supply chain transparency and product authentication addresses consumer concerns about purity and origin while enabling premium positioning.

Biotechnology applications including selective breeding, disease management, and product enhancement offer opportunities for competitive advantage and improved productivity.

Policy and Infrastructure Development

Cold chain infrastructure development reduces post-harvest losses and enables access to distant markets while maintaining product quality.

Quality testing infrastructure expansion ensures product quality and safety while enabling export market access and consumer confidence building.

Financial service development including specialized insurance products, equipment financing, and working capital solutions addresses sector-specific needs and reduces business risks.

Conclusion

The transformation of beekeeping from traditional practice to sophisticated enterprise represents significant opportunities for rural entrepreneurship, environmental conservation, and economic development. Success requires comprehensive understanding of bee biology, market dynamics, and business principles combined with strategic planning, quality focus, and customer-centric approaches.

The experience of enterprises like Rutika Innovations demonstrates that systematic approach to business development, technology adoption, and community engagement can create substantial economic returns while contributing to biodiversity conservation and rural empowerment. With appropriate government support, market development, and entrepreneurial vision, beekeeping can become a cornerstone of sustainable rural development across India.

Future success in this sector will depend on continuous innovation, quality improvement, market development, and sustainable practices that balance economic objectives with environmental stewardship and social responsibility. Entrepreneurs who embrace scientific methods, invest in quality infrastructure, and build strong market relationships will find substantial opportunities in India's evolving beekeeping sector.

The sweet revolution in Indian agriculture is not merely about honey production—it represents a comprehensive approach to sustainable development that creates economic opportunities while restoring ecological balance and empowering rural communities. For aspiring entrepreneurs, beekeeping offers a unique combination of profitability, sustainability, and social impact that makes it an attractive venture in the contemporary agricultural landscape.

References

1. National Beekeeping & Honey Mission: horticulture.tg.nic.in
2. Organiser.org article on Rutika: <https://organiser.org/2024/11/03/263546/bharat/sacred-and-sustainable-honey/>
3. BizzBuzz interview: <https://www.bizzbuzz.news/bizz-talk/telangana-needs-a-bee-hub-to-revive-agri-create-jobs-says-apiculturist-indira-reddy-1332194>
4. MITHRA Foundation: <https://www.mithrafoundation.in/2025/02/blog-post.html>
5. NBHM Scheme Guidelines: <https://www.yogiyojana.co.in/2022/11/nbhm-scheme-guidelines.html>
6. National Bee Board: <https://nbb.gov.in>
7. Export data from APEDA: <https://apeda.gov.in>

INNOVATING APICULTURE: COOPERATIVES AND COMMUNITIES TRANSFORMING BEEKEEPING

¹Avadhut Kadam, ²Mahesh Kadam and ³Deepak J. Waghmode

¹Founder & Director, Care Foundation, Pune

²Associate Professor, Centre for Entrepreneurship Development, VAMNICOM, Pune

³Assistant Professor, VAMNICOM

Abstract

Beekeeping in India has evolved from a subsistence activity into a sector with immense potential for sustainable livelihoods, biodiversity conservation, and agri-value chain integration. Honey bees pollinate over 75% of food crops globally, contributing \$235–\$577 billion to annual food production (FAO, 2022). India, among the top five honey producers with 1.33 lakh MT in 2022–23 (MoA&FW), still underutilizes its potential due to technological gaps, fragmented value chains, and quality issues. This chapter examines innovations transforming apiculture, focusing on cooperative models, FPOs, and startup-led “apitech” solutions such as IoT-enabled hives, AI-based health monitoring, blockchain traceability, and climate-resilient practices. Drawing from case studies—Mahua Honey Cooperative (Jharkhand) to urban rooftop beekeeping in Pune—it showcases the role of SHGs, tribal collectives, and youth cooperatives, supported by NBHM, NABARD, NCDC, TRIFED, and the National Bee Board. The way forward lies in scaling cooperative honey clusters, integrating advanced diagnostics, promoting indigenous bee species, enhancing value addition with GI tagging, and embedding apiculture into climate-smart agriculture and rural livelihoods. By positioning innovation at the intersection of science, cooperation, and sustainability, this chapter offers a strategic blueprint to empower cooperative stakeholders and make India a global leader in bee-based livelihoods, honey exports, and ecological resilience.

Key words: Innovations, Honeybee, cooperatives, sustainability, technology, beekeeping, resilience

1. Introduction

Apiculture, or beekeeping, plays a vital and multifaceted role in enhancing agricultural productivity, ecological balance, and rural livelihoods. Globally, pollinators—primarily honey bees are responsible for fertilizing over 75% of leading global food crops, impacting food security and nutrition for billions (FAO, 2022). The economic value of global pollination services is estimated at USD 235–577 billion annually, making bees indispensable to global food systems, environmental sustainability, and climate-resilient agriculture (IPBES, 2020).

In the face of climate change, biodiversity loss, and declining pollinator populations, apiculture emerges as a nature-based solution that supports both environmental and economic resilience. Beekeeping contributes directly to Sustainable Development Goals (SDGs) such as:

- SDG 1 (No Poverty) through income diversification,
- SDG 2 (Zero Hunger) by enhancing crop productivity,
- SDG 5 (Gender Equality) via SHG-led enterprises,
- SDG 13 (Climate Action) by conserving pollinator habitats and promoting regenerative agriculture,
- SDG 15 (Life on Land) through biodiversity enhancement.

India, with its diverse agro-climatic zones and floral diversity, has over 10 lakh beekeepers and produced 1.33 lakh metric tonnes of honey in 2022–23 (MoA&FW). Yet, the sector is largely under-realized due to challenges such as unorganized market linkages, adulteration issues, low technological adoption, and dependence on traditional practices. Fragmented production systems, lack of scale, and inconsistent quality undermine both domestic and export potential. Cooperatives, Farmer Producer Organizations (FPOs), and Self-Help Groups (SHGs) are proving to be transformative in overcoming these barriers. By collectivizing marginal and tribal beekeepers, sharing infrastructure (like honey extraction units and testing labs), and leveraging government schemes, cooperatives can serve as a critical conduit for technology dissemination, capacity building, and value chain integration. Models like the Mahua Honey Producers Cooperative (Jharkhand) and Devrai Honey FPO (Gadchiroli) demonstrate how community-led enterprises can empower rural economies while ensuring traceability, fair pricing, and sustainability.

Recent years have also witnessed the emergence of cost-effective technological interventions that are redefining the beekeeping landscape. These include:

- IoT-enabled smart hives for monitoring temperature, humidity, and hive health;
- AI and machine learning tools for swarm prediction and disease detection;
- Blockchain and QR code systems for traceability and quality assurance;
- Mobile applications offering training, advisory, and real-time market information;
- Rooftop and urban beekeeping models promoting pollination in city ecosystems.

The National Beekeeping and Honey Mission (NBHM), launched under the Atmanirbhar Bharat Abhiyan with a ₹500 crore outlay, supports infrastructure development, quality control labs, branding, and cooperative formation. Other enablers such as NABARD's Producer Organization Development Fund (PODF), NCDC's Yuva Sahakar Scheme, and TRIFED's Van Dhan Yojana provide targeted support to tribal, youth, and women-led beekeeping collectives. With India emerging as a strategic player in the global honey trade—exporting to over 40 countries including the USA, Saudi Arabia, and Nepal—there is an urgent need to scale up cooperative-led innovation models, especially in aspirational and tribal districts. Beekeeping must also be integrated into broader agroecological strategies such as natural farming, agroforestry, and climate-smart agriculture, making it a vital part of India's Green and Sweet Revolution.

This chapter thus examines how scientific and institutional innovations—when anchored through cooperative and community platforms—can unlock the true potential of apiculture. Through documented cases, policy analysis, and global benchmarks, it aims to provide a forward-looking roadmap for inclusive and technology-driven beekeeping, rooted in sustainability, scalability, and self-reliance.

2. Technological Innovations in Beekeeping

Technological advancement has emerged as a cornerstone of modern apiculture, offering scalable, affordable, and efficient solutions to traditional bottlenecks such as colony collapse, disease outbreaks, and inconsistent honey yields. By combining digital tools with grassroots-level training and cooperative outreach, beekeeping is becoming smarter, more sustainable, and enterprise-ready.

2.1 Smart Hives and IoT Devices

The integration of Internet of Things (IoT) in beekeeping has enabled real-time hive monitoring, transforming traditional practices into precision apiculture. Smart hives are equipped with environmental sensors, GPS units, and microcontrollers to monitor:

- Hive temperature and humidity (crucial for brood health),
- Honey flow rates,
- Bee traffic and activity,
- Weight fluctuation (as a proxy for nectar collection),
- Hive acoustics (used to detect swarming or queenlessness).

Global and Indian Innovations:

- **ApisProtect (Ireland):** Uses in-hive sensors and AI to predict hive health. In trials, users reduced colony losses by up to 25%, enhancing yield and profitability (ApisProtect Annual Report, 2023).
- **OSBeehives (Spain):** Offers smart hive monitoring with acoustic analysis to alert beekeepers about queen loss or stress events.
- **BeeConnected (India):** A mobile-enabled Indian platform used by over 8,000 small beekeepers in Maharashtra and Uttar Pradesh to track hive performance and receive advisory alerts via SMS or app notifications in local languages.

Cost & Business Model Simplified:

- Entry-level smart hive kits cost ₹2,000–₹5,000 per unit.
- Cooperatives and FPOs can access bulk purchase subsidies through NBHM, NABARD, and KVIC.
- Subscription-based data platforms are available for ₹100–₹250/month per beekeeper.

Role of Cooperatives in Dissemination:

- Pune Beekeepers' Cooperative: Piloted rooftop smart hives and digital bee-mapping for urban pollination; deployed common devices and offered training sessions to members.
- Devrai Honey FPO (Gadchiroli): Used sensor kits under a NABARD–Forest Dept. collaboration; enabled tribal youth to become “apiary technicians.”

Smart hives have particularly improved outcomes in migratory beekeeping, as beekeepers can remotely monitor hives even during transit or in remote forested zones.

2.2 Artificial Intelligence (AI) and Predictive Analytics

AI-enabled platforms are being developed to forecast hive conditions, predict swarming and disease outbreaks, and optimize foraging schedules based on floral calendars and climate data.

Key Applications:

- **Disease Detection:** Early identification of American Foulbrood, Nosema, and Varroa mite infestations using image recognition and acoustic patterns.
- **Swarm Forecasting:** AI models analyze vibration signatures and bee traffic to detect pre-swarm behavior up to 3 days in advance.
- **Forage Optimization:** Algorithms integrate weather data, satellite imagery, and bloom forecasts to recommend optimal hive placements.

Startup Spotlight – BuzzCoin (Europe):

- Combines blockchain traceability with AI analytics.
- Enables full transparency in honey origin, hive data, and quality certifications.
- Used by cooperative clusters in Italy and Germany exporting high-end organic honey to the EU and Japan.

Indian Context and Cooperative Role:

- Uttarakhand Organic Commodity Board (UOCB) piloted AI-based floral mapping to guide SHG-based migratory beekeeping cooperatives, especially during mustard, litchi, and eucalyptus blooms.
- MAVIM-Wardha SHG Cluster: Uses AI-powered mobile dashboards (in Marathi) to plan hive movements and optimize harvest windows, boosting honey yield by 30–35% over 2 years.

Simplified Business Model for Cooperatives:

- Cluster-level AI service subscription: ₹25,000–₹50,000 per annum.
- Supported by grants under RKVY-RAFTAAR and Atal Incubation Centres (AICs).

- Co-ownership model: FPOs or SHGs pool resources to acquire licenses and deploy technologies at shared facilities or demo apiaries.

Technological innovations such as smart hives, IoT monitoring, and AI-based analytics are reshaping the landscape of beekeeping from intuition-based to data-driven. Cooperatives, FPOs, and SHGs play an indispensable role in bridging the digital divide by:

- Acting as technology aggregators and trainers,
- Facilitating access to subsidies and infrastructure,
- Ensuring last-mile dissemination and contextual adaptation.

The convergence of technology, institutional support, and cooperative networks makes innovation affordable, scalable, and inclusive, particularly for women, tribal, and youth entrepreneurs in the apiculture sector.

3. Startup Ecosystem and Apitech in India

India's apiculture landscape is witnessing a paradigm shift driven by emerging startups, technology-based innovations (Apitech), and grassroots-level institutional convergence. These entrepreneurial ventures—often working in synergy with FPOs, SHGs, and cooperatives—are not only enhancing productivity and sustainability but also creating livelihood opportunities across rural and tribal belts. The fusion of organic practices, digital traceability, and local empowerment is fueling what can be called India's "Sweet Tech Revolution" in beekeeping.

One of the most inspiring examples is Bharat Honey, an organic-certified FPO based in Nizamabad, Telangana. Formed by a cluster of tribal and smallholder beekeepers, the FPO leverages mobile apps for hive management, digital data logs, and QR code-enabled traceability systems that authenticate each batch of honey. The platform also enables direct-to-consumer e-commerce, eliminating middlemen and ensuring premium pricing for producers. With over 350+ registered beekeepers, the initiative has led to a 40% increase in household income, driven by improved hive management, digital quality control, and access to high-value organic markets. The model has become a replicable blueprint for tribal livelihood enhancement in the Deccan region.

Another successful innovation hub is the Under the Mango Tree (UTMT) Society, which operates across tribal districts of Maharashtra and Gujarat. UTMT has developed a community-based beekeeping model that integrates mobile hive units, NGO-led training, and SHG-to-

cooperative transitions. A standout feature of the UTMT model is the deployment of beekeeping audio modules in tribal dialects, making technical knowledge more accessible to first-generation rural beekeepers, especially women. As a result, farmers trained under the program have reported a 25% increase in crop yields due to improved pollination and a 30% rise in household incomes through honey and bee-product sales. UTMT also supports local marketing channels and women-led enterprises, linking bee-based produce with urban consumers and ecotourism markets.

Equally transformative is the case of Devrai Honey FPO, located in the Left-Wing Extremism (LWE) affected regions of Gadchiroli district, Maharashtra. This tribal FPO operates with technical support from NABARD and the Forest Department of Maharashtra, promoting a mobile beekeeping model adapted to the seasonal flowering cycles of indigenous plants. The FPO uses *Apis cerana indica*, a native bee species, and trains tribal youth as field technicians to manage box migration and harvesting. Products are marketed under the brand “Devrai Van Madhu” with QR code-based traceability and are sold via TRIFED-supported Van Dhan Kendras. This initiative has successfully converted an LWE-affected zone into a sustainable honey production cluster, integrating apiculture into the forest economy and enhancing socio-economic resilience in vulnerable areas.

Together, these models illustrate the power of digital tools, startup ecosystems, and grassroots institutions in democratizing beekeeping. They demonstrate how FPOs and cooperatives, when supported by innovation, incubation, and institutional financing, can foster inclusive, tech-enabled livelihoods. Importantly, these examples reinforce that Apitech is not just about hardware or software—it is about people-centric innovation rooted in local ecology, cooperative governance, and market connectivity.

4. Cooperatives, FPOs and SHGs Driving Innovation

In India’s evolving apiculture landscape, cooperatives, Self-Help Groups (SHGs), and Farmer Producer Organizations (FPOs) are acting as key enablers of inclusive innovation and rural transformation. These grassroots institutions are not only aggregating small beekeepers into viable enterprises but also serving as platforms for technological dissemination, branding, and market access. By linking traditional practices with modern tools, they are making beekeeping more sustainable, profitable, and accessible, especially for tribal, women, and youth stakeholders.

A prominent example of innovation through cooperative action is the Mahua Honey Producers Cooperative in Jharkhand, which aggregates forest-derived honey collected by tribal families in remote districts. The cooperative model enables collective branding, standardization, and quality assurance. What sets this initiative apart is its adoption of solar-powered honey extractors, which provide an eco-friendly, cost-effective alternative to electricity-dependent systems. This innovation has reduced processing costs, increased production efficiency, and enhanced product purity—factors critical for obtaining FSSAI certification and accessing regulated markets. The cooperative has also set up its own testing lab, making it a self-reliant enterprise with traceability and compliance mechanisms built in.

In Wardha district of Maharashtra, the Swayampurna Mahila SHG project has emerged as a success story in women-led apiculture entrepreneurship. This cluster of five SHGs, comprising 45 rural women, produces herbal-infused honey varieties, including lemon, tulsi (basil), and wild forest honey. The SHG members received hands-on training in bee box handling, infusion techniques, and basic quality control from KVK Wardha and MAVIM (Mahila Arthik Vikas Mahamandal). The unique selling proposition of their products lies in natural infusion and handcrafted processes. With support from NABARD and MAVIM, the group has built a common facility center for processing and packaging. Their products are now sold via Amazon Saheli, local farmer outlets, and agro-exhibitions. The initiative has led to significant improvements in financial autonomy, skill development, and household income among the participating women.

An urban-rural innovation hybrid is exemplified by the Pune Beekeepers' Cooperative Society, which integrates peri-urban horticulturists and rural beekeepers into a single business ecosystem. This cooperative promotes urban rooftop beekeeping, engaging educational institutions and residential complexes to host small apiaries. In addition, the cooperative organizes bee-tourism workshops, introducing school students, tourists, and hobbyists to the science and benefits of beekeeping. The initiative has partnered with institutions such as the ICAR-Agri Business Incubator in Baramati and BAIF Development Research Foundation in Pune, allowing members to access cutting-edge technologies, incubation support, and research insights. By promoting both hobby-to-enterprise transitions and consumer awareness, the Pune cooperative is redefining the urban relevance of apiculture.

These examples reflect the plural and flexible nature of cooperative innovation in beekeeping from solar-powered extraction in forest regions to herbal honey infusion in rural clusters and digital traceability in urban rooftops. More importantly, they underscore the value of collectivization,

capacity building, and institutional convergence in making innovation work for the last-mile producer. As apiculture grows in scale and ambition, cooperatives, SHGs, and FPOs will remain the anchor institutions in driving inclusive, community-owned, and climate-smart beekeeping across India.

5. Global Innovations in Beekeeping

Around the world, beekeeping has witnessed remarkable innovations that not only address productivity and profitability but also tackle larger concerns such as climate change, biodiversity conservation, food security, and urban sustainability. Countries across continents have developed unique approaches to modernize apiculture through technology, research, and institutional collaboration. These global innovations serve as valuable learning models for Indian cooperatives, FPOs, and rural enterprises aiming to integrate beekeeping into local agri-value chains. A compelling example of cooperative-led advancement in apiculture comes from Ethiopia and Turkey, where Apimondia-affiliated cooperatives have pioneered the model of shared processing and export hubs. These federations enable small-scale beekeepers to collectively access honey extraction, quality testing, packaging, and certification infrastructure that would otherwise be unaffordable at an individual level. The system emphasizes traceability, organic certification, and bulk export contracts through centralized logistics. Over the past decade, this model has led to a threefold increase in regional honey exports, while significantly boosting income levels for rural and tribal beekeepers. The Apimondia model also emphasizes women and youth participation, ensuring that innovation translates into equitable growth and community resilience.

In urban contexts, cities like Paris, Toronto, and Melbourne have embraced rooftop beekeeping as both a sustainability strategy and an educational tool. Rooftop hives have been installed on hotels, office buildings, municipal schools, and cultural landmarks, creating micro-ecosystems that support local pollination, biodiversity, and environmental awareness. For instance, the Opéra Garnier in Paris and Fairmont Royal York Hotel in Toronto host rooftop apiaries that produce premium "city honey" while serving as climate action symbols. These urban beekeeping initiatives not only contribute to food security and pollinator health but also generate revenue through branded honey products, eco-tourism, and corporate social responsibility (CSR) collaborations. Importantly, such programs often involve citizen engagement and school-based learning, turning beekeeping into an urban sustainability movement.

In the field of scientific research and genetic innovation, countries like China and Israel are leading the way with advanced work on disease-resistant bee strains and high-yield hybrids. The Hebrew University of Jerusalem has developed bees with enhanced resistance to Varroa mite and Nosema infections—two of the most damaging threats to bee populations worldwide. Similarly, the Chinese Academy of Agricultural Sciences has made significant progress in selective breeding to improve honey output, climate adaptability, and behavioral stability. These efforts are underpinned by genomics, molecular diagnostics, and AI-based trait analysis, helping ensure the survival and productivity of bee colonies in the face of global warming, habitat loss, and pesticide exposure.

These international examples demonstrate that innovation in beekeeping is not limited to tools or technology, but extends to institutional mechanisms, citizen science, genetic research, and inclusive business models. Whether through cooperative aggregation in Ethiopia, rooftop hives in Canada, or genomic labs in Asia, the global apiculture sector shows how innovation can align with climate goals, local livelihoods, and biodiversity conservation. India's cooperatives and startups in the honey sector can gain immensely by adapting and localizing these global practices within the country's unique agro-ecological and socio-economic contexts.

6. Government Support and Innovation Schemes

The Government of India has launched a range of financial, institutional, and capacity-building schemes aimed at transforming the beekeeping sector into a modern, technology-enabled, and cooperative-driven enterprise. These initiatives provide critical support for infrastructure development, youth entrepreneurship, cooperative formation, and value chain strengthening particularly in rural, tribal, and aspirational districts. At the national level, the National Beekeeping and Honey Mission (NBHM), implemented by the Ministry of Agriculture & Farmers Welfare, serves as a flagship program. With a total outlay of ₹500 crore, NBHM supports the development of bee breeding infrastructure, common facility centers, laboratory testing, product certification (FSSAI/AGMARK), and branding initiatives. The scheme particularly encourages cluster-based approaches, making it ideal for FPOs, SHGs, and cooperatives aiming to scale their honey enterprises.

To foster youth involvement in cooperative enterprises, the Yuva Sahakar Scheme of the National Cooperative Development Corporation (NCDC) provides up to 80–90% of project cost assistance, along with interest subsidies. This scheme has enabled the launch of several youth-led

beekeeping cooperatives across Maharashtra, Uttarakhand, and the Northeast, where it also converges with livelihood missions.

The SFURTI (Scheme of Fund for Regeneration of Traditional Industries), run by the Ministry of MSME and KVIC, is another critical intervention that promotes honey cluster development. It supports artisan and tribal communities through grants for extraction units, packaging equipment, design labs, and branding campaigns. SFURTI clusters have been established in states like Maharashtra, Bihar, and Himachal Pradesh, with success stories such as MahaHoney gaining recognition in domestic and export markets.

Additionally, NABARD's Producer Organization Development Fund (PODF) plays a key role in institutionalizing beekeeping enterprises. Through this fund, ₹5 to ₹15 lakh in grant support is provided for the formation and handholding of FPOs, particularly those led by women, tribal, and smallholder beekeepers. NABARD also facilitates credit linkages, training programs, and convergence with digital platforms such as e-NAM and the Honey FPO Portal.

Together, these schemes provide a comprehensive policy and financial framework to enable innovation, cooperative convergence, and technology dissemination in India's apiculture sector. Their impact is visible in the rise of tech-enabled FPOs, women-led honey brands, and climate-smart cooperative clusters that are now reaching both domestic and international markets.

7. Training, Extension and R&D Support

A robust ecosystem of training, research, and capacity building is central to the sustainable growth of India's apiculture sector. Multiple institutions—ranging from national research agencies to grassroots cooperative training organizations—are working to ensure that beekeepers, cooperatives, SHGs, and FPOs are equipped with the skills and knowledge required for scientific, climate-resilient, and value-added beekeeping.

The National Bee Board (NBB), under the Ministry of Agriculture & Farmers Welfare, functions as the apex body for apiculture development. It supports the establishment of honey testing laboratories, facilitates certification and quality control (FSSAI, AGMARK, NMR), and organizes training programs for beekeepers and honey entrepreneurs. It also provides technical manuals, advisory services, and works closely with state departments and cooperative agencies to strengthen field-level outreach.

The ICAR-Apiculture Research Institute in Himachal Pradesh spearheads scientific research in bee genetics, disease control, and colony management. The institute develops disease-resistant strains, studies climate impacts on bee behavior, and promotes indigenous species like *Apis cerana indica*. Research outputs are disseminated through a network of Krishi Vigyan Kendras (KVKs), agriculture universities, and frontline extension workers. At the grassroots level, KVKs and Livelihood Missions such as UMED Maharashtra, DAY-NRLM, and TNSRLM in Tamil Nadu are conducting hands-on training, exposure visits, and entrepreneurship development programs for tribal, women, and youth-led beekeeping initiatives. These programs focus on scientific hive management, post-harvest handling, product diversification, and business planning, often delivered in local languages and adapted to local contexts.

Significantly, the Vaikunth Mehta National Institute of Cooperative Management (VAMNICOM), Pune, plays a leadership role in training and empowering honey cooperatives, SHGs, and FPOs. As an apex institute under the Ministry of Cooperation, VAMNICOM designs customized capacity-building modules on cooperative governance, honey value chain management, financial literacy, and marketing strategy. The institute also undertakes field-based consultancy and impact assessments and supports cooperatives in leveraging schemes like NBHM, SFURTI, and NABARD's PODF. Through its incubation and entrepreneurship development wings, VAMNICOM promotes innovations in cooperative-led apiculture across Maharashtra and other states.

Other notable institutions include LINAC-NCDC (Gurugram) and NCCT-affiliated training centers, which provide management and technical training to primary honey cooperatives and federations. These institutions also support policy advocacy, digital platform adoption, and export readiness among cooperative members.

Together, these organizations form an integrated support system that ensures the last-mile dissemination of innovations, capacity strengthening, and sustainable enterprise development in beekeeping. The synergy between research institutions, cooperative agencies, and training bodies like VAMNICOM is key to realizing the full potential of apiculture as a tool for rural transformation and cooperative growth.

8. Value Addition and Marketing Innovations

As the apiculture sector evolves, value addition and innovative marketing strategies are becoming crucial in enhancing income for beekeepers and expanding market outreach. From geographical indications (GI) and quality certifications to e-commerce platforms and experiential marketing, India's honey ecosystem is moving beyond raw honey sales towards differentiated, traceable, and premium-branded products.

A key development in this space is the growing emphasis on branding and certification. Unique honey varieties such as Kashmir Honey and Multiflora Honey from Uttarakhand have been awarded Geographical Indication (GI) tags, which protect regional identity and boost export potential. GI tagging assures authenticity and adds brand value, making these products attractive in both domestic and global markets. Additionally, quality certifications such as AGMARK, FSSAI, and EU Organic are now essential for market access, especially in formal retail and export channels. Cooperatives and FPOs are increasingly establishing in-house or third-party certified labs to meet these standards and enhance buyer confidence.

Digital platforms have further revolutionized honey marketing. Through e-commerce channels like Amazon Saheli, rural and women-led SHGs are now able to showcase and sell their products directly to urban consumers. Initiatives such as the eNAM Honey Portal, developed in partnership with the National Bee Board, offer a transparent online marketplace for registered honey producers and buyers. Additionally, APEDA's honey traceability system has streamlined compliance with international quality norms, enabling Indian honey brands to access premium markets in the USA, EU, and Gulf countries. These platforms not only ensure better price realization but also reduce dependency on middlemen.

Another innovative approach to value addition is the rise of bee tourism and agro-education initiatives, particularly in states like Maharashtra. Several cooperatives and SHG clusters have developed bee parks, demonstration apiaries, and mobile training units that serve both as income-generating activities and community awareness platforms. Visitors—including students, entrepreneurs, and eco-tourists—are introduced to beekeeping practices, biodiversity conservation, and honey tasting. Such experiences often result in increased product sales, brand loyalty, and local employment generation. The Pune Beekeepers' Cooperative, for instance, has successfully organized urban rooftop beekeeping tours and bee festivals in collaboration with schools and colleges, promoting both pollination literacy and enterprise development.

In essence, the integration of branding, certification, digital sales, and experiential marketing is redefining the apiculture value chain in India. These innovations are not only helping small beekeepers and cooperatives differentiate their products but are also building stronger consumer trust, enabling market diversification, and enhancing the overall viability of the beekeeping enterprise.

9. Conclusions

The future of beekeeping lies at the intersection of climate resilience, technological innovation, and inclusive institutional models with cooperatives positioned as the most effective vehicles to bridge these domains. As India aspires to become a global hub for sustainable apiculture, the way forward must emphasize scalable, cooperative-led frameworks that ensure equitable growth, environmental sustainability, and economic empowerment.

A key priority is the promotion of indigenous bee species, particularly *Apis cerana indica*, which are naturally adapted to local climatic conditions, require lower maintenance, and are more resilient to disease and environmental stress. These native species also contribute to local biodiversity conservation and are better suited for tribal and forest-based livelihoods. Cooperatives and SHGs working in tribal belts like Gadchiroli, Jharkhand, and Northeast India have already demonstrated success in using these species, and their propagation should be expanded through training, genetic resource centers, and field demonstration units managed by cooperative federations.

There is an urgent need to scale up the convergence between cooperatives and agri-tech startups, particularly in aspirational and backward districts. Startups provide disruptive innovations—such as IoT-based hive monitoring, AI-powered disease prediction, blockchain for traceability, and drones for floral mapping—while cooperatives offer the last-mile reach, social capital, and trust within communities. By facilitating partnerships through platforms like VAMNICOM, NABARD's incubation cells, and NBHM's cluster schemes, cooperatives can serve as innovation accelerators, adapting these technologies to the field level and ensuring inclusivity.

Furthermore, bee-based livelihoods must be mainstreamed into national programs such as NRLM, TRIFED's Van Dhan Yojana, and State Livelihood Missions. Cooperatives can act as implementing agencies and service providers under these schemes, mobilizing SHGs, offering

training, and supporting production, processing, and marketing. Integrating beekeeping into natural farming, agroforestry, and regenerative agriculture programs can create powerful synergies for rural development and ecological restoration. Technology adoption must go beyond experimentation and move towards systematic integration within cooperative ecosystems. Tools such as mobile advisory apps, remote hive sensors, and cloud-based cooperative dashboards should be standardized and subsidized under government support programs. Demonstration farms, model apiaries, and honey technology parks can be established under cooperative management to ensure region-specific adaptation and peer learning. Equally important is the need to incentivize women, youth, and tribal participation through targeted training, incubation, and market-linked guarantees. Programs like Amazon Saheli, Honey FPO Portal, and GI branding should be expanded and customized for cooperative and SHG-based enterprises. By ensuring that innovation translates into income, ownership, and empowerment, these initiatives will make apiculture a cornerstone of India's rural economy.

Conclusion

In conclusion, the way forward calls for a cooperative-centric apiculture ecosystem—where innovation is not just developed in labs or startups but is co-created, owned, and adapted by grassroots institutions. With coordinated efforts from the government, research bodies, startups, and cooperative networks, India has the potential to lead a “Sweet and Smart Revolution” in beekeeping, contributing to SDGs, rural prosperity, and environmental resilience.

References

1. Apimondia. 2023. International Beekeeping Innovations Report. www.apimondia.org
2. National Bee Board, Ministry of Agriculture & Farmers Welfare. <http://nbb.gov.in>
3. NABARD PODF Reports, Pune RO, 2024
4. Under The Mango Tree Society Annual Report, 2022. www.underthemangotree.org
5. Bharat Honey Success Story. www.bharathoney.com
6. Apiculture Cooperatives Report, VAMNICOM, 2025
7. FAO. 2022. The Importance of Pollinators in Agriculture. Rome
8. ICAR-Apiculture Division, YSPUHF, Solan. Annual Reports 2022-23
9. KVIC. 2024. SFURTI Scheme Guidelines and Honey Cluster Progress Reports
10. Madhusagar Cooperative, Mahabaleshwar. <https://www.madhusagar.co.in>

11. IPBES. (2016). *Assessment Report on Pollinators, Pollination and Food Production*. Bonn, Germany.
12. FAO. (2021). *Bees and Other Pollinators*. Rome: FAO. <https://www.fao.org/pollination>
13. Potts, S.G., Imperatriz-Fonseca, V., Ngo, H.T., et al. (2016). *Safeguarding Pollinators and Their Values to Human Well-being*. *Nature*, 540, 220–229.
14. Smart Hive Technologies: ApisProtect (www.apisprotect.com), OSBeehives Acoustic Monitoring, Spain, BeeScanning, Sweden (<https://beescanning.com>)
15. Artificial Intelligence and Blockchain in Apiculture: BuzzCoin Project: www.buzzcoin.info,
16. Ahmed, A., & Brodmann, J. (2021). *Blockchain in Agriculture: Innovations in Apiculture*. ICT Update, CTA.
17. National Beekeeping & Honey Mission (NBHM). Annual Report 2022–23. Ministry of Agriculture & Farmers Welfare. <https://nbb.gov.in>
18. NABARD. (2023). *FPO and PODF Impact Report*. Mumbai: NABARD. <https://www.nabard.org>
19. NCDC. (2022). *Yuva Sahakar Scheme Guidelines*. <https://www.ncdc.in>
20. SFURTI Cluster Reports. (2023). KVIC & Ministry of MSME. <https://www.kvic.gov.in>
21. TRIFED – Van Dhan Yojana Guidelines & Success Cases. <https://trifed.tribal.gov.in>
22. Under the Mango Tree Society. Annual Impact Reports (2022–2024). <https://www.underthemangotree.org>
23. Bharat Honey – Producer Company Insights. <https://www.bharathoney.com>
24. Devrai Honey FPO & Forest Department, Maharashtra. Field-level Evaluation Reports. (Internal)
25. VAMNICOM. (2025). *Apiculture Cooperatives & Capacity Building Reports*. Pune: CED-VAMNICOM.
26. Hebrew University of Jerusalem – Bee Genetics Research (2021–2024)
27. Chinese Academy of Agricultural Sciences – Apiculture R&D Papers
28. YSPUHF Solan – Apiculture Division Annual Reports (2022–23)

VISION FOR THE FUTURE – BEEKEEPING

¹Shahaji Phand and ²Sushrirekha Das

¹Deputy Director, EAAS, MANAGE, Hyderabad

²MANAGE Fellow, EAAS, MANAGE, Hyderabad

Abstract

India's apiculture sector is poised for significant expansion, driven by its rich floral diversity, favourable agro-climatic zones, and a growing domestic and international demand for honey and hive products. This chapter outlines a forward-looking vision for transforming India into a global honey export hub through strategic investments in quality control, value addition, and market branding. It emphasizes the adoption of climate-smart and community-based apiculture to enhance resilience, biodiversity conservation, and farmer income diversification. Special attention is given to the empowerment of women and youth through inclusive training, enterprise models, and access to finance, with the National Institute of Agricultural Extension Management (MANAGE) playing a pivotal role in capacity building, policy advocacy, and innovation scaling.

Keywords: Apiculture; Honey export; Climate-smart; Livelihoods

Introduction

Beekeeping, also known as apiculture, occupies a pivotal space at the confluence of agricultural productivity, biodiversity conservation, and sustainable rural livelihoods. It is not merely the practice of managing honeybee colonies for honey production; it is a strategic agricultural enterprise with far-reaching socio-economic and ecological implications. Globally, honeybees contribute to the pollination of over 75% of leading food crops, ensuring food security and enhancing crop yields, quality, and diversity (FAO, 2023). In monetary terms, pollination services worldwide are estimated to be worth over USD 200 billion annually, underscoring their critical role in agricultural value chains. In India, with its diverse agro-climatic zones, rich floral resources, and a growing focus on climate-smart agriculture, apiculture presents a unique opportunity to link rural development with global trade competitiveness. Beyond honey, the sector offers a spectrum of high-value hive products such as beeswax, royal jelly, propolis, and bee pollen which command premium prices in niche domestic and export markets. Furthermore, the

ecological services rendered by honeybees directly support productivity in crops such as mustard, apple, sunflower, and various pulses, thereby amplifying their indirect economic value.

However, despite being among the top ten honey-producing countries globally, India's share in the global honey export market remains under 5% (APEDA, 2024). This gap is not due to lack of potential but rather due to fragmented production systems, limited processing infrastructure, quality compliance challenges, and insufficient integration into global marketing networks. The vision for the future, therefore, calls for a coordinated national strategy that integrates quality enhancement, value addition, market linkage development, and inclusive capacity building especially for women and youth.

This is where the National Institute of Agricultural Extension Management (MANAGE), Hyderabad, plays a catalytic role. As India's apex institution for agricultural extension capacity building, MANAGE has been at the forefront of promoting climate-resilient, market-oriented, and community-based beekeeping practices. Through targeted training programs, farmer field schools, entrepreneurship development initiatives, and international knowledge exchange platforms, MANAGE bridges the gap between research innovations, field-level adoption, and market integration. Its collaborations with ICAR, APEDA, FAO, and state governments have contributed to creating skilled apiculture entrepreneurs, building export readiness, and fostering cross-sector partnerships. The need for climate-smart and community-driven apiculture systems has never been more urgent. Climate change is altering flowering patterns, disrupting nectar flows, and increasing pest and disease pressures. A future-ready beekeeping strategy must therefore be adaptive, grounded in scientific management, and inclusive of marginalized groups, ensuring that women, youth, and smallholder farmers are integral beneficiaries of the value chain.

This chapter sets out a comprehensive vision for:

- Positioning India as a honey export hub, leveraging both domestic production capacity and international trade opportunities.
- Scaling climate-smart and community-based apiculture, integrating ecological sustainability with economic resilience.
- Empowering women and youth in beekeeping, ensuring equitable access to skills, resources, and market linkages.

Through this lens, MANAGE's leadership role will be critically examined, highlighting how capacity-building, innovation promotion, and policy advocacy can together transform India's apiculture sector into a model of sustainable, inclusive, and globally competitive enterprise.

1. India as a Honey Export Hub

India ranks among the top ten honey-producing countries globally, with an annual production exceeding 125,000 metric tonnes (APEDA, 2024). Exports have grown steadily, reaching over USD 120 million in 2023, with key markets including the USA, Saudi Arabia, and the UAE (WITS, 2023). The potential to expand is significant, given India's floral diversity, lower production costs, and growing consumer preference for natural sweeteners. However, quality consistency, residue-free production, and branding remain critical challenges. With targeted interventions in laboratory infrastructure, Good Apicultural Practices (GAP), traceability, and GI tagging, India can emerge as a premium honey export hub.

2. Climate-Smart and Community-Based Apiculture

Climate-smart apiculture integrates adaptive practices such as diversified floral resources, shade provision, improved hive designs, and migratory beekeeping schedules to mitigate the impact of temperature fluctuations and erratic rainfall patterns. Community-based models, such as cluster-level cooperatives and farmer-producer organizations (FPOs), enable economies of scale in production, processing, and marketing. MANAGE has been instrumental in developing training modules, conducting farmer field schools, and linking beekeepers with national schemes like the National Beekeeping and Honey Mission (NBHM).




Figure 1 : Climate-Smart Practices in Apiculture

1. Climate-Smart Practices in Apiculture

India's apiculture sector is increasingly exposed to climate-related stresses, including:

- Erratic rainfall patterns, which disrupt flowering cycles and nectar availability.
- Extended droughts or excessive humidity, affecting colony strength and brood development.
- Temperature extremes, leading to heat stress in bees and reduced foraging activity.

To address these, climate-smart beekeeping integrates:

a. Diversified Floral Resource Planning

- Establishing multi-seasonal nectar and pollen sources through integrated farming systems (e.g., intercropping mustard, sunflower, niger, and fruit orchards with bee-friendly flowering plants).
- Using community floral calendars to synchronize hive placement with peak nectar flows.

b. Hive Design Innovations

- Adoption of thermally insulated hive materials to buffer against heatwaves and cold snaps.
- Incorporation of ventilation systems, shade netting, and reflective covers to maintain optimal internal hive temperatures.
- Introduction of low-maintenance indigenous hive types adapted to local climates.

c. Adaptive Management Techniques

- Migratory beekeeping schedules aligned with regional flowering patterns to maximize honey flows while avoiding climatic extremes.
- Supplementary feeding strategies during lean floral periods to prevent colony starvation.
- Water provisioning systems in dry seasons to prevent bee dehydration.

d. Integrated Pest and Disease Management (IPDM)

- Use of non-chemical control measures like screen bottom boards, dusting with powdered sugar, and brood interruption techniques to control Varroa mites.
- Training in disease surveillance and early warning systems to prevent colony losses.

2. Community-Based Apiculture Models

While individual beekeepers can maintain small-scale operations, the transformative leap in productivity, quality, and market reach often comes from collective approaches. **Community-based aggregation** through cluster-level cooperatives, Farmer Producer Organizations (FPOs), and Self-Help Groups (SHGs) enables a synergy where resources, skills, and market linkages are pooled to create a sustainable and profitable beekeeping ecosystem (FAO, 2021; NBHM, 2023).

a. Economies of Scale

- **Bulk Procurement of Equipment and Colonies:**

By pooling orders, communities can negotiate directly with manufacturers and certified queen breeders to secure **bee boxes, smokers, protective gear, and high-yield bee colonies** at significantly reduced costs. This reduces individual investment burdens and ensures standardization.

- **Shared Processing Facilities:** Community groups often establish **honey extractors, wax melters, and bottling plants** at central locations. This not only lowers operational costs but also ensures hygienic processing and uniform packaging critical for meeting domestic and export quality standards.

- **Example:** The **Himalayan Bee Cooperative** in Himachal Pradesh reduced member costs for hive equipment by 25% through pooled procurement contracts (Kumar et al., 2022).

b. Collective Marketing

- **Price Negotiation Power:**

Large aggregated volumes make cooperatives attractive to bulk buyers, institutional buyers, and exporters. This leads to better price realization compared to selling in fragmented, local retail markets.

- **Branding and Certification:**

Community-led branding, such as “**Village Origin Honey**” or **GI-tagged honey**, creates trust and visibility in the market. This is especially important for premium categories like **multifloral forest honey** or **organic certified honey**.

Example: The **Sundarbans Women’s Honey FPO** leveraged collective branding to increase export orders by 40% in 2021 (NBHM Annual Report, 2022).

c. Quality Assurance

- **Centralized Testing Laboratories:** Cooperatives can operate or partner with accredited labs for testing parameters like **moisture content (<18%), pesticide residues, and pollen analysis** to comply with EU and GCC market regulations.

- **Traceability Systems:** Use of **QR-code-enabled packaging** allows consumers and importers to trace honey batches back to specific apiaries, enhancing transparency and market acceptance.
- **Case Insight:** MANAGE-supported FPOs in Maharashtra implemented block chain-based traceability, enabling them to secure long-term export contracts.

d. Social Capital & Skill Sharing

- **Peer-to-Peer Learning:** Experienced members mentor beginners, fostering rapid skill acquisition and reducing failure rates in colony management.
- **Group Bargaining Power:** Organized groups have stronger voices when advocating for inclusion in **government subsidy programs**, accessing **low-interest credit**, or negotiating with insurance companies under schemes like the **Pradhan Mantri Fasal Bima Yojana (PMFBY)** for apiculture.
- The MANAGE-facilitated cluster in Karnataka trained 150 women and youth through **Community Resource Persons (CRPs)**, resulting in a 60% increase in honey yield over two seasons (MANAGE Field Report, 2024).

3. a. Capacity Building

- **Customized Training Modules:** MANAGE has designed region-specific training curricula for apiculture, taking into account variations in flora, climate, and management needs across different agro-climatic zones of India. These modules incorporate climate change adaptation strategies such as hive insulation, water management for bees, and climate-resilient bee forage planning.
- **Farmer Field Schools (FFSs):** The institute has established FFSs that function as living laboratories for farmers. These sites allow participants to gain hands-on experience with adaptive practices, such as seasonal migration of colonies, integrated pest management, and use of indigenous bee strains better suited to withstand climatic stresses.
- **Skill Enhancement for FPO Members:** Special emphasis is given to training members of existing and emerging Farmer Producer Organizations (FPOs), enabling them to adopt beekeeping as a diversified enterprise alongside agriculture, horticulture, and allied activities. Women self-help groups (SHGs) and rural youth are also trained to engage in beekeeping as a sustainable livelihood option.

b. Policy and Scheme Linkages

- **National Beekeeping and Honey Mission (NBHM):** MANAGE acts as a facilitator to connect beekeepers and FPOs engaged in beekeeping with NBHM's subsidies for bee colonies, modern equipment, processing units, and storage facilities.
- **Export and Quality Certification:** The institute helps apiculture-based FPOs tap into the Agricultural and Processed Food Products Export Development Authority (APEDA) programs, including training on residue monitoring, traceability systems, and organic certification processes.
- **Integration with Other Schemes:** MANAGE aligns beekeeping initiatives with programs like MGNREGS and National Rural Livelihood Mission (NRLM), enabling FPOs to access infrastructural support and employment opportunities for their members.

c. Community Enterprise Development

- **Cluster-to-FPO Transition:** MANAGE plays a crucial role in transforming informal beekeeper clusters into legally registered Farmer Producer Organizations (FPOs) or cooperatives. This formalization empowers beekeepers with collective bargaining power, pooled resources, shared equipment, and improved market reach.
- **Market Linkages for FPOs:** MANAGE connects beekeeping FPOs with honey processors, bulk buyers, national retail chains, institutional markets, and e-commerce platforms, ensuring better price realization and reduced dependency on intermediaries.
- **Value Addition:** FPO members receive training in advanced processing techniques such as wax purification, pollen and propolis collection, royal jelly extraction, and premium-grade honey packaging, enabling them to capture higher-value market segments.

d. Climate Knowledge Dissemination

- **Localized Climate Advisories for FPO Networks:** MANAGE integrates weather forecasts, nectar flow predictions, and pest/disease outbreak alerts into extension materials and delivers them through SMS alerts, WhatsApp groups, and digital dashboards specifically tailored for beekeeping FPOs.
- **Research–FPO Partnerships:** Collaborations between research institutions, agricultural universities, and beekeeper FPOs facilitate the on-ground testing of innovations like climate-resilient bee strains, improved hive designs, and adaptive nectar forage plantations.

- **Awareness Campaigns:** MANAGE conducts targeted campaigns within FPO networks to promote pollinator-friendly farming practices, biodiversity conservation, and climate-smart agriculture as integrated livelihood strategies.

3. Women and Youth in Beekeeping

Women and youth constitute an underutilized yet highly promising segment within India's beekeeping sector. Due to its low land requirements, modest initial investment (₹8,000–₹15,000 for a basic setup), and flexibility to adapt to varied schedules, beekeeping aligns well with the livelihood needs of these groups, particularly in rural and peri-urban areas. The skills required can be acquired through short-term, hands-on training, making apiculture a practical entry point into agri-entrepreneurship.

Targeted Capacity Building

Recognizing this potential, the National Institute of Agricultural Extension Management (MANAGE) has implemented specialized interventions to ensure inclusive participation. A flagship example is the '*Madhu Sakhi*' initiative in Telangana and Andhra Pradesh, which has trained **1,236 rural women** in:

- Scientific hive management and seasonal colony care.
- Honey extraction, processing, and quality assurance.
- Development of value-added products such as beeswax candles, herbal honey, and propolis-based cosmetics.

These interventions have translated into **average income gains of ₹4,000–₹7,000 per month per participant**, with some women scaling up to manage **25–30 hives** and engaging in bulk supply contracts with local cooperatives and Farmer Producer Organizations (FPOs).

Youth Entrepreneurship in Apiculture

Youth engagement has been strengthened through the integration of beekeeping into entrepreneurship development and start-up incubation frameworks. Under MANAGE-supported youth programs:

- Over **500 young entrepreneurs** have been mentored in modern beekeeping technologies, product diversification, and market branding.

- **32 start-ups** have successfully leveraged seed funding ranging from ₹50,000 to ₹2 lakh to expand their operations.
- Digital literacy and e-commerce training have enabled participants to market honey and bee products via online platforms, increasing their customer base beyond local markets.

Impact Story: From Learner to Leader

Telangana Bee Hub Society

The Telangana Bee Hub Society is working to make beekeeping a profitable and sustainable livelihood option in the state. It organizes awareness programs, hands-on training, and exhibitions in collaboration with the Telangana Horticulture Department, NGOs, and producer companies. One of its unique initiatives includes training inmates at Cherlapalli Central Prison, giving them skills to earn a living after release. The Society also supports rural entrepreneurs, especially women, in producing value-added honey products and promotes integrated farming by combining oilseed crops like sunflower and safflower with apiaries. MANAGE (National Institute of Agricultural Extension Management) plays a key role by developing training modules, capacity-building programs, and linking the Society's initiatives with national schemes like the National Beekeeping and Honey Mission (NBHM). This partnership strengthens farmers' technical skills, improves market access, and promotes climate-smart beekeeping across Telangana.

Case study of Ms. Sanjana, Telangana

Sanjana began her beekeeping journey with just 5 bee hives, driven by a deep passion to support farmers, empower FPOs, and spread awareness about the vital role of honey bees in agriculture. With consistent effort, skill-building, and community engagement, she expanded her apiary to an impressive 200 bee hives. Today, her enterprise not only produces high-quality honey and bee products but also generates a monthly profit of ₹2,00,000, proving that beekeeping can be both impactful and financially rewarding. Her story continues to inspire farmers and rural entrepreneurs to see beekeeping as a path to prosperity.



Case study of Ms. Indira Reddy, Telangana

Indira Reddy is a passionate beekeeper whose journey began with just two bee hives and an unshakable vision to transform rural livelihoods through apiculture. Her dedication and expertise have earned her recognition as a Life Member of the National Bee Board and a State SLEC Member, where she actively contributes to shaping beekeeping policies and practices in Telangana. She is the first Master Trainer in Telangana, pioneering scientific beekeeping training for thousands of farmers, women, and unemployed youth. Her programs not only teach hive management and honey production but also highlight the crucial role of pollination in sustainable agriculture. In collaboration with agricultural and horticultural universities, Indira has bridged the gap between research and field practice, empowering communities to adopt beekeeping as a viable source of income. Today, she maintains 1,000 bee hives, producing an impressive 2 tons of honey per month, along with by-products such as beeswax and Amrita, a natural immunity-boosting super drink, her monthly income is 4 lakhs per month. An accomplished author, Indira penned “Telangana Queen Bee – A Journey with Honey Bees”, sharing her knowledge, experiences, and vision for the future of apiculture.



Broader Outcomes

By strategically empowering women and youth, beekeeping is shifting from a supplementary livelihood to a viable, sustainable enterprise. It is generating rural employment, improving household nutrition, and supporting environmental conservation through enhanced pollination services for local crops.

Strategic Actions & Policy Instruments

To position India as a competitive honey export hub, a coordinated strategy integrating infrastructure, finance, regulation, training, and technology adoption is essential. The following policy instruments and interventions are recommended:

1. Strengthen Quality Infrastructure

- **District-Level Accredited Testing Laboratories:** Establish NABL-accredited honey testing facilities in all major honey-producing districts to enable rapid quality assessment, residue testing, and certification.
- **Mobile Testing Units:** Deploy portable honey testing kits and mobile laboratories to support remote beekeeping clusters, particularly in tribal and hilly regions.

2. Enhance Financial Support Mechanisms

- **Working Capital Assistance:**

Provide low-interest revolving credit or working capital grants to smallholder beekeepers and cooperatives to cover seasonal expenses such as colony maintenance, feed supplements, and packaging materials.

- **Subsidized Equipment:**

Expand schemes for subsidizing scientific hives, extractors, and storage units under the National Beekeeping and Honey Mission (NBHM) to reduce initial entry barriers.

3. Enforce Stringent Quality Standards

- **Alignment with Export Regulations:** Harmonize domestic honey quality protocols with Codex Alimentarius and importing country requirements to eliminate export rejections.
- **Mandatory Traceability and Labeling:** Introduce labeling norms that reflect floral source, harvest date, and processing details to enhance buyer confidence.
- **Regular Compliance Audits:** Conduct periodic audits of honey processing units and FPO aggregation centers to maintain consistent product quality.

4. Expand Capacity-Building Coverage

- **Nationwide Training Roll-Out:** Scale MANAGE's proven training modules, such as *Madhu Sakhi*, to all major honey-producing states including Himachal Pradesh, Punjab, West Bengal, and Maharashtra.
- **Skill Certification:** Partner with the Agricultural Skill Council of India (ASCI) to provide formal skill certifications, improving employability and credibility of trained beekeepers.

5. Integrate Digital and Blockchain Solutions

- **Digital Traceability Systems:** Deploy mobile-based applications to track honey from hive to market, recording every step of production, processing, and distribution.
- **Blockchain Verification:** Use blockchain-based ledgers to provide tamper-proof records for export consignments, assuring buyers of authenticity, purity, and ethical sourcing.

6. Market Development & Branding

- **National Honey Brand:** Develop a government-backed 'India Honey' export brand that promotes the country's diverse floral sources and organic beekeeping practices.

- **Trade Promotion:** Organize participation in international food and agriculture expos to connect Indian producers directly with global buyers.

Table.1 Implementation Roadmap for Honey Export Hub Strategy

Action Area	Lead Agency	Timeline	Expected Outcome
District-level honey testing labs	APEDA, NABL, State Agri Depts	1–2 years	Rapid quality certification, reduced export rejections
Working capital & credit support	NABARD, State Co-op Banks	6–12 months	Increased production capacity and financial stability for smallholder beekeepers
Harmonization with export regulations	FSSAI, APEDA, MoFPI	1 year	Compliance with global quality norms, better market access
National training expansion	MANAGE, ASCI, Krishi Vigyan Kendras	1–3 years	Skilled beekeeper base in all honey-producing states
Digital traceability & blockchain	Ministry of Electronics & IT, APEDA, Private Tech Partners	1–2 years	Transparent, tamper-proof honey supply chain for domestic and export markets
National Honey Brand & promotion	MoFPI, APEDA, Export Promotion Councils	Ongoing (start 1 year)	Strong global brand identity, higher price realization

Conclusion

India’s apiculture sector stands at a pivotal juncture, with the potential to evolve from a largely informal activity into a globally competitive, sustainable industry. The country’s rich floral diversity, varied agro-climatic zones, and traditional knowledge base offer a strong natural foundation for producing high-quality honey and other bee-based products. Realizing this potential will require a deliberate focus on building robust quality infrastructure, aligning domestic standards with global benchmarks, and enabling smallholder beekeepers especially women and youth to access markets, finance, and technology. Integrating digital traceability, enforcing strict quality norms, and promoting a strong national brand will further enhance India’s credibility in the international honey trade. As a national catalyst, the National Institute of Agricultural Extension Management (MANAGE) is uniquely positioned to drive this transformation through capacity-building programs, innovation promotion, and policy advocacy. By connecting

producers, cooperatives, start-ups, and export agencies in a unified value chain, MANAGE can help ensure that India not only meets its domestic demand but also emerges as a leading, trusted supplier of sustainably produced honey to the world.

References

1. APEDA (2024). Honey Export Data. Agricultural and Processed Food Products Export Development Authority.
2. WITS (2023). World Integrated Trade Solution Honey Trade Statistics.
3. Tridge (2024). Global Honey Market Insights.
4. Centre for Science and Environment (2022). Honey Purity and Adulteration Reports.
5. MANAGE (2024). Official Training Module on Scientific Beekeeping.
6. Times of India (2023). 'Madhu Sakhi' Initiative Empowers Women Beekeepers.
7. Press Information Bureau (2023). GI Tagging for Indian Honey Varieties.

ABOUT EDITORS



Dr. Shahaji Phand is currently working as Deputy Director and Centre Head, Centre for Extension in Agri-Allied Sectors, and Principal Coordinator of the AgriClinics and Agribusiness Scheme (AC&ABC) at MANAGE, Hyderabad. A veterinary graduate with a Ph.D. in Veterinary Extension Education from IVRI, he is an award-winning researcher and technology developer. He has over 32 research publications, edited more than 62 books, and played a key role in training 89,000+ agri-professionals nationwide. His expertise spans innovation in animal health systems, capacity building, and agripreneurship promotion across India.



Dr. Sushrirekha Das is currently working as MANAGE Fellow, Centre for Extension in Agri-Allied Sectors, MANAGE. She holds a Ph.D. and M.Sc. in Zoology from North Orissa University, Baripada, Odisha, with over 9 years of experience in teaching, research, and extension. She also served in R&D as a Senior Executive in probiotics research for 2 years. She has made significant scientific contributions in the allied extension. She has over 12 research publications, edited more than 48 books, and played a key role in training 5000+ allied professionals (Fishery, apiculture, sericulture and animal husbandry) nationwide. Her expertise spans innovation in fisheries extension, capacity building, and entrepreneurship promotion across India.



National Institute of Agricultural Extension Management

(An Autonomous Organization of Ministry of Agriculture & Farmers Welfare, Govt. of India)

Rajendranagar, Hyderabad, Telangana – 500 030, India



978-81-19663-40-8